



Publication number : **0 592 106 A1**

(12)

## EUROPEAN PATENT APPLICATION

(21) Application number : **93307051.8**

(51) Int. Cl.<sup>6</sup> : **C12N 15/13, C12N 15/62,  
C07K 15/00, C12P 21/08**

(22) Date of filing : **07.09.93**

(30) Priority : **09.09.92 US 942245**

(43) Date of publication of application :  
**13.04.94 Bulletin 94/15**

(84) Designated Contracting States :  
**BE CH DE DK ES FR GB IE IT LI LU NL SE**

(71) Applicant : **IMMUNOGEN INC**  
**148 Sidney Street**  
**Cambridge, Massachusetts 02139 (US)**

(72) Inventor : **Pedersen, Jan T.**  
**72 Great Pultney Street**  
**Bath, Avon BA2 4DC (GB)**

Inventor : **Searle, Stephen M.J.**

**30 Eastbourne Avenue**  
**Bath, Avon BA1 6NE (GB)**

Inventor : **Rees, Anthony R.**

**94 Sydney Place**  
**Bath, Avon BA2 6NE (GB)**

Inventor : **Roguska, Michael A.**

**16 Hilldale Road**  
**Ashland, Massachusetts 01721 (US)**

Inventor : **Guild, Braydon C.**

**109 Riverdale Road**  
**Concord, Massachusetts 01742 (US)**

(74) Representative : **BROOKES & MARTIN**  
**High Holborn House 52/54 High Holborn**  
**London, WC1V 6SE (GB)**

(54) **Resurfacing of rodent antibodies.**

(57) A method for determining how to humanize a rodent antibody or fragment thereof by resurfacing, said method comprising:

(a) determining the conformational structure of the variable region of said rodent antibody or fragment thereof by constructing a three-dimensional model of said rodent antibody variable region;

(b) generating sequence alignments from relative accessibility distributions from x-ray crystallographic structures of a sufficient number of rodent antibody variable region heavy and light chains to give a set of heavy and light chain framework positions wherein said set is identical in 98% of said sufficient number of rodent antibody heavy and light chains;

(c) defining for said rodent antibody or fragment thereof to be humanized a set of heavy and light chain surface exposed amino acid residues using said set of framework positions generated in said step (b);

(d) identifying from human antibody amino acid sequences a set of heavy and light chain surface exposed amino acid residues that is most closely identical to said set of surface exposed amino acid residues defined in said step (c), wherein said heavy and light chain from said human antibody are or are not naturally paired;

(e) substituting, in the amino acid sequence of said rodent antibody or fragment thereof to be humanized said set of heavy and light chain surface exposed amino acid residues defined in said step (c) with said set of heavy and light chain surface exposed amino acid residues identified in said step (d);

(f) constructing a three-dimensional model of said variable region of said rodent antibody or fragment thereof resulting from the substituting specified in said step (e);

(g) identifying, by comparing said three-dimensional models constructed in said steps (a) and (f), any amino acid residues from said set identified in said step (d), that are within 5 Angstroms of any atom of any residue of the complementarity determining regions of said rodent antibody or fragment thereof to be humanized; and

(h) changing any residues identified in said step (g) from the human to the original rodent amino acid residue to thereby define a rodent antibody humanizing set of surface exposed amino acid residues; with the proviso that said step (a) need not be conducted first, but must be conducted prior to said step (g).

EP 0 592 106 A1

**FIELD OF THE INVENTION**

The present invention relates to the development of prediction rules that can be used to accurately model the variable regions (V-regions) of antibodies. The development of these rules and their application in the predictive molecular restructuring of the surfaces of variable domains of non-human monoclonal antibodies enables changing of the surface, resurfacing, of these monoclonal antibody V-regions to replicate the surface characteristics found on human antibody V-regions. This method of resurfacing non-human monoclonal antibody V-regions to resemble human antibody V-regions is expected to permit the production of functional altered antibodies, which retain the binding parameters of the original non-human monoclonal antibody, with improved therapeutic efficacy in patients due to the presentation of a human surface on the V-region.

**BACKGROUND OF THE INVENTION****General Background of Antibodies**

Murine monoclonal antibodies are widely used as diagnostic and therapeutic agents in the treatment of human disease. Mice can be readily immunized with foreign antigens to produce a broad spectrum of high affinity antibodies. Invariably, the introduction of murine or other rodent antibodies into humans results in the production of a human anti-mouse antibody (HAMA) response due to the presentation of a foreign protein in the body. The production of HAMA in patients can result from the introduction of foreign antibody in a single dose or from extended use in therapy, for example, for the treatment of cancer. Extended use of murine antibody is generally limited to a term of days or weeks in patients before concerns of anaphylaxis arise. Moreover, once HAMA has developed in a patient, future use of murine antibodies for diagnostic or therapeutic purposes is often precluded for the same reasons.

Beyond ethical considerations, attempts to produce human monoclonal antibodies have not been highly successful for a number of reasons. The production *in vitro* of human monoclonals rarely results in high affinity antibodies. *In vitro* cultures of human lymphocytes yield a restricted range of antibody responses relative to the broad spectrum of reactive antibodies produced *in vivo* through direct immunization of mice. Additionally, in humans, immune tolerance prevents the successful generation of antibodies to self-antigens. All of these factors have contributed to the search for ways to modify the structures of murine monoclonal antibodies to improve their use in patients. Many investigators have attempted to alter, reshape or humanize murine monoclonal antibodies in an effort to improve the therapeutic application of these molecules in patients.

**Strategies of Antibody Humanization**

The earliest reports of the controlled rearrangement of antibody domains to create novel proteins was demonstrated using rabbit and human antibodies as described by Bobrzecka, K. et al. (Bobrzecka, K., Konieczny, L., Laidler, P. and Rybarska, J. (1980), *Immunology Letters* 2, pp. 151-155) and by Konieczny et al. (Konieczny, L., Bobrzecka, K., Laidler, P. and Rybarska, J. (1981), *Haematologia* 14 (I), pp. 95-99). In those reports, the protein subunits of antibodies, rabbit Fab fragments and human Fc fragments, were joined through protein disulfide bonds to form new, artificial protein molecules or chimeric antibodies.

Recombinant DNA technology was used to construct gene fusions between DNA sequences encoding mouse antibody variable light and heavy chain domains and human antibody light chain (LC) and heavy chain (HC) constant domains to permit expression of the first recombinant "near-human" antibody (chimeric antibody) product (Morrison, S.L., Johnson, M.J., Herzenberg, L.A. and Oi, V.T. (1984), *Proc. Natl. Acad. Sci. U.S.A.* 81, pp. 6851-6855).

The kinetics and immune response in man to chimeric antibodies has been examined (LoBuglio, A.F., Wheeler, R.H., Trang, J., Haynes, A., Rogers, K., Harvey, E.B., Sun, L., Ghayeb, J. and Khazaeli, M.B. (1989), *Proc. Natl. Acad. Sci.* 86, pp. 4220-4224).

Chimeric antibodies contain a large number of non-human amino acid sequences and are immunogenic in man. The result is the production of human anti-chimera antibodies (HACA) in patients. HACA is directed against the murine V-region and can also be directed against the novel V-region/C-region (constant region) junctions present in recombinant chimeric antibodies.

To overcome some of the limitations presented by the immunogenicity of chimeric antibodies, the DNA sequences encoding the antigen binding portions or complementarity determining regions (CDR's) of murine monoclonal antibodies have been grafted by molecular means in the DNA sequences encoding the frameworks of human antibody heavy and light chains (Jones, P.T., Dear, P.H., Foote, J., Neuberger, M.S. and Winter, G. (1986), *Nature* 321, pp. 522-525; Riechmann, L., Clark, M., Waldmann, H. and Winter, G. (1988), *Nature* 332,

pp. 323-327). The expressed recombinant products called reshaped or humanized antibodies are comprised of the framework of a human antibody light or heavy chain and the antigen recognition portions, CDR's, of a murine monoclonal antibody. Several patent applications have been filed in this area including, for example, European Patent Application, Publication No. 0239400; European Patent Application, Publication Nos. 0438310A1 and 0438310A2; International Patent Publication No. WO 91/09967; and International Patent Publication No. WO 90/07861.

However, it is questionable whether European Patent Application (EP), Publication No. 0239400 is truly enabling. It is not assured in this patent that the best fit is made to assure proper presentation of the CDR loops at the antibody combining site.

EP Publication Nos. 0438310A1 and 0438310A2 go a step beyond EP Publication No. 0239400 by protecting the importance of uniquely selected human frameworks for the human light chain (LC) and heavy chain (HC) V-regions. These V-region frameworks should show a high degree of sequence similarity with the frameworks of the murine monoclonal antibody and present the CDR's in the appropriate configuration. However, the criteria for sequence matching are no more sophisticated than simple homology searching of the antibody protein or DNA databases.

International Patent Publication No. WO 91/09967 attempts a further variation of the method disclosed in EP Publication No. 0239400. In International Patent Publication No. WO 91/09967, homology of the donor sequences and the acceptor framework is not important, rather it discloses that a selected set of residues in the LC and HC are critically important to humanization. The ability to make changes at these positions is the basis of International Patent Publication No. WO 91/09967.

International Patent Publication No. WO 90/07861 proposes four important criteria for designing humanized antibodies. 1) Homology between human acceptor and non-human donor sequences. 2) Use donor rather than acceptor amino acids where the acceptor amino acid is unusual at that position. 3) Use donor framework amino acids at positions adjacent to the CDR. 4) Use donor amino acids at framework positions where the sidechain atom is within 3 Angstroms of the CDR in a 3-D model. The first antibody humanized by this method retained less than 1/3 the affinity of the original monoclonal antibody.

None of the above methods for designing a humanized antibody are predictable due to the questions that surround CDR framework interactions. By replacement of murine framework with human framework, there is no guarantee of identical conformations for CDR's because i) the  $V_L$ - $V_H$  interaction is not identical in all V-regions and ii) accurate prediction of the CDR-framework interactions are key to faithful reproduction of the antigen binding contacts.

The above methods do not offer a general solution to solving the issues surrounding antibody humanization, rather the methods as outlined in each reference above involve a substantial amount of trial and error searching to obtain the desired affinity in the final humanized product. More importantly, there is no guarantee that corrective changes in framework amino acids will leave the reshaped V-regions resembling the surface character of a truly human antibody. Therefore, it can be argued that antibodies humanized by the above methods may be immunogenic in man.

#### Antigenicity of Antibodies

The antigenicity/immunogenicity of an antibody, including recombinant reshaped antibody products, introduced into humans can be viewed as a surface phenomenon. In general one can view the immune system as scanning the surface of a protein introduced to the body. If the  $F_V$  portion of a humanized antibody 'opens-up' in the circulation then internal residues can be presented to the immune system. On the other hand, if the  $F_V$  portion is stable and tightly packed then only the surface residues presented by the V-regions and the interface between the  $V_L$  and  $V_H$  regions will be 'scanned'.

#### Surface Reshaping or Resurfacing of Antibodies

The notion of surface presentation of proteins to the immune system raises the prospect of redesigning murine monoclonal antibodies to resemble human antibodies by humanizing only those amino acids that are accessible at the surface of the V-regions of the recombinant  $F_V$ . The resurfacing of murine monoclonal antibodies to reduce their immunogenicity could be beneficial in maintaining the avidity of the original monoclonal antibody in the reshaped version, because the natural framework-CDR interactions are retained. The value of maintaining the integrity of the framework-CDR interactions has been illustrated as summarized below.

In a recent research report, two different reshaped versions of the rat monoclonal antibody, Campath-9 (anti-human CD4), were generated (Gorman, S.D., Clark, M.R., Routledge, E.G., Cobbold, S.P. and Waldmann, H. (1991), Proc. Natl. Acad. Sci. U.S.A. 88, pp. 4181-4185). In one version, pV<sub>H</sub>NEW/C<sub>G1</sub>, the acceptor V<sub>H</sub> fra-

mework was from the human NEW-based heavy chain, which has 47% identical residues to the Campath-9 V<sub>H</sub>. While in the second version, pV<sub>H</sub>KOL/C<sub>G1</sub>, the acceptor V<sub>H</sub> framework was from the human KOL antibody, which has 72% identical residues to Campath-9 V<sub>H</sub>. Each reshaped antibody contained the identical V<sub>L</sub> domain from the human REI antibody sequence. However, the recombinant product of pV<sub>H</sub>KOL/C<sub>G1</sub> had an avidity for CD4 that was substantially greater than the product of pV<sub>H</sub>NEW/C<sub>G1</sub>. The authors proposed a reshaping strategy where human sequences, that are highly homologous to the rodent antibody of interest, are transferred, by in vitro mutagenesis, into the rodent V-region to create a "bestfit" reshaped antibody. This strategy uses the term "bestfit" to describe the modeling process, however, there is no quantitative formula employed to assess "bestfit", and so in effect, the process is subjective. Additionally, there is no resurfacing concept presented in that paper.

The concept of reducing rodent-derived antibody immunogenicity through the replacement of exposed residues in the antibody framework regions which differ from those of human origin is discussed in a recent paper (Padlan, E.A. (1991), *Molecular Immunology* 28, pp. 489-498). In that paper, the variable domains of two antibody structures, KOL (human) and J539 (mouse), are examined. The crystal structures of the Fab fragments of these two antibodies have been elucidated to high resolution. The solvent accessibility of the exposed framework residues in the variable domains of these two antibodies were compared to a sequence database of human and murine antibody V-region subgroups. On the basis of his findings, Padlan proposed to reduce the antigenicity of allogeneic variable domains [murine V-regions], through replacement of the exposed residues in the framework regions with residues usually found in human antibodies. In murine sequences with the highest similarity to a given human sequence, the number of changes necessary to "humanize" a murine V-region surface would range from 6-15 amino acid changes per V-region. This reference suggests how to convert one antibody surface into another but no general method is developed. Application of the procedure is provided by two examples, a worst-case and a best-case.

#### **Worst Case:**

Among the representative murine kappa V<sub>L</sub> sequences examined for which its autologous V<sub>H</sub> has been sequenced, S107V<sub>L</sub> has the most residues that need to be replaced to humanize it. S107V<sub>L</sub> is most similar to the members of the human subgroup VKIV and JK2. The exposed or partially exposed residues that need to be replaced are those at positions 9, 10, 14, 15, 16, 17, 18, 22, 41, 63, 80, 83, 85, 100 and 106. Murine V-region S107V<sub>H</sub> is most similar in its framework to the members of the human subgroup VHIII and JH6. The exposed or partially exposed residues in S107V<sub>H</sub> that need to be replaced are those at positions 3, 40, 68, 73, 75, 76, 82b and 89. A total of 23 residues need to be replaced to humanize the variable domains of S107.

#### **Best Case:**

Among the murine V<sub>H</sub> sequences examined for which the autologous V<sub>L</sub> has also been sequenced, MOPC21V<sub>H</sub> has the least number of residues that need to be replaced to humanize it. MOPC21V<sub>H</sub> is most similar in its framework to the members of the human subgroup HIII and JH6. The exposed or partially exposed residues that need to be replaced are those at positions 1, 42, 74, 82a, 84, 89 and 108. MOPC21V<sub>L</sub> is most similar in its framework to human subgroup VKIV and JK4. The exposed or partially exposed residues that need to be replaced are those at positions 1, 9, 12, 15, 22, 41, 63, 68, 83 and 85. A total of 17 amino acids need to be replaced to humanize the variable domains of MOPC21.

Of the light chains in the Best- and Worst-Case examples cited above, S107V<sub>L</sub> required changes at 15 positions and MOPC21V<sub>L</sub> required changes at 10 positions. Only seven of the changes are common to both of these light chain sequences (see underlined residues). Moreover, of the heavy chain residues that need to be replaced to humanize the respective V-regions, S107V<sub>H</sub> required changes at 8 positions and MOPC21V<sub>H</sub> required changes at 7 positions. In this instance, only one position is common to both of these heavy chain sequences (see residues in boldface).

An analysis of S107 V-regions alone would not have led to the prediction of which residues to change in MOPC21. The reason for this is that the surface residues in Padlan's analysis are only determined by reference to the crystal structure analysis of one antibody. In addition, the basis for defining the surface exposure of an amino acid at a particular position on that crystal structure is a continuous gradient of change, e.g., the fractional solvent accessibility values (Padlan, E.A. (1990), *Molecular Immunology* 28, pp. 489-498) were computed, where: 0 to 0.2 = completely buried, 0.2 to 0.4 = mostly buried, 0.4 to 0.6 = partly buried/partly exposed, 0.6 to 0.8 = mostly exposed, and 0.8 or above = completely exposed. By limiting the analysis of exposed surface residues to a single crystal structure and by superimposing a broad range of solvent accessibility ratios on exposed residues, such a modeling strategy could be expected to have a wide margin of error in its calculations.



This model fails to take into account the great majority of structural information available in the database for other antibody crystal structures.

## SUMMARY OF THE INVENTION

Accordingly, it is an object of this invention to provide humanized rodent antibodies or fragments thereof, and in particular, humanized rodent monoclonal antibodies that have improved therapeutic efficacy in patients due to the presentation of a human surface on the V-region. This and other objects have been attained by providing a method for determining how to humanize a rodent antibody or fragment thereof by resurfacing the method comprising:

- (a) determining the conformational structure of the variable region of the rodent antibody or fragment thereof by constructing a three-dimensional model of the rodent antibody variable region;
- (b) generating sequence alignments from relative accessibility distributions from x-ray crystallographic structures of a sufficient number of rodent antibody variable region heavy and light chains to give a set of heavy and light chain framework positions wherein the set is identical in 98% of the sufficient number of rodent antibody heavy and light chains;
- (c) defining for the rodent antibody or fragment thereof to be humanized a set of heavy and light chain surface exposed amino acid residues using the set of framework positions generated in step (b);
- (d) identifying from human antibody amino acid sequences a set of heavy and light chain surface exposed amino acid residues that is most closely identical to the set of surface exposed amino acid residues defined in step (c), wherein the heavy and light chain from the human antibody are or are not naturally paired;
- (e) substituting, in the amino acid sequence of the rodent antibody or fragment thereof to be humanized the set of heavy and light chain surface exposed amino acid residues defined in step (c) with the set of heavy and light chain surface exposed amino acid residues identified in step (d);
- (f) constructing a three-dimensional model of the variable region of the rodent antibody or fragment thereof resulting from the substituting specified in step (e);
- (g) identifying, by comparing the three-dimensional models constructed in steps (a) and (f), any amino acid residues from the set identified in step (d), that are within 5 Angstroms of any atom of any residue of the complementarity determining regions of the rodent antibody or fragment thereof to be humanized; and
- (h) changing any residues identified in step (g) from the human to the original rodent amino acid residue to thereby define a rodent antibody humanizing set of surface exposed amino acid residues; with the proviso that step (a) need not be conducted first, but must be conducted prior to step (g).

Also provided is a method for producing a humanized rodent antibody or fragment thereof from a rodent antibody or fragment thereof, the method comprising:

- (I) carrying out the above-described method for determining how to humanize a rodent antibody or fragment thereof by resurfacing; and
- (II) modifying the rodent antibody or fragment thereof by replacing the set of rodent antibody surface exposed amino acid residues with the rodent antibody humanizing set of surface exposed amino acid residues defined in step (h) of the above-described method.

In a preferred embodiment, the rodent antibody or fragment thereof is a murine antibody, and most preferably murine antibody N901.

## BRIEF DESCRIPTION OF THE FIGURES

Figure 1 shows an algorithm that can be used for constructing a three-dimensional model of the rodent antibody variable region.

Figure 2 is a diagram showing the approach to determine how to humanize a rodent antibody or fragment thereof according to the present invention.

Figures 3A and 3B are plots of relative accessibility of amino acid residues for twelve antibody  $F_v$  structures, mapped onto the sequence alignment of these structures. Structures G1b2 (Jeffrey, P.D., Doctor of Philosophy Thesis, University of Oxford, United Kingdom, 1991), D1.3 (Amit, A.G., Mariuzza, R.A., Phillips, S.E.V. and Poljak, R.J. (1986), *Science* **233**, pp. 747-753), 3D6 (Grunow, R., Jahn, S., Porstman, T., Kiessig, T., Steinkeller, H., Steindl, F., Mattanovich, D., Gurtler, L., Deinhardt, F., Kattinger, H. and von R., B. (1988), *J. Immunol. Meth.* **106**, pp. 257-265) and 36-71 (5fab) (Rose, D.R., Strong, R.K., Margolis, M.N., Gefter, M.L. and Petsko, G.A. (1990), *Proc. Natl. Acad. Sci. U.S.A.* **87**, pp. 338-342) are not yet present in the Brookhaven database. The other structures used were: 2hfl (Sheriff, S., Silverton, E.W., Padlan, E.A., Cohen, G.H., Smith-Gill, S.J., Finzel, B.C. and Davies, D.R. (1987), *Proc. Natl. Acad. Sci. U.S.A.* **84**, pp. 8075-8079), 3hfm (Padlan, E., Silverton, E., Sheriff, S., Cohen, G., Smith-Gill, S. and Davies, D. (1989), *Proc. Natl. Acad. Sci. U.S.A.* **86**, pp.

5938-5942), 2fbj (Mainhart, C.R., Potter, M. and Feldmann, R.J. (1984), *Mol. Immunol.* **21**, pp. 469-478), 3fab (Saul, F.A., Amzel, L.M. and Poljak, R.J. (1978), *J. Biol. Chem.* **253**, pp. 585-597), 4fab (Herron, J., He, X., Mason, M., Voss, E. and Edmunson, A. (1989), *Proteins: Struct., Funct., Genet.* **5**, pp. 271-280), 2mcp (Segal, D., Padlan, E., Cohen, G., Rudikoff, S., Potter, M. and Davies, D. (1974), *Proc. Natl. Acad. Sci. U.S.A.* **71**, pp. 4298-4302), 2fb4 (Marquart, M., Deisenhofer, J. and Huber, R. (1980), *J. Mol. Biol.* **141**, pp. 369-391), and 1f19 (Lascombe, M., Alzari, P., Boulot, G., Salujian, P., Tougaard, P., Berek, C., Haba, S., Rosen, E., Nisonof, A. and Poljak, R. (1989), *Proc. Natl. Acad. Sci. U.S.A.* **86**, p. 607). These structures are designated by their Brookhaven entry code. The sequence numbering used here is described in Figures 4A and 4B. Figure 3A graphically shows the relative accessibility for the heavy chain and Figure 3B graphically shows the relative accessibility for the light chain.

Figures 4A and 4B show alignments of sequences generated using the three methods of humanization. Sequences are: 1) Original rodent N901. 2+3) KOL (Marquart, M., Deisenhofer, J. and Huber, R. (1980), *J. Mol. Biol.* **141**, pp. 369-391) and reshaped N901 using KOL surface. 4+5) Most homologous sequences, L(KV2F) (Klobeck, H., Meindl, A., Combriato, G., Solomon, A. and Zachau, H. (1985), *Nucleic Acids Res.* pp. 6499-6513) and H(G36005) (Schroeder, H. and Wang, J. (1990), *Proc. Natl. Acad. Sci. U.S.A.* **87**), and reshaped N901 using these sequences. 6+7) Most homologous with respect to surface residues, L(KV4B) (Klobeck, H., Bronkamp, G., Combriato, G., Mocikat, R., Pohelz, H. and Zachau, H. (1985), *Nucleic Acids Res.* **3**, pp. 6515-6529) and H(PLO123) (Bird, J., Galili, N., Link, M., Sites, D. and Sklar, J. (1988), *J. Exp. Med.* **168**, pp. 229-245), and reshaped N901 using these sequences. The numbering is the same as used in the antibody modelling program ABM (trademark for commercial software, Oxford Molecular Ltd., Oxford, U.K.), which is based on structural conservation and not sequence homology as used by Padlan et al. (Kabat, E.A., Wu, T.T., Reid-Miller, M., Perry, H.M. and Gottesman, K.S. (1987), *Sequences of Proteins of Immunological Interest*. U.S. Department of Health and Human Services, Fourth Edition). The sequence changes which have to be introduced in order to resurface N901 with a given sequence are marked with bars, back-mutations as determined from  $F_V$  models are marked with stars. The sequence homology of given sequences to N901 are shown in brackets after each sequence.

Figure 5 is a stereo plot of mean antibody  $\beta$ -barrel, coordinates determined by iterative multiple fitting of eight antibody structures. Strands 7 and 8 comprise the 'take off' positions for CDR H3 and are not included in the fitting of  $V_L$  and  $V_H$  regions.

Figure 6 is a plot of RMS deviation from the mean of the eight  $\beta$ -sheet strands comprising the framework. The RMS was calculated from structures F19.9, 4-4-20, NEW, FBJ, KOL, HyHEL-5, HyHEL-10 and McPC603. N,Ca,C atoms are included in the plot. The residues used are shown in the alignment (Table 2). The most disordered residues are all the residues of strand HFR4, the last residue of LFR1, and the first and last residue of HFR2. The nomenclature of the strands is explained in the alignment in Table 2. LFR1 - #1, LFR2 - #2, LFR3 - #3, LFR4 - #4, HFR1 - #5, HFR2 - #6, HFR3 - #7, HFR4 - #8.

Figure 7 is a flowchart of the overall modelling protocol known as CAMAL.

Figure 8 is a plot of superimposed loop backbones for models and x-ray structures discussed in Example 2. The loops are positioned after global framework fit. This does not represent the best local least squares fit, but shows how the loops are positioned globally onto the framework.

Figures 9A to 9D are stereo (N,C- $\alpha$ ,C,O) representations of crystal structures and models of D1.3, 3671 and Gloop-2 variable domain and  $\beta$ -barrel strands described in Example 2. Crystal structures are shown with open bonds, model with solid bonds. The difference between the 3D6-H3 in the model and the crystal structure is due to a 5-7° twist in the extended  $\beta$ -sheet conformation of this loop, Figure 9A: D1.3, Figure 9B: 36-71, Figure 9C: Gloop-2, Figure 9D: 3D6.

Figure 10 is a histogram showing the distribution of loop length for CDR H3 loops, data from Kabat et al. (Kabat, E.A., Wu, T.T., Reid-Miller, M., Perry, H.M. and Gottesman, K.S. (1987), *Sequences of Proteins of Immunological Interest*. U.S. Department of Health and Human Services, Fourth Edition).

## DETAILED DESCRIPTION OF THE INVENTION

The existence of specific, yet different, surface patches in murine and human antibodies may be the origin of the inherited immunogenicity of murine antibodies in humans. Statistical analysis of a database of unique human and murine antibody  $F_V$  fragments has revealed that certain combinations of residues in exposed surface positions are specific for human and murine sequences. The combinations are not the same in human and murine  $F_V$  domains. However, it is possible to define families of surface residues for the two species of antibodies. These families reveal a novel method for the "humanization" or reshaping of murine antibodies. Humanization is the modification of the solvent accessible surface of a non-human antibody or fragment thereof to resemble the surface of a chosen human antibody or fragment thereof such that the modified non-human antibody or fragment thereof exhibits lower immunogenicity when administered to humans. Such a process

applies in the present application to antibody variable regions but could equally well apply to any other antibody fragment. The method is considered to be generally applicable to humanization of rodent antibodies.

According to the present invention, a statistical analysis is presented which is based on accessibility calculated for a range of antibody crystal structures. When this information is applied to an antibody sequence database, it is possible to discriminate between human and murine antibodies at the sequence level purely on the basis of their surface residue profiles.

### **Rational Resurfacing Approach**

There are several key features of the resurfacing approach of the present invention.

1) This method uses as a starting point, construction of a three-dimensional model of a rodent variable region by known methods;

2) A large number (e.g., twelve) of antibody F<sub>V</sub> or Fab fragment x-ray crystallographic structures are analyzed to produce an unambiguous set of surface exposed amino acid residues that will be positionally identical for a majority (98%) of antibodies. The set is produced by identifying all those residues whose solvent accessibility is above a given cut-off (typically 30%), calculated using a modification of the method of Kabsch and Sander (Kabsch, W. and Sander, C. (1983), *Biopolymers* 22, pp. 2257-2637) in which explicit atomic radii are used for each atom type to predict sidechain positions as is described below in more detail;

3) Using a complete human antibody database, the best set of human heavy and light chain surface exposed amino acid residues is selected on the basis of their closest identity to the set of surface amino acid residues of the murine antibody;

4) In order to retain the conformational structure- of the CDRs of the rodent antibody, replacement of any human surface exposed amino acid with the original rodent surface exposed amino acid residue is carried out whenever a surface residue is calculated from the three-dimensional model to be within 5 Angstroms of a CDR residues.

The general resurfacing approach of the present invention is illustrated in Figure 2. The approach can be divided into two stages. In the first, the rodent framework (white) is retained and only the surface residues changed from rodent (dark grey circles) to the closest human pattern (light grey circles). This should remove the antigenicity of the rodent antibody. In the second stage, surface residues within 5 Angstroms of the CDRs are replaced with the rodent equivalents in an attempt to retain antigen binding and CDR conformation.

The method of the present invention is applicable to whole antibodies as well as antibody fragments. Suitable antibody fragments that can be used can readily be determined by the skilled artisan. Examples of some suitable fragments include a single chain antibody (SCA), an antibody F<sub>V</sub> fragment, Fab fragment, Fab<sub>2</sub> fragment, Fab' fragment, or other portion of an antibody comprising the binding site thereof.

According to the present invention, an important step in the method for determining how to modify a rodent antibody or fragment thereof by resurfacing is to determine the conformational structure of the variable region of the rodent antibody or fragment thereof to be humanized by constructing a three-dimensional model of the rodent antibody variable region. This can be done by known methods such as those described, for example, in Martin et al. (Martin, A.C.R., Cheetham, J.C. and Rees, A.R. (1989), *Proc. Natl. Acad. Sci. U.S.A.* 86, pp. 9268-9272; *Methods in Enzymology* (1991), 203, pp. 121-152) and as described in detail in Example 2.

Martin et al. describe an algorithm which is depicted in Figure 1. The algorithm applies to murine and human antibodies equally well. The present inventors therefore expect that, based on sequence similarity between antibodies of different species (Kabat, E.A. *Segments of Proteins of Immunological Interest*, National Institutes of Health, U.S.A. 1991), the algorithm will work equally well for rat and other rodent antibodies.

Briefly, the algorithm depicted in Figure 1 can be summarized as follows. The framework region of an antibody to be modelled is selected on the basis of sequence homology and constructed by a least squares fit onto the six conserved strands of the variable region  $\beta$ -barrel. Light and heavy chain complementarity determining regions are constructed using a combination of canonical structures (Chothia, C. and Lesk, A.M. (1987), *J. Molec. Bio.* 196, pp. 901-917), database searching and conformational searching. Detailed descriptions of these methods are described in Example 2 herein and in the above two references (Martin et al. 1989 and 1991).

According to the present invention, another three-dimensional model is also constructed. The other three-dimensional model is of the rodent antibody variable region having human antibody surface amino acid residues substituted therein at particular rodent antibody surface residue positions.

This other three-dimensional model is constructed by carrying out the series of steps described next.

The first of the steps is to generate sequence alignments from relative accessibility distributions from x-ray crystallographic structures of a sufficient number of rodent antibody variable region heavy and light chains to give a set of framework positions of surface exposed amino acid residues which is identical in a majority

(98%) of the variable regions.

As used herein, the term "framework" means the antibody variable region from which the complementarity determining regions have been excluded.

"Complementarity determining regions" means those amino acid sequences corresponding to the following numbering system as defined by Kabat, E.A. (In Sequences of Immunological Interest, N.I.H., U.S.A., 1991).

Light Chain	L1	residues	24-34
Light Chain	L2	residues	50-56
Light Chain	L3	residues	89-97
Heavy Chain	H1	residues	31-358
Heavy Chain	H2	residues	50-58
Heavy Chain	H3	residues	95-102

A sufficient number of rodent antibody fragments that need to be analyzed in order to produce the set of framework positions of surface exposed amino acid residues can readily be determined by the skilled artisan through routine experimentation using a database of antibody sequences. Thus, this step can be conducted using suitable databases now in existence or later compiled.

The x-ray crystallographic structures are used to determine relative accessibility distributions of surface exposed amino acid residues. The relative accessibility distributions identify all those residues whose solvent accessibility is above a given cut-off (typically 30%), calculated using a modification of the method of Kabsch and Sander (Kabsch, W. and Sander C. (1983), Biopolymers 22, pp. 2257-2637) in which explicit atomic radii are used for each atom type.

The relative accessibility distributions determined from the x-ray crystallographic structures can then be used to generate sequence alignments which give a set of framework positions of surface exposed amino acid residues which is identical in a majority (98%) of the variable regions.

The set of framework positions of surface exposed amino acid residues for the variable regions of murine antibodies is shown in Table 1, set forth in Example 1, and was produced using the sequence alignments and accessibility distributions shown in Figures 3A and 3B.

Once a set of framework positions of surface exposed amino acid residues for the variable regions of the rodent antibodies have been generated, the surface exposed residues of the heavy and light chain pair of the rodent antibody, or fragment thereof, to be humanized can be identified using an alignment procedure such as that described in Example 1 and shown in Figures 3A and 3B. This defines a set of surface exposed amino acid residues of a heavy and light chain pair of a rodent antibody or antibody fragment to be humanized.

Next, a complete human antibody sequence database is used to identify a set of surface exposed amino acid residues from a human antibody variable region that have the closest positional identity to the set of surface exposed amino acid residues of the variable region of the rodent antibody that is to be humanized. The set of surface exposed amino acid residues from the human antibodies can be separately identified for a heavy chain and for a light chain that are not naturally paired and/or a set can be identified from a natural human heavy and light chain pair, that is, a pair originating from a single B cell or hybridoma clone. Preferably, the set is one from a natural human heavy and light chain pair.

A humanized rodent antibody that gives the appearance of a human antibody is then predicted by substituting the set of surface exposed amino acid residues from the rodent antibody or fragment thereof to be humanized with the set of surface exposed amino acid residues from the human antibody.

A three-dimensional model can then be constructed from the resulting, fully substituted variable region of the rodent antibody or fragment thereof. The three-dimensional model is constructed using the same known methods mentioned above for constructing a 3-D model of the original rodent antibody or fragment thereof.

While the antigenicity of this fully "resurfaced" or humanized antibody should be removed, an additional factor to be addressed is the binding affinity or the binding strength of the resurfaced antibody. Changes in the framework of the variable domain introduced through resurfacing can influence the conformation of the CDR loops and therefore antigen binding of the antibody. According to the present invention, this problem is removed by the next step which is to identify, by means of a comparison of both of the above-described three-dimensional models of the rodent antibody variable region, any residues from the set of surface exposed amino acid residues of the variable region heavy and light chain pair of the human antibody identified that are within 5 Angstroms of any atom of any residue of the rodent antibody or antibody fragment complementarity deter-

mining regions (CDRs).

Any residue(s) so identified is then changed back from the human to the original rodent amino acid residue(s).

The results of this method can then be applied to a particular rodent antibody by well known methods. Briefly, genes for the humanized variable heavy and light chain regions are constructed using standard recombinant DNA methods (Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989), *Molecular Cloning*, Second Edition). For example, a PCR method can be used (Daugherty et al. (1991), *Nucleic Acids Research* 19, pp. 2471-2476).

Variable heavy chain or variable light chain gene constructs are subcloned into appropriate expression vectors. Suitable expression vectors contain either a human gamma or human kappa constant region gene, a suitable promoter, a sequence coding for a human immunoglobulin leader peptide (for example: met-gly-trp-ser-cys-ile-ile-leu-phe-leu-val-ala-thr-ala-thr (SEQ ID NO:39), Olandi et al. (1989), *PNAS* 86, pp. 3833-3837), and a drug selectable marker.

Heavy and light chain expression plasmids can be co-transfected, for example, by electroporation into suitable cells, for example, SP2/0 cells, and selected with an appropriate drug, G418, for example. Screening for intact antibody can be accomplished by ELISA assay. 96-well plates are coated with, for example, goat anti-human kappa chain antibody, and light chains are detected with, for example, goat anti-human antibody conjugated to alkaline phosphatase.

As another approach, light chain constructs are transfected, for example, by electroporation into suitable cells, for example, SP2/0 cells and selected, for example, in hygromycin. Screening for light chain expression can be accomplished by ELISA assay. 96-well plates are coated with, for example, goat anti-human kappa chain antibody, and light chains are detected with, for example, goat anti-human antibody conjugated to alkaline phosphatase.

A light chain producing line is then used as a host to electroporate in the heavy chain construct. The heavy chain plasmid is co-transfected with a plasmid containing the gene coding for another drug marker, for example, neomycin resistance and selected in the presence of the drug G418. Screening for intact antibody is accomplished by ELISA assay. 96-well plates are coated with, for example, goat anti-human Fc and detected with, for example, goat anti-human light chain conjugated to alkaline phosphatase.

#### **EXAMPLE 1 AND COMPARATIVE EXAMPLES**

The superiority of the presently claimed method for determining how to modify a rodent antibody or fragment thereof by resurfacing in order to produce a humanized rodent antibody will now be described by reference to the following example and comparative examples which are illustrative and are not meant to limit the present invention.

##### **A) Analysis for Murine Antibodies**

In order to determine the positions which are usually accessible on the surface of the F<sub>v</sub> domain of murine antibodies, the accessibility was calculated for twelve Fab x-ray crystallographic structures obtained from the Brookhaven database (Bernstein, F., Koetzle, T., Williams, G., Meyer, E., Brice, M., Rodgers, J., Kennard, O., Shimanouchi, T. and Tasumi, M. (1977), *J. Mol. Biol.* 112, pp. 535-542). The relative accessibility was calculated using the program MC (Pedersen, J. (1991)), which implements a modified version of the DSSP (Kabsch, W. and Sander, C. (1983), *Biopolymers* 22, pp. 2257-2637) accessibility calculation routine in which explicit atomic radii are specified for every atom. A residue was defined as being surface accessible when the relative accessibility was greater than 30%. The alignment positions of these residues were conserved in all twelve structures (98% identity). Surface accessible framework positions constitute 40% of the F<sub>v</sub> surface area. The remaining surface accessible residues are in the CDRs and in the interdomain C-terminal region. Figures 3A and 3B show a sequence alignment of the twelve crystal structures, the average relative accessibility, and the 30% accessibility cutoff. Figure 3A shows the alignments relative accessibility for the twelve murine antibody light chains and Figure 3B shows the alignments and relative accessibility for the murine antibody heavy chains.

The surface accessible framework positions were mapped onto a database of unique human and mouse F<sub>v</sub> sequences (see lists at the end of this Example). The frequency of particular residues in each of these positions is shown in Table 1. Only residue frequencies higher than 5% are listed.

Light chain		
Position	Human	Mouse
1	D 51 E 34 A 5 S 5	D 76 Q 9 E 6
3	V 38 Q 24 S 24 Y 6	V 63 Q 22 L 5
5	T 61 L 37	T 87
9	P 26 S 26 G 17 A 14 L 7	S 36 A 29 L 17 P 5
15	P 62 V 25 L 12	L 47 P 30 V 8 A 7
18	R 57 S 18 T 13 P 6	R 38 K 22 S 13 Q 12 T 9
46	P 94	P 82 S 9
47	G 89	G 71 D 18
51	K 43 R 31	K 70 Q 13 R 8 T 5
63	G 91	G 98
66	D 43 S 25 A 9	D 38 A 26 S 26
73	S 96	S 90 I 5
76	D 43 T 18 S 16 E 15	D 67 S 15 A 5 K 5
86	P 44 A 27 S 17 T 8	A 50 P 11 T 8 E 7 Q 6
87	E 71 D 11 G 7	E 91 D 6
111	K 74 R 12 N 6	K 93
115	K 54 L 40	K 87 L 5
116	R 60 G 33 S 5	R 89 G 9
117	Q 50 T 37 E 6 P 6	A 74 Q 14 P 5 R 5
Heavy chain		
Position	Human	Mouse
118	E 47 Q 46	E 59 Q 29 D 10
120	Q 83 T 7	Q 68 K 26
122	V 59 L 15 Q 13	Q 57 V 27 L 5 K 5
126	G 54 A 23 P 18	G 36 P 30 A 29
127	G 53 E 22 A 14 D 7	E 45 G 43 S 6
128	L 61 V 31 F 7	L 96
130	K 46 Q 41 E 5	K 52 Q 27 R 17
131	P 95	P 91 A 5
132	G 74 S 16 T 7	G 82 S 17
136	R 53 K 23 S 17 T 7	K 66 S 17 R 13
143	G 96	G 98
145	T 46 S 32 N 9 I 7	T 63 S 19 N 7 A 5 D 5
160	P 84 S 10	P 89 H 7
161	G 93	G 71 E 24
162	K 76 Q 10 R 8	K 50 Q 30 N 10 H 5
183	D 26 P 25 A 17 Q 10 T 7	E 31 P 22 D 17 A 12 Q 11
184	S 70 K 9 P 8	K 42 S 37 T 6
186	K 53 Q 22 R 7 N 5	K 83 Q 7
187	G 66 S 21 T 5	G 62 S 18 D 10
195	T 30 D 26 N 19 K 7	T 36 K 30 N 26 D 6
196	S 91	S 76 A 16
197	K 65 I 8 T 8 R 5	S 46 K 34 Q 11
208	R 46 T 18 K 17 D 6	T 55 R 26 K 8
209	A 50 P 21 S 13 T 8	S 67 A 14 T 11
210	E 46 A 18 D 13 S 9 Z 8 V 5	E 88 D 7
212	T 91	T 53 S 43
222	G 17 D 11 P 10 Y 9 V N 8	D 67 A 18

Table 1: Distribution of accessible residues in human VH and VL chain sequences. All of the positions appear to be conserved, which leads to the hypothesis that immunogenicity arises from a specific combination of these surface residues. The sequence numbering is explained in Figures 3A and 3B.

None of the entire combinations of surface residues in the human sequences are found in the murine sequences and *vice versa* (see lists at the end of this Example). However, the residues in individual positions appear to be conserved (see Table 1). There are few residues which differ significantly between the species;

these are at positions 54 and 91 of the L chain and 168 and 216 of the H chain. Of these positions only position 216 is a non conservative (V to Y) mutation. Differences between human and murine antigenicities are therefore believed to arise from the combinations of residues in these positions.

In order to determine whether the mouse sequences are more distantly related to human F<sub>V</sub> sequences than to other mouse F<sub>V</sub> sequences, the homology was calculated using a Dayhoff mutation matrix (Dayhoff, M., Barker, W. and Hunt, L. (1983), *Meth. Enz.* **91**, pp. 524-545). The homology was calculated between all the sequences in a pool of both human and mouse sequence patches made up of the surface accessible residues. The data was then represented as a density map (not shown) in which the sequences are plotted against each other. The density map can be used to discriminate "murine surfaces" from "human surfaces".

## **B) Reshaping of Antibody N901**

In order to test the resurfacing approach suggested by the above analysis, three humanization experiments were set up. 1) Traditional loop grafting (Verhoeven, M.E., Saunders, J.A., Broderick, E.L., Eida, S.J. and Badley, R.A. (1991), *Disease markers* **9**, pp. 3-4) onto a human F<sub>V</sub> framework of known structure (KOL). 2) Resurfacing approach using most similar chain. 3) Resurfacing approach using human sequences with most similar surface residues.

The antibody used was the murine anti-N901 antibody (Griffin et al. (1983), *J. Imm.* **130**, pp. 2947-2951). The anti-N901 antibody (also referred to herein as the "N901 antibody") is available commercially from Coulter Corporation under the name NKH-1.

The alignment of the light chain sequences and heavy chain sequences in Figures 4A and 4B, respectively, show the original N901 antibody and the sequences used in each of the three approaches outlined here.

Figures 4A and 4B show alignments of sequences generated using the three methods of humanization. Sequences are: 1) Original rodent N901. 2+3) KOL (Marquart, M. Deisenhofer, J. and Huber, R. (1980), *J. Mol. Biol.* **141**, pp. 369-391) and reshaped N901 using KOL surface. 4+5) Most homologous sequences, L(KV2F) (Klobeck, H., Meindl, A., Combriato, G., Solomon, A. and Zachau, H. (1985), *Nucleic Acids Res.*, pp. 6499-6513) and H(G36005) (Schroeder, H. and Wang, J. (1990), *Proc. Natl. Acad. Sci. U.S.A.* **87**) and reshaped N901 using these sequences. 6+7) Most homologous with respect to surface residues, L(KV4B) (Klobeck, H., Bronkamp, G., Combriato, G., Mocikat, R., Pohelz, H. and Zachau, H. (1985), *Nucleic Acids Res.* **3**, pp. 6515-6529) and H(PLO123) (Bird, J., Galili, N., Link, M., Sites, D. and Sklar, J. (1988), *J. Exp. Med.* **168**, pp. 229-245), and reshaped N901 using these sequences. The numbering is the same as used in the antibody modelling program ABM (ABM is a trademark for commercial software, Oxford Molecular Ltd., Oxford, U.K.), which is based on structural conservation and not sequence homology as used by Padlan et al. (Kabat, E.A., Wu, T.T., Reid-Miller, M., Perry, H.M. and Gottesman, K.S. (1987), *Sequences of Proteins of Immunological Interest*. U.S. Department of Health and Human Services, Fourth Edition). The sequence changes which have to be introduced in order to reshape N901 with a given sequence are marked with bars, and back-mutations as determined from F<sub>V</sub> models are marked with stars. The sequence homology of a given sequence to N901 is shown in brackets after each sequence.

### **(1) Classical Humanization**

In classical humanization the rationale is to graft the rodent CDR's onto a framework of known structure, such that CDR-framework interactions can be accurately monitored by homology modelling. The model of the humanized antibody is compared to that of the original rodent antibody, and possible CDR interacting framework residues are back mutated (marked with '\*' in alignment) in order to retain the three-dimensional shape of the CDR's. In this example the antibody KOL was used, giving a low homology score of only 77 and 46 in the heavy and light chains respectively.

### **(2) Most Similar Chain Resurfacing**

A database of nonredundant human antibody sequences was compiled from available protein and nucleotide sequences. A total of 164 H and 129 L chains were sampled.

Each of the rodent chains, L and H, were then matched and the most similar human sequence found independently (G36005/KV2F) (Schroeder, H. and Wang, J. (1990), *Proc. Natl. Acad. Sci. U.S.A.* **87**); Klobeck, H., Meindl, A., Combriato, G., Solomon, A. and Zachau, H. (1985), *Nucleic Acids Res.*, pp. 6499-6513). Surface residues, as outlined in Table 1, were then changed in the rodent sequences to match those of the human sequences. Subsequently a model was built of the resurfaced antibody and compared to the model of the original rodent antibody and back mutation of any CDR interacting residues was performed.



**(3) Most Similar Surface Replacement According to the Present Invention**

This method is identical to the above method, except that the similarity is calculated only over the surface residues outlined in Table 1 above.

5 The same procedure of surface mutation and subsequent back mutation was performed as in the previous methods. In this case the chosen sequences were PLO123/KV4B (Bird, J., Galili, N., Link, M., Sites, D. and Sklar, J. (1988), J. Exp. Med. **168**, pp. 229-245); Klobeck, H., Bronkamp, G., Combriato, G., Mocikat, R., Pohelz, H. and Zachau, H. (1985), Nucleic Acids Res. **3**, pp. 6515-6529).

10 The following lists show the surface residue patterns in mouse and human light and heavy chain antibody variable regions. The sequences are ordered on similarity to one another. There are no pattern matches between mouse and human sequences although there are matches within a species.

15

20

25

30

35

40

45

50

55

## 5      MOUSE LIGHT CHAIN SURFACE PATCHES

1	KV5E\$MOUSE	:KTSLRPGKGSSDYEEK*	(SEQ ID NO: 40)
2	PL0101	:KTSLRPGKGSSEYEEK*	(SEQ ID NO: 41)
3	NS1F19L	:QTSLRPDKGSSDHEKK*	(SEQ ID NO: 42)
4	KV5U\$MOUSE	:QTSLRPDKGSSDQEEK*	(SEQ ID NO: 43)
10	5 MUSIGLDD	:QSSLRPDKGSSDQEEK*	(SEQ ID NO: 44)
6	PL0220	:QTSLRPDKGSSDPEKK*	(SEQ ID NO: 45)
7	KV5J\$MOUSE	:QTSLRPDKGSSDPZKK*	(SEQ ID NO: 46)
8	MUSIGKABB	:QTSLRPDKGSSDPEKT*	(SEQ ID NO: 47)
9	MUSIGKCLG	:QTSLRADKGSSDQEEK*	(SEQ ID NO: 48)
15	10 MUSIGGVJ2	:QTSLRPDKGKSDSEKK*	(SEQ ID NO: 49)
11	MUSIGKCRN	:QTSLRPARGSSDQEEK*	(SEQ ID NO: 50)
12	MUSIGKCLF	:QTSLRPGRGSSDPEKK*	(SEQ ID NO: 51)
13	MUSIGKACH	:QTSLRPGRGSSDTEKK*	(SEQ ID NO: 52)
14	MUSIGKABE	:QISLRPGKGSSDSEKK*	(SEQ ID NO: 53)
15	KV5P\$MOUSE	:QTSLRPGKGSDDEDKK*	(SEQ ID NO: 54)
20	16 MUSIGKCMK	:ETALRPGKGASDADKK*	(SEQ ID NO: 55)
17	KV3D\$MOUSE	:VTALRPGKGASDEDKK*	(SEQ ID NO: 56)
18	MUSIGKAAM	:VTALRPGKGASDEEKK*	(SEQ ID NO: 57)
19	KV3G\$MOUSE	:VTALRPGKGASBABKK*	(SEQ ID NO: 58)
20	KV3E\$MOUSE	:VTALRPGKGASDEDDK*	(SEQ ID NO: 59)
21	MUSIGKAAZ	:QTSLRPDKGSSDQETT*	(SEQ ID NO: 60)
25	22 MUSIGKCNE	:QNSLTPGKGSSSPEKK*	(SEQ ID NO: 61)
23	MUSIGKBA	:VTKVRPGKGSDSDKK*	(SEQ ID NO: 62)
24	KV5A\$MOUSE	:VTKVRPGKGSDAEKK*	(SEQ ID NO: 63)
25	MUSIGKV	:VTRVRPGKGSDAEKK*	(SEQ ID NO: 64)
26	MUSIGKCNH	:LTKVRPGKGSDSEKK*	(SEQ ID NO: 65)
27	MUSIGKCLI	:VTKVRPGKGSDSEQK*	(SEQ ID NO: 66)
30	28 KV5B\$MOUSE	:VTKVRPEKGSDAEKK*	(SEQ ID NO: 67)
29	MUSIGKCSA	:VTKVRPEKGSDSEKK*	(SEQ ID NO: 68)
30	MUSIGKCSR	:VTKVSPGKGSDAEKK*	(SEQ ID NO: 69)
31	MUSIGKCSF	:VTKVSPGKGSDAEKK*	(SEQ ID NO: 70)
32	MUSIGKAB	:VTSVKPGKGSDAEKK*	(SEQ ID NO: 71)
35	33 PL0014	:VSSVKPGKGSDAEKK*	(SEQ ID NO: 72)
34	MUSIGKACU	:VTSAPGKGSDAEKK*	(SEQ ID NO: 73)
35	PS0023	:VSSAPGKGSDAEKK*	(SEQ ID NO: 74)
36	N\$2MCPL	:VTSAPGKGSDAEKK*	(SEQ ID NO: 75)
37	MUSIGKADV	:VSPAPGKGSDAEKK*	(SEQ ID NO: 76)
38	MUSIGKCPP	:VTKARPGKGSDVEIK*	(SEQ ID NO: 77)
40	39 MUSIGLDB	:VTLLPFGKGSDAEKK*	(SEQ ID NO: 78)
40	MUSIGKCNZ	:VTLLQPGKGSDAEKK*	(SEQ ID NO: 79)
41	B27887	:VTLLQPGKGSDADKK*	(SEQ ID NO: 80)
42	H28840	:VTLLQPGKGSDAEKK*	(SEQ ID NO: 81)
43	KV2G\$MOUSE	:VTLLQAGKGSDAEKK*	(SEQ ID NO: 82)
44	C27887	:VTLLQPGKGSDAEKK*	(SEQ ID NO: 83)
45	45 JL0029	:LTLLQPGNGSDAEKK*	(SEQ ID NO: 84)
46	MUSIGKAZH	:VTLLQPGKGSDAEKK*	(SEQ ID NO: 85)
47	PS0074	:VTLPQPGQGSDDPEKK*	(SEQ ID NO: 86)
48	MUSIGKCNV	:VTLPQPGKGSDAEKK*	(SEQ ID NO: 87)
49	MUSIGKCNX	:VTLPQPGKGSDAEKK*	(SEQ ID NO: 88)
50	50 KV2D\$MOUSE	:VTFLSPGQGSDAEKK*	(SEQ ID NO: 89)

51	MUSIGKADW	: ESSARPGKGDSDAEKK*	(SEQ ID NO: 90)
52	KV2A\$MOUSE	: VTLSSPGQGDSDAEKK*	(SEQ ID NO: 91)
53	KV1A\$MOUSE	: VTTAKPEKGDSDVEKK*	(SEQ ID NO: 92)
54	F30534	: VTTPKPKDKGSDVEKK*	(SEQ ID NO: 93)
55	MUSIGKCLO	: VTAPRPGKGASSAEKK*	(SEQ ID NO: 94)
56	G27887	: VTAPKPGKGTSSAEKK*	(SEQ ID NO: 95)
57	MUSIGVKV3	: VTTPKPGKGASSAEKK*	(SEQ ID NO: 96)
58	MUSIGKCNA	: VSAPKPGKGASSAEKK*	(SEQ ID NO: 97)
59	S03410	: VTAPRSGKGASSAEKK*	(SEQ ID NO: 98)
60	B32456	: VTAPKSGKGASSAEKK*	(SEQ ID NO: 99)
61	PL0013	: VTAPKPKDKGVSSAEKK*	(SEQ ID NO: 100)
62	MUSIGLAET	: VTAPKSEKGVSSAEKK*	(SEQ ID NO: 101)
63	MUSIGVKV1	: FTAPKPGKGASSAEKK*	(SEQ ID NO: 102)
64	KV6K\$MOUSE.	: LTAPKPGRGVSSAEKK*	(SEQ ID NO: 103)
65	G30560	: VTAPKSGKGASSAEKK*	(SEQ ID NO: 104)
66	MUSIGKBO	: VSAPKPGKEGSSAEKK*	(SEQ ID NO: 105)
67	MUSIGKCNB	: VTAPKPRKGASSAEKK*	(SEQ ID NO: 106)
68	H33730	: VTFLSPGQGNDAELP*	(SEQ ID NO: 107)
69	MUSIGKCP	: VTFLSPGQGNDEDL*	(SEQ ID NO: 108)
70	KV2C\$MOUSE	: VTLSSPQRGDSDAEKK*	(SEQ ID NO: 109)
71	MUSIGLAV	: VTAPKSSKGGSSAEKK*	(SEQ ID NO: 110)
72	MUSIGKCNH	: QTSPTPGKGSDDPEKK*	(SEQ ID NO: 111)
73	KV5R\$MOUSE	: QISLIPGKGSYDDPEKK*	(SEQ ID NO: 112)
74	KV6E\$MOUSE	: VTALKSGKGASSAEKK*	(SEQ ID NO: 113)
75	MUSIGKCN1	: VTALKSDKGASSGEKK*	(SEQ ID NO: 114)
76	MUSIGLDA	: VTPPSPGQGDSSAEKK*	(SEQ ID NO: 115)
77	C26317	: VTPPSPGQGDSSAEKK*	(SEQ ID NO: 116)
78	PS0073	: VTVRKPGKGDSDEKK*	(SEQ ID NO: 117)
79	A23986	: QTSVRLGQGSDDPEKK*	(SEQ ID NO: 118)
80	MUSIGKABW	: KTSLRPWKGSSDDDK*	(SEQ ID NO: 119)
81	KV5D\$MOUSE	: QTDVTCQGSSQPEKK*	(SEQ ID NO: 120)
82	MUSIGE6L	: QTAVSQGQGSQSEKK*	(SEQ ID NO: 121)
83	MUSIGKCOE	: LTAPRTNRGSSDSEKK*	(SEQ ID NO: 122)
84	MUSIGKCNH	: VTAPSSHRGSSDTEKK*	(SEQ ID NO: 123)
85	MUSIGLVD	: LLSLSPLKGDSDPEKK*	(SEQ ID NO: 124)
86	S06822	: VTAPTPTDGAIKTEKL*	(SEQ ID NO: 125)
87	S06821	: VTIPTPTDGAIKTEKL*	(SEQ ID NO: 126)
88	MUSIGLAS	: AVSPTPTDGAIKTEKL*	(SEQ ID NO: 127)
89	MUSIGLAR	: AVSPTPTDGAIKTEKL*	(SEQ ID NO: 128)
90	LV2B\$MOUSE	: AVSPTPTDGVIKTEKL*	(SEQ ID NO: 129)
91	MUSIGLAN	: AVSPTPTDGAIKTEPS*	(SEQ ID NO: 130)

5

## HUMAN LIGHT CHAIN SURFACE PATCHES

1	LV4A\$HUMAN	:YLPPTPGVIRSTAMKL*	(SEQ ID NO: 131)
2	LV4B\$HUMAN	:YLPPTPGVIRSTAMRL*	(SEQ ID NO: 132)
3	LV4E\$HUMAN	:YLPPTPGLIRSTSMKL*	(SEQ ID NO: 133)
4	LV4D\$HUMAN	:YLPPTPGLIRSTSVKL*	(SEQ ID NO: 134)
10	5 LV4C\$HUMAN	:YLPPTPGVIRSTAEKL*	(SEQ ID NO: 135)
	6 LV5A\$HUMAN	:YLPPTPGVIRSTAGKL*	(SEQ ID NO: 136)
	7 LV7A\$HUMAN	:YLPATPGVVRSSAGHL*	(SEQ ID NO: 137)
	8 LV2G\$HUMAN	:SLPPSPGKVRSTAERL*	(SEQ ID NO: 138)
	9 LV2I\$HUMAN	:SLPPSPGKVRSTANKL*	(SEQ ID NO: 139)
	10 N\$2RHE	:SLPPRPGKVRSSSEKL*	(SEQ ID NO: 140)
15	11 HUMIGLAN	:SLPPRPGKVRSSSDKL*	(SEQ ID NO: 141)
	12 LV1A\$HUMAN	:SLPPRPGKVRSSSEKL*	(SEQ ID NO: 142)
	13 LV1B\$HUMAN	:SLPPRPGKVRSSSEQL*	(SEQ ID NO: 143)
	14 LV1P\$HUMAN	:SLPPRPGKVRSSSETL*	(SEQ ID NO: 144)
	15 LV1C\$HUMAN	:SLPPKPGKIRSSSTGKL*	(SEQ ID NO: 145)
20	16 A29700	:SLPPKPGKIRSSSTGKL*	(SEQ ID NO: 146)
	17 HUMIGLAM4	:SLPPKPGKIRSSSTGQL*	(SEQ ID NO: 147)
	18 LV1D\$HUMAN	:SLPPEPGKIRSSSTGRL*	(SEQ ID NO: 148)
	19 LV2K\$HUMAN	:SLAPSPGKIRSTAEKL*	(SEQ ID NO: 149)
	20 LV1I\$HUMAN	:SLPPRPGKIRSSSTGNV*	(SEQ ID NO: 150)
	21 LV2E\$HUMAN	:SLRPSPGKVRSTAERL*	(SEQ ID NO: 151)
25	22 LV2D\$HUMAN	:SLRPSPGKVRSTADKL*	(SEQ ID NO: 152)
	23 LV2C\$HUMAN	:SLRPSPGKVRSTAENL*	(SEQ ID NO: 153)
	24 LV2J\$HUMAN	:SLRPSPGKVRSAVEKL*	(SEQ ID NO: 154)
	25 LV1E\$HUMAN	:SLPPRPGK-R\$9AEKL*	(SEQ ID NO: 155)
	26 LV2B\$HUMAN	:SLAPSPGKVRSTVERL*	(SEQ ID NO: 156)
	27 N\$1MCW	:SLAPSPDKIRSTPDKL*	(SEQ ID NO: 157)
30	28 LV2H\$HUMAN	:SLALSPGKVRSTAERL*	(SEQ ID NO: 158)
	29 N\$3MCG2	:SLPLSAGKVRSTAERL*	(SEQ ID NO: 159)
	30 LV2A\$HUMAN	:SLAPSPGKVRSTAEYL*	(SEQ ID NO: 160)
	31 S02083	:SLPLTPGLIRSTAEKL*	(SEQ ID NO: 161)
	32 HUMIGLAM2	:SLPLTPKVRIRSTAEKL*	(SEQ ID NO: 162)
35	33 LV6C\$HUMAN	:FLHPTPGTDS\$STERL*	(SEQ ID NO: 163)
	34 LV6D\$HUMAN	:FLHPTPGTDS\$STERL*	(SEQ ID NO: 164)
	35 LV6E\$HUMAN	:FLHPTVTD\$STERL*	(SEQ ID NO: 165)
	36 LV6B\$HUMAN	:LLPPTPGTNSS\$NDKL*	(SEQ ID NO: 166)
	37 HUMIGLK\$G	:VLPLSPHRIRSE\$ENL*	(SEQ ID NO: 167)
	38 HUMIGLVC	:SLAPSPAKFRSTAERD*	(SEQ ID NO: 168)
40	39 HUMIGVLLS	:VTAPRPGRIRSDPEKK*	(SEQ ID NO: 169)
	40 HUMIGKAX	:VTAPRPGRIRSDPEKK*	(SEQ ID NO: 170)
	41 E30609	:VTGPRPGRIRSDPEKK*	(SEQ ID NO: 171)
	42 KV3B\$HUMAN	:VTGPRPGRIRSDPEKK*	(SEQ ID NO: 172)
	43 G30607	:VTGPRPGRIRSDPEKK*	(SEQ ID NO: 173)
45	44 KV3M\$HUMAN	:VTGPRPGRIRSDPEKK*	(SEQ ID NO: 174)
	45 KV3H\$HUMAN	:VTAPRPGRIRSE\$ERK*	(SEQ ID NO: 175)
	46 KV3K\$HUMAN	:VTGPRPGRIRSDPEKK*	(SEQ ID NO: 176)
	47 KV3F\$HUMAN	:VTVPSPGRIRSE\$ERK*	(SEQ ID NO: 177)
	48 B26555	:VTAPGPGRIRSE\$ERK*	(SEQ ID NO: 178)
	49 KV1Q\$HUMAN	:QTSVRPGRIRSDPEKK*	(SEQ ID NO: 179)
50	50 KV1W\$HUMAN	:QTSVRPGKVRSDPEKK*	(SEQ ID NO: 180)

55

51	KV1M\$HUMAN	:QTSVRPGKVRSDPEKK*	(SEQ ID NO: 181)	
52	KV1R\$HUMAN	:QTSVRPGKVRSEPEKK*	(SEQ ID NO: 182)	
5	53	KV1F\$HUMAN	:QTSVRPGKVRSEPDKK*	(SEQ ID NO: 183)
54	KV1G\$HUMAN	:QTSVRPGKVRAEPEKK*	(SEQ ID NO: 184)	
55	KV1K\$HUMAN	:QTSVRPGKVRSDPBKK*	(SEQ ID NO: 185)	
56	KV1D\$HUMAN	:QTSVRPGKVRSDPBKK*	(SEQ ID NO: 186)	
57	KV1H\$HUMAN	:QTSVRPGQVRSDPERK*	(SEQ ID NO: 187)	
58	KV1B\$HUMAN	:QTSVRPGKVRSHPEKK*	(SEQ ID NO: 188)	
10	59	B27585	:QTSVRPGNVRSDDPKK*	(SEQ ID NO: 189)
60	N\$1REIA	:QTSVRPGKVRSDPEKT*	(SEQ ID NO: 190)	
61	KV1X\$HUMAN	:QTSVRPGTVRSEPEKK*	(SEQ ID NO: 191)	
62	KV1L\$HUMAN	:QTSVRPEKVRSEPDKK*	(SEQ ID NO: 192)	
63	IMGL38	:QTSVRPGKVRSESDKK*	(SEQ ID NO: 193)	
15	64	A27585	:QTSVRPGEVRSEPDKK*	(SEQ ID NO: 194)
65	KV1N\$HUMAN	:QTSVRPGBVRSBPZRK*	(SEQ ID NO: 195)	
66	KV1C\$HUMAN	:QTSVSPGKVRSDPEKK*	(SEQ ID NO: 196)	
67	KV1V\$HUMAN	:QTSVRPGKVNSDPEKK*	(SEQ ID NO: 197)	
68	KV1T\$HUMAN	:QTSVRPGKVRSDPDTK*	(SEQ ID NO: 198)	
69	KV1U\$HUMAN	:QTSVRPKKVRSDPZKK*	(SEQ ID NO: 199)	
20	70	KV1A\$HUMAN	:QTSVRPKKVRFDPEKK*	(SEQ ID NO: 200)
71	KV1S\$HUMAN	:QTSVRSGKVRSEPETK*	(SEQ ID NO: 201)	
72	KV4A\$HUMAN	:VTNLRPGKVRSDAEKK*	(SEQ ID NO: 202)	
73	KV4C\$HUMAN	:VTDLRPGKVRSDAEKK*	(SEQ ID NO: 203)	
74	HUMIGK2A1	:QTSVSPGNIRSESDKK*	(SEQ ID NO: 204)	
25	75	HUMIGKBA	:KTSVTPGKFRSEPEKK*	(SEQ ID NO: 205)
76	HUMIGKBC	:VTLLPPGVRSDAEKK*	(SEQ ID NO: 206)	
77	KV2B\$HUMAN	:VTLLPPGVRSDAEKK*	(SEQ ID NO: 207)	
78	KV2D\$HUMAN	:VTLLPPGZVRSDAERK*	(SEQ ID NO: 208)	
79	KV2C\$HUMAN	:VTLLPPGZVRSDAERK*	(SEQ ID NO: 209)	
80	KV2E\$HUMAN	:VTLLPPGQVRSDAEKK*	(SEQ ID NO: 210)	
30	81	S03876	:VTLLPPGQVTSDAEKK*	(SEQ ID NO: 211)
82	KV2A\$HUMAN	:VTLLPPAGQVRSDAEKK*	(SEQ ID NO: 212)	
83	HUMIGLAM5	:ALSPSSGQSSASERL*	(SEQ ID NO: 213)	

35

40

45

50

55

5

## MOUSE HEAVY CHAIN SURFACE PATCHES

1	MUSIGHIT	: EKVGGGLQPGRGTPGKASRGDSQRPES*	(SEQ ID NO: 214)
2	MUSIGHIU	: EKVGGGLQPGRGTPGKVSRGDSQRPES*	(SEQ ID NO: 215)
10	3 MUSIGHIV	: EKVGGGLQPGTGAPGKASRGDSQRPES*	(SEQ ID NO: 216)
4	MUSIGHYM	: EKVGGGLQPGRGTPGKASKGNSQRAES*	(SEQ ID NO: 217)
5	PU0003	: EKVGGGLQPGRGTPGKASKGNSQRAES*	(SEQ ID NO: 218)
6	MUSIGHFO	: EKVGGGLQPGRGTPGKASKGTSQRAES*	(SEQ ID NO: 219)
7	A30515	: EKVGGGLQPGRGTPGKASKGTSQRAET*	(SEQ ID NO: 220)
8	PL0018	: EKVGGGLQPGRGTPGKASKGTSQRAET*	(SEQ ID NO: 221)
15	9 MUSIGHFK	: ENVGGGLQPGRGTPGKASKGTSQRAET*	(SEQ ID NO: 222)
10	MUSIGHFQ	: EKVGGGLQSGRGTPGKASKGTSQRAET*	(SEQ ID NO: 223)
11	PU0001	: EKVGGGLQSGRGTPGKASKGTSQRAES*	(SEQ ID NO: 224)
12	E30540	: EKVGGGLQPGRGTPGKASKGTSQRAER*	(SEQ ID NO: 225)
13	HV17\$MOUSE	: EKVGGGLQPGRGTPGKASKGTSQRAES*	(SEQ ID NO: 226)
14	MUSIGHLM	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 227)
20	15 MUSIGHKG	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 228)
16	PU0004	: EKVGGGLQPGRGTPGKASKGNSQRAES*	(SEQ ID NO: 229)
17	MUSIGHKJ	: EKVGGGLQPGSGTPGKASKGNSQRPDS*	(SEQ ID NO: 230)
18	HV56\$MOUSE	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 231)
19	C27888	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 232)
20	MUSIGHAAP	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 233)
21	PH0097	: DKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 234)
25	22 E27888	: DKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 235)
23	MUSIGHJB	: DKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 236)
24	MUSIGHADL	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 237)
25	A27888	: ENVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 238)
26	H27887	: ENVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 239)
27	B27888	: ENVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 240)
30	28 B27889	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 241)
29	D27889	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 242)
30	HV55\$MOUSE	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 243)
31	MUSIGHAGT	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 244)
32	MUSIGHVH50	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 245)
33	MUSIGHIW	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 246)
35	34 MUSIGHAGZ	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 247)
35	PH0098	: DKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 248)
36	MUSIGHIN	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 249)
37	MUSIGHAGY	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 250)
38	MUSIGHMF	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 251)
39	D27888	: ENVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 252)
40	40 MUSIGHIP	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 253)
41	MUSIGHAGS	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 254)
42	HV16\$MOUSE	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 255)
43	B34871	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 256)
44	PH0094	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 257)
45	45 PH0096	: DKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 258)
46	MUSIGHVH62	: DKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 259)
47	MUSIGHAGR	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 260)
48	HV58\$MOUSE	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 261)
49	H27888	: EQVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 262)
50	HV34\$MOUSE	: EKVGGGLQPGSGTPGKASKGNSQRAES*	(SEQ ID NO: 263)

50

55

5

51	HV33\$MOUSE	:EKEGGLQPGKGTPEKESKGD\$KRPET*	(SEQ ID NO: 264)
52	MUSIGHZAB	:EKEGGLQPGKGSPEKESKGD\$KRAET*	(SEQ ID NO: 265)
53	N\$4FABH	:EKDGGGLQPGKGTPEKDSKGD\$SKRVEM*	(SEQ ID NO: 266)
54	I27888	:EQVGGGLKPGRGTPKEDTTGDAQRSET*	(SEQ ID NO: 267)
10	55 G27888	:EQVGGGLKPGRGTPKEDTTGNAKGSET*	(SEQ ID NO: 268)
56	HV59\$MOUSE	:EKVGG\$KPGKGTPEKDSKGN\$AKTSET*	(SEQ ID NO: 269)
57	MUSIGHOE	:SQQGGGLKPGKGTPEKDTKGNARRSES*	(SEQ ID NO: 270)
58	N\$2FVWH	:EKIGGLQPGKGD\$PGKPSKDN\$AKRSET*	(SEQ ID NO: 271)
59	MUSIGHJT	:EKLGGGLQPGKGD\$PGKPSKDN\$AKRSET*	(SEQ ID NO: 272)
60	MUSIGHLY	:EKLGGGLQPGKGD\$PGKPFKDN\$AKRSET*	(SEQ ID NO: 273)
61	S06816	:EKLGGGLQPGKGD\$PGKLMKEN\$AKRSET*	(SEQ ID NO: 274)
15	62 S06817	:ENLGGGLQPGKGD\$PGK\$KXEN\$AKRPET*	(SEQ ID NO: 275)
63	MUSIGHAAI	:EKLGGGLQPGNGDLGKPSKDN\$AKRSET*	(SEQ ID NO: 276)
64	HV42\$MOUSE	:EKLGPLQLGKGD\$PGKPSKDD\$AKRSET*	(SEQ ID NO: 277)
65	MUSIGHAAL	:EQLGGGLQPGGGT\$PGKPSKDN\$DKRSET*	(SEQ ID NO: 278)
66	MUSIGHABO	:EQLGGGLQPGGGT\$PGKASKDN\$DKRSET*	(SEQ ID NO: 279)
67	MUSIGHEG	:EQVGGGLKARKGTPEKDTTGN\$AKRSET*	(SEQ ID NO: 280)
20	68 MUSIGHWN	:EMVGVLEPGKGTPEK\$QEGNAKRSET*	(SEQ ID NO: 281)
69	MUSIGKCLT	:EQVGGGLQPKKGS\$PGKDSKDD\$SKTET*	(SEQ ID NO: 282)
70	MUSIGHZAE	:EQVGGGLQPKKGS\$PGKDSKDD\$SKTER*	(SEQ ID NO: 283)
71	MUSIGHAAD	:QQVPELKPGRGT\$PGKEDKGT\$SARNDT*	(SEQ ID NO: 284)
72	MUSIGHAAM	:QQVPELKPGRGT\$PGKDDKGT\$SAKNET*	(SEQ ID NO: 285)
73	MUSIGHAMA	:QQVPELKPGRGT\$PGKDDKGT\$SAKNEH*	(SEQ ID NO: 286)
25	74 MUSIGHXZ	:QQKPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 287)
75	A30502	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 288)
76	MUSIGHAAG	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 289)
77	B30502	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 290)
78	MUSIGHADG	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 291)
79	MUSIGHFV	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 292)
30	80 MUSIGHAANA	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 293)
81	MUSIGHZR	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 294)
82	MUSIGHAI	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 295)
83	MUSIGHALA	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 296)
84	PL0011	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 297)
85	MUSIGKCLS	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 298)
86	MUSIGHADY	:EQQPELKPGRGT\$PGQEKKG\$STSTSE*	(SEQ ID NO: 299)
35	87 MUSIGHVWX	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 300)
88	MUSIGHADO	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 301)
89	MUSIGHVEM	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 302)
90	A24672	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 303)
91	MUSIGHJG	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 304)
92	JL0044	:EQQPEAKPGKGT\$H\$G\$K\$Q\$K\$G\$S\$T\$S\$D\$*	(SEQ ID NO: 305)
93	MUSIGHBA	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 306)
40	94 MUSIGHAGP	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 307)
95	MUSIGHVBK	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 308)
96	A36194	:EQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 309)
97	MUSIGHVBJ	:EQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 310)
98	MUSIGHADV	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 311)
99	MUSIGHAAT	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 312)
45	100 MUSIGHJL	:QQQAE\$LP\$G\$GAP\$G\$Q\$EKKG\$STSTSE*	(SEQ ID NO: 313)

50

55



5

101	MUSIGHABM	:QQQAEVRPGKGTGPGHEKGTSSSTSES*	(SEQ ID NO: 314)
102	MUSIGHFU	:QQQAEKPGKGTGPGHENGTSSSTSES*	(SEQ ID NO: 315)
103	MUSIGHZZB	:QQQAEKPGKGTGPGQKKGKSSASES*	(SEQ ID NO: 316)
104	HV06\$MOUSE	:HQQAEKPGKGTGPGQKKGKSSSTSES*	(SEQ ID NO: 317)
105	MUSIGHRD	:EQQVELRAGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 318)
106	MUSIGHVBH	:EQQAEKPGKGTGPGQEKQGTSSSTSES*	(SEQ ID NO: 319)
107	HV01\$MOUSE	:EQQAEKPGKGTGPGHDKGTSSSTSES*	(SEQ ID NO: 320)
108	MUSIGHADN	:QQQAEVRPGKGTGPGHEKGRSSSTSES*	(SEQ ID NO: 321)
109	HV05\$MOUSE	:QQQAEKPGKGTGPGQKKGKSSSTSES*	(SEQ ID NO: 322)
110	MUSIGHAEF	:QQQAEKPGKGTGPGQKKGKSSSTSES*	(SEQ ID NO: 323)
111	MUSIGHAAN	:QQQAEKPGKGTGPGQKKGKSSSTSDS*	(SEQ ID NO: 324)
112	MUSIGHAAB	:QQQAEKPGKGTGPGQKKGKSSSTSES*	(SEQ ID NO: 325)
113	C30560	:QHQAELKPGKGTGPGQKKGKSSSTSES*	(SEQ ID NO: 326)
114	PS0024	:QQQAEKPGKGTGPGQKKGKSSSTSES*	(SEQ ID NO: 327)
115	MUSIGHRG	:EQQAEKPGKGTGPGQKKGKSSSTSES*	(SEQ ID NO: 328)
116	MUSIGHAAE	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 329)
117	MUSIGHLX	:QQQSELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 330)
118	HV04\$MOUSE	:QQQTELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 331)
119	MUSIGHVBG	:EQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 332)
120	MUSIGHMX	:QQQAEKPGKGTGPGQKKGKSSSTSES*	(SEQ ID NO: 333)
121	MUSIGHAAR	:EQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 334)
122	HV15\$MOUSE	:QQQPEVRPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 335)
123	MUSIGHAAU	:QQQPEVRPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 336)
124	MUSIGHVBO	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 337)
125	A26405	:EQQTELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 338)
126	HV10\$MOUSE	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 339)
127	MUSIGJ844	:QQQSELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 340)
128	MUSIGJ862	:QQRAELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 341)
129	HV09\$MOUSE	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 342)
130	MUSIGKCLP	:QQQAEKPGKGTGPGQEKKGKSSSTSDS*	(SEQ ID NO: 343)
131	MUSIGBH	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 344)
132	HV11\$MOUSE	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 345)
133	MUSIGHMC	:QQQAEKPGKGTGPGQEKKGKSSSTSDS*	(SEQ ID NO: 346)
134	MUSIGHAGW	:QQQPEVRPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 347)
135	MUSIGHRF	:EQQAEVRAGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 348)
136	MUSIGHVAD	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 349)
137	MUSIGHVAF	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 350)
138	PL0012	:QQQPELPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 351)
139	MUSIGGVD2	:QQQTELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 352)
140	S06824	:QHQAELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 353)
141	MUSIGHRD	:EQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 354)
142	MUSIGHAAB	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 355)
143	MUSIGHHS	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 356)
144	MUSIGHAXA	:EQQTELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 357)
145	HV50\$MOUSE	:QQQTELKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 358)
146	MUSIGHVBP	:QQQSVLRPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 359)
147	PH0100	:LQQPVLKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 360)
148	MUSIGHAYA	:EQQPEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 361)
149	MUSIGHCP2	:QQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 362)
150	MUSIGHDZ	:EQQAEKPGKGTGPGQEKKGKSSSTSES*	(SEQ ID NO: 363)

50

55

5

10

15

20

25

30

35

40

45

50

55

151 MUSIGHNPI	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 364)
152 S06823	:EQQAELKPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 365)
153 MUSIGHASA	:EQQAELKPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 366)
154 S03484	:EQQAELKPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 367)
155 MUSIGHVAA	:EQQAELKPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 368)
156 MUSIGHNPD	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 369)
157 MUSIGHNPB	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 370)
158 MUSIGHHEC	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 371)
159 MUSIGHNPC	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 372)
160 MUSIGHNPF	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 373)
161 MUSIGHNPE	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 374)
162 A27635	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 375)
163 MUSIGHXW	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 376)
164 MUSIGHIZA	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 377)
165 MUSIGHHEH	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 378)
166 MUSIGHHRH	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 379)
167 HV00\$MOUSE	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 380)
168 NS1F19H	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 381)
169 MUSIGHZAD	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 382)
170 B30515	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 383)
171 MUSIGHHEB	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 384)
172 E27889	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 385)
173 MUSIGHAAC	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 386)
174 HV61\$MOUSE	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 387)
175 MUSIGVHR2	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 388)
176 PL0100	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 389)
177 MUSIGHAAO	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 390)
178 MUSIGHGA6	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 391)
179 MUSIGHJY	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 392)
180 MUSIGHGAI	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 393)
181 MUSIGHXX	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 394)
182 HV62\$MOUSE	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 395)
183 MUSIGHAAGA	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 396)
184 MUSIGHGAS	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 397)
185 MUSIGHGA4	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 398)
186 MUSIGHAGI	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 399)
187 PL0102	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 400)
188 HV46\$MOUSE	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 401)
189 MUSIGHZF	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 402)
190 MUSIGHAGD	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 403)
191 MUSIGHAGQ	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 404)
192 MUSIGHAM32	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 405)
193 MUSIGHAFY	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 406)
194 MUSIGHAGE	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 407)
195 MUSIGHAGB	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 408)
196 MUSIGHAGC	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 409)
197 MUSIGHAAM	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 410)
198 HV43\$MOUSE	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 411)
199 MUSIGHUV1	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 412)
200 MUSIGHAEI	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 413)
201 MUSIGHBP	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 414)
202 MUSIGHZ2A	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 415)
203 MUSIGHUV2	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 416)
204 A32456	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 417)
205 MUSIGHMB	:EQQAELRPGKGNPEQPKQGTSTTSET*	(SEQ ID NO: 418)

5

## HUMAN HEAVY CHAIN SURFACE PATCHES

	1 HUMIGHVS	: ERVGDLEPGRGIPGKAPKGDSSKIET*	(SEQ ID NO: 419)
	2 HUMIGHVR	: ERVGDLEPERGIPGKAPKGDSSKIET*	(SEQ ID NO: 420)
10	3 HJ6005	: EQVGGGLKPGRGTPGKAPKGDSSKKTET*	(SEQ ID NO: 421)
	4 PL0122	: EQVGGGLQPGKGTSGKASKGDSSKKTET*	(SEQ ID NO: 422)
	5 HV3DSHUMAN	: EQLGGGLQPGRGTPGKBSKGDSSKRAET*	(SEQ ID NO: 423)
	6 HUMIGHAT	: EQLGGGLQPGRGTPGKDSKGNSSKRAET*	(SEQ ID NO: 424)
	7 B34964	: EQLGGGLQPGRGTPGKDSRGNSKRAET*	(SEQ ID NO: 425)
	8 A34964	: EQVGGGLQPGRGTPGKDSKGNSSKRAET*	(SEQ ID NO: 426)
	9 PL0123	: EQVGGGLQPGRGTPGKDSKGNSSKRAET*	(SEQ ID NO: 427)
15	10 HV3F\$HUMAN	: EQVGGGLQPGRGTPGKDSKGDSSRAET*	(SEQ ID NO: 428)
	11 JL0048	: EQVGGGLQPGRGTPGKDSKGNSSRAET*	(SEQ ID NO: 429)
	12 HV3B\$HUMAN	: QQVGGGLEPGRGTPGKDSKGBSSKRAET*	(SEQ ID NO: 430)
	13 HUMIGHBV	: EQLGDLOPGRGTPGKASKGNSSKRAET*	(SEQ ID NO: 431)
	14 HV3E\$HUMAN	: EQVGGGLQPGRGTPGKDSKGDSSKRAET*	(SEQ ID NO: 432)
	15 PL0116	: QQVGGVQPGRGTPGKDSKGNSSKRAET*	(SEQ ID NO: 433)
20	16 HV3K\$HUMAN	: QQVGGVQPGRGIPGKDSKGNSSKRPET*	(SEQ ID NO: 434)
	17 N\$2FB4H	: EQVGGVQPGRGIPGKDSKGDSSKRPET*	(SEQ ID NO: 435)
	18 HV3I\$HUMAN	: QQVGGVQPGRGTPGKDSNGDSSKRPET*	(SEQ ID NO: 436)
	19 HV3J\$HUMAN	: QKVGGVQPGRGTPGKDSKGNSSKRTET*	(SEQ ID NO: 437)
	20 HV3G\$HUMAN	: QEVGGVZPGRGTPGKBSKGBSSKRAET*	(SEQ ID NO: 438)
	21 HV3H\$HUMAN	: EQLGGGLQPGRGTPGKDSNGDSSKQAZT*	(SEQ ID NO: 439)
25	22 HV3O\$HUMAN	: EQLGGGLQPGRGTPGKDTNGDSSKLAZT*	(SEQ ID NO: 440)
	23 HV3N\$HUMAN	: AQLGGGLQPGRGTPGKDSNGDSSKQAZS*	(SEQ ID NO: 441)
	24 HV3R\$HUMAN	: EQLGGGLQPGRGTPGKVSQGDSSKQAZT*	(SEQ ID NO: 442)
	25 HV3P\$HUMAN	: EQVGGGLQPGRGTPGKVSQGDSSKEPZT*	(SEQ ID NO: 443)
	26 HUMIGHCV	: EQLGGLOPGRGTPGKESKGNSSKRAET*	(SEQ ID NO: 444)
	27 HV3T\$HUMAN	: EQVGDLOPGRGTPGKDSKGNSSKRVET*	(SEQ ID NO: 445)
	28 HV3U\$HUMAN	: EQVGDLOPGRGTPGKDSKGNSSKQRPET*	(SEQ ID NO: 446)
30	29 PL0098	: QQVGGVQPGRGTPGKDSKGNSSKRAET*	(SEQ ID NO: 447)
	30 HV3H\$HUMAN	: QZVGGALPGRGTPGKASKGBSSKRAET*	(SEQ ID NO: 448)
	31 HV3A\$HUMAN	: QQVGGGLKPGRGTPGKDSKGNSSKQRTZT*	(SEQ ID NO: 449)
	32 HV3S\$HUMAN	: DQVGGGLQPGRGTPGKDSNGDSSKTPZT*	(SEQ ID NO: 450)
	33 HUMIGHAM	: EQLGGGLQPGRGTPGKDSKGNSSKRAET*	(SEQ ID NO: 451)
	34 HV3Q\$HUMAN	: EQVGGALQPGRGTPGKDSQADSSKLAZT*	(SEQ ID NO: 452)
35	35 A36040	: EQLGGLOPGRGTPGK----VEG\$VET*	(SEQ ID NO: 453)
	36 HUMIGHAM	: EQVGAFPQPGRGTPGKASKGDSSKRPDT*	(SEQ ID NO: 454)
	37 HUMIGHAO	: EQVGAFPQPGRGTPGKASKGDSSKRPDT*	(SEQ ID NO: 455)
	38 HUMIGHAB	: EQVGAFPQPGRGTPGKASKGDSSKRPDT*	(SEQ ID NO: 456)
	39 HV3L\$HUMAN	: QQVGGVQAGRAMPGKDSRGISKRTET*	(SEQ ID NO: 457)
	40 HV1A\$HUMAN	: QQVAEVKPGKOTPGQKQGSTSTRSET*	(SEQ ID NO: 458)
40	41 A32483	: QQVAEVKPGKOTPGQKQGSTSTRSET*	(SEQ ID NO: 459)
	42 HUMIGHAY	: QQVAEVKPGKOTPGQKQGSTSTRSET*	(SEQ ID NO: 460)
	43 HUMIGHCU	: QQVAEVKPGKOTPGQKQGSTSTRSET*	(SEQ ID NO: 461)
	44 HUMIGHBS	: QQVAEVKPGKOTPGQKQGSTSTRSET*	(SEQ ID NO: 462)
	45 HUMIGVHLS	: QQVAEVKPGKOTPGQKQGSTSTRSET*	(SEQ ID NO: 463)
	46 HUMIGHBX	: QQVGEVKGPGRGTPGQKQGSTSTRSET*	(SEQ ID NO: 464)
45	47 HV1C\$HUMAN	: QQVAEVKPGRGTPGHPROGASFRSDS*	(SEQ ID NO: 465)
	48 H34964	: QQVSELKPGKOTPGQKQGSTSTRSET*	(SEQ ID NO: 466)
	49 HUMIGHCY	: EQVAEVKPGKOTPGKPSQGKSLKAST*	(SEQ ID NO: 467)
	50 PL0119	: EQVAEVKPGRGTPGKPSQGKSLKAST*	(SEQ ID NO: 468)

50

55

```

5  51 HV1F$HUMAN      :QQVAEVKPGRGDPGRPRQASSTISAT* (SEQ ID NO: 469)
   52 D34964          :EQVAEVPQGGKGRPGKSLQKSLKAST* (SEQ ID NO: 470)
   53 HV1D$HUMAN      :QQMAEVKPGRGTPGKPGVVP$FFSET* (SEQ ID NO: 471)
   54 HV1E$HUMAN      :QQVAEVKPGRGTPGRYIWEP$FFNEG* (SEQ ID NO: 472)
   55 JL0047           :QQQAGLKPSSGSPGKPSKSTSKTAAT* (SEQ ID NO: 473)
   56 HUMIGHBW        :QQQPGLKPSSGSPGKPSKSTSKTAAT* (SEQ ID NO: 474)
   57 E34964          :QQQPGLKPSSGSPGKPSKSTSKTAAT* (SEQ ID NO: 475)
10  58 HUMIGHCW        :QQQPGLKPSSGSPGKPSKSTSKTAAT* (SEQ ID NO: 476)
   59 HV2F$HUMAN      :RQQPGLKPSSGSPGKPSRGT$SRSAAT* (SEQ ID NO: 477)
   60 HV2I$HUMAN      :QQQAGLKPSSGSPGRT$SKSTSKTAAT* (SEQ ID NO: 478)
   61 HV2G$HUMAN      :QQEPGLRPSSGSPGRT$PRSTSKTAAT* (SEQ ID NO: 479)
   62 N$3FABH         :XQEPGLRPSSGSPGRT$PRSTSKTAAT* (SEQ ID NO: 480)
   63 PS0091          :QQQPGLKPSSGSPSRV$SKSTSKTPET* (SEQ ID NO: 481)
15  64 HUMIGHDA        :QHQAGLKRSSGPPGKPS$TSTSKTAAT* (SEQ ID NO: 482)
   65 A26555          :ZQESGLKPTSGSPGKPSK$RSKAADA* (SEQ ID NO: 483)
   66 HV2E$HUMAN      :QTKPTLKPTTGSPGR$PSKSTSKDPVT* (SEQ ID NO: 484)
   67 HV2D$HUMAN      :QTKPTLKPTTGSPGR$PSRST$SRDPVS* (SEQ ID NO: 485)
   68 A36005          :ETRPALKPTTGSPGKT$SKTTSKDPVT* (SEQ ID NO: 486)
   69 HV2H$HUMAN      :QMRPALKATTGSPGKT$SETTSKDPAT* (SEQ ID NO: 487)
20  70 HV2A$HUMAN      :QTTPALPKPTTGSPGKT$SRD$SKNPVT* (SEQ ID NO: 488)
   71 HV2C$HUMAN      :QTRPALRPTTGSPGEA$SETTSKGPVT* (SEQ ID NO: 489)
   72 HV2B$HUMAN      :QTRPALKPTTGSPGKT$SETTSRDTAY* (SEQ ID NO: 490)
   73 JL0049          :LEGVQLMGGRGISRKYAKNGKRD$ES* (SEQ ID NO: 491)

```

## EXAMPLE 2

### DETAILED DESCRIPTION OF METHOD FOR CONSTRUCTING THREE-DIMENSIONAL MODEL OF AN- TIBODY VARIABLE REGION

The references cited in the text below are listed at the end of this Example.

The first antibody Fab structure was determined in 1972. Since then, no more than about twelve Fab structures have been published, a number that represents a very small fraction of the total antibody repertoire (>10<sup>8</sup> antibodies). To understand the molecular basis of this antibody diversity will require knowledge of either a large number of x-ray structures, or the rules by which combining site topography is governed. The development of such prediction rules has now reached the point where variable regions of antibodies can be modelled to an accuracy approaching that of the medium resolution x-ray structure.

The interaction of an antibody with its cognate antigen is one of the most widely accepted paradigms of molecular recognition. To understand the antibody-antigen interaction in atomic detail requires knowledge of the three-dimensional structure of antibodies and of their antigen complexes. Traditionally such information has come from x-ray crystallographic studies (see Davies et al. for review (Davies et al., 1988)).

The modelling of antibody combining sites was first attempted by Padlan & Davies (Padlan et al., 1976) at a time when very few antibody structures were known. Nonetheless, Padlan and colleagues recognized that the key lay in high structural homology that existed within the  $\beta$ -sheet framework regions of different antibody variable domains. The antigen combining site is formed by the juxtaposition of six interstrand loops, or CDRs (Complementarity Determining Regions) (Kabat et al., 1987), on this framework. If the framework could be modelled by homology then it might be possible to model the CDRs in the same way. Padlan and Davies (Padlan et al., 1976) reasoned that CDR length was the important determinant of backbone conformation though the number of antibody structures was insufficient to thoroughly test this maximum overlap procedure (MOP). This notion was not picked up again until the early 1980's when Pedersen and Rees proposed a similar approach to modelling antibody combining sites based on a more extensive analysis of antibody structures (de la Pas et al., 1986).

Those essentially knowledge-based procedures are best exemplified for antibodies by the work of Chothia & Lesk (Chothia et al., 1986) who, in 1986, extended and modified the MOP procedure by introducing the concept of "key" residues. These residues allow the further subdivision of CDRs of the same length into "canonical" structures which differ in having residues at specified positions that, through packing, hydrogen bonding or the ability to assume unusual values of the torsion angles  $\phi$ ,  $\psi$  and  $\omega$ , determine the precise CDR conformation

(Chothia et al., 1989). Similar knowledge-based methods have been proposed for predicting loop conformations in general (Thornton et al., 1988; Tramontano et al., 1989). These methods rely on the crystallographic database of protein structures. However, none of the above knowledge-based methods has been totally successful. In particular, the MOP or canonical structure approaches have succeeded in modelling only five of the six CDRs. This stems from the fact that the third CDR of the heavy chain, H3, is more variable in sequence, length and structure than any of the other CDRs.

To deal with this problem several groups have attempted to use *ab initio* methods to model the combining site (Brucoleri and Karplus, 1987). The requirement with such methods is that the total allowable conformational space accessible to a particular CDR is sampled. Typical of purely geometric approaches is that of Go & Sheraga (Go and Sheraga, 1970) and more recently Palmer & Sheraga (Palmer and Sheraga, 1991), where the problem is reduced to one in which the central region of the polypeptide backbone, having characteristic bond length and bond angles, is constructed between the end points of the loop (CDR if an antibody loop) by a "chain closure" algorithm. In a modification of this algorithm, Brucoleri & Karplus (Brucoleri and Karplus, 1987) introduced an energy minimization procedure which greatly expanded the domain of conformational space searched during the chain closure procedure. This modification is incorporated into the conformational search program CONGEN (Brucoleri and Karplus, 1987), which also allows the user to choose any set of standard bond length and bond angles such as the CHARMM (Brooks et al., 1983) standard geometry parameter sets. Other approaches such as minimization (Moult and James, 1986), or molecular dynamics (Fine et al., 1986) either fail to saturate conformational space or are unable to deal with the problem of long CDRs. Whichever of the *ab initio* methods is employed however, the problem is one of defining the selection criteria in such a way as to allow the unambiguous identification of the *correct* structure (in this context *correct* is defined by reference to an appropriate X-ray structure) within the ensemble of candidates, for every CDR. To date this has not been possible.

Recently a more holistic approach has been taken to the modelling of CDRs which combines the advantages of knowledge-based and *ab initio* methods in a single algorithm known as CAMAL (Combined Algorithm for Modelling Antibody Loops) (Martin et al., 1989; Martin et al., 1991). Previously this algorithm has been used to model individual CDRs in the presence of the crystal structure conformations of the other five. As is demonstrated below, CAMAL is able to predict the backbone conformations of all six CDRs of the antibody combining site to an accuracy approaching that of medium resolution x-ray structures. In addition the algorithm includes a procedure for selecting and fitting together the light and heavy chain framework regions prior to generation of CDR conformations, thus making possible the prediction of the entire variable region. Furthermore a new Monte Carlo (MC) simulated annealing method has been developed for the determination of side-chain conformations.

### The Framework Region

Antibody framework regions consist of conserved  $\beta$ -strands that form the  $\beta$ -barrel structure characteristic of immunoglobulin V-type regions. In the procedure described here each V-region is built from a database of known antibody structures, using sequence homology for selection of the light (L) and heavy (H) chain V-domains. The two domains are then paired by least squares fitting on the most conserved strands of the antibody  $\beta$ -barrel (Table 2 and Figures 5 & 6. The strand orientations were determined by analyzing the barrels of known antibody crystal structures. Eight antibodies were analyzed using a multiple structure fitting program as follows. Seven structures were fitted onto one of the set selected at random and mean coordinates were calculated. All eight structures were then fitted onto these mean coordinates and new mean coordinates determined. This procedure was iterated until the mean coordinate set converged (5-10 cycles). The variance for the mean coordinates at each barrel point (N,C $\alpha$ ,C) was calculated. In Figure 5 this variance is plotted against the projected positions of these points onto the conjugate axis of the barrel.

Strand 8 and all but two residues of strand 7 in both light and heavy chains were eliminated as they showed deviations greater than  $3\sigma$  (standard deviation units) from the mean coordinates. These two strands comprised the takeoff points of CDR H3, and suggests that any knowledge-based prediction of CDR H3 would have to account not only for sequence and length variation in the CDR itself, but also for the position of the participating strands. The remaining mean coordinates were used as a scaffold onto which the L and H chains were fitted. Strands 7 and 8 in the final framework were obtained from the database structure used in the construction. The framework strands are marked + in the multialignment in Table 2.

The sidechains were then replaced using a 'maximum overlap' method, in which sidechain templates were fitted on backbone atoms with the sidechain torsion angles being adjusted to match those of equivalent torsions in the parent sidechain.

### The Combining Site

The procedure for predicting the structure of combining sites combines a database search with a conformational search procedure. The architecture of the program suite to perform this task is outlined in Figure 7.

The database search utilizes distance constraints for each of the six CDR loops determined from known antibody structures. These constraints were determined by calculating C $\alpha$ -C $\alpha$  distances within known loops and using a search range of  $\bar{x} + 3.5\sigma$  (the mean  $\pm$  3.5 standard deviation units). A database containing all the proteins in the Brookhaven Protein Databank (Bernstein et al., 1977) is then searched for fragments which satisfy the constraints for a loop of the required length. The middle section of the loop is then deleted and reconstructed using the conformational search program CONGEN (Brucoleri and Karplus, 1987). For loops of six or seven residues, the structure database appears to saturate the conformational space available to the backbone adequately and only sidechains are built by conformational search. Loops shorter than six residues are built by conformational search alone since this is computationally feasible and the number of loops selected from the database becomes unacceptably large as loop length decreases.

When modelling a complete combining site, loops of 6 or more residues are modelled individually with the other loops absent. If the loops are built consecutively, small errors can accumulate leading to a poor result (Martin, 1990). All the loop conformations are then evaluated using a solvent modified potential, which excludes the attractive van der Waals and electrostatic terms of the non-bonded energy function contained within the GROMOS (Åqvist et al., 1985) potential. The lowest five energy conformations are selected and filtered using a "structurally determining residue" algorithm (FILTER), based on backbone torsion angles observed in the original database loops. Since the database search is not used for the shortest loops of 5 residues or fewer, the FILTER algorithm cannot be used. Energy is thus the only available selection criterion and the short loops are built last, in the presence of the longer loops.

### Side Chains

The determination of sidechain positions was previously done using the iterative sidechain determination algorithm described by Brucoleri et al. (Brucoleri and Karplus, 1987). Unfortunately the CHARMM (Brooks et al., 1983) force field fails to select the correct conformations of exposed hydrophobic sidechains. There is no penalty for having an exposed uncharged atom, without solvent present. CONGEN is also unable to saturate the conformational space for a large number of sidechains (more than 6 residues).

Recently Lee et al. (Lee and Levitt, 1991; Lee and Subbiah, 1991) has proposed a method for searching conformational space for a large number of sidechains using MC simulated annealing. A simple energy function is used for the evaluation of conformations generated by a biased random walk:

$$E = \sum_{i=1}^n \epsilon_o \left( \left( \frac{r_o}{r} \right)^{12} - 2 \left( \frac{r_o}{r} \right)^6 \right) + \kappa_o \cdot \cos(3\omega)$$

Where the first term is a simple *Lennard-Jones* potential which evaluates the non-bonded contacts between the atoms in a given molecule, the second term is a simple torsional term which only applies to C-C bonds. The torsional term biases the function towards 60° rotamers.  $\epsilon_o$  and  $\kappa_o$  are constants. The metropolis function:

$$P = C \frac{e^{-\delta E}}{T}$$

is used to evaluate the energy function. Any move which results in a decrease in energy is accepted, and any move which results in a positive  $\delta E$  is only accepted with the probability  $P$ . This simple method can be used to search the large conformational space defined by a set of torsion angles in amino-acid sidechains, and find or define the global minimum which exist for a set of sidechains.  $T$  is the simulation temperature.

When searching sidechain conformations using this method the simulation system usually gets trapped in an energetic minima well before the global minimum is encountered, at a high temperature, without the solution space having been searched sufficiently. This problem can be solved by truncating the *Lennard-Jones* potential, thus allowing atoms to pass through each other. In reality this function would converge towards infinity when the distance  $r$  between the atoms approaches zero.

The evaluation of sidechain conformations generated is done solely on the basis of energy, for internal (core) residues, since good van der Waals interactions are considered to be equal to a good packing of the sidechains. The situation becomes more complicated when trying to predict the conformation of surface residues. The lowest van der Waals interaction is obtained by a combination of sidechain conformations which minimize the overlap of atoms, this means that the lowest energy is obtained with extended conformations of

sidechains, without considering good packing of sidechains.

Using the fact that hydrophobic, bulky residues will be shielded by the hydrophilic sidechains, and will be buried in the surface, it is possible to generate a simple function which will evaluate these macroscopic observations. These functions can either be implemented in the objective evaluation function of the Monte Carlo simulation, or as is done here, added as a post processing step. Including an accessibility/hydrophobicity term in the evaluation function would slow down the calculation considerably, hence the term has been added as a post processing function. The function used is a sum of the product of relative exposed surface area multiplied by the residual hydrophobicities. The hydrophobicities used are taken from Cornette et al. (Cornette et al., 1987).

$$f_{conformation} = \sum_{i=1}^n -A_{irel} \cdot H_{irel}$$

$n$  is the number of sidechains reconstructed. The surface area is calculated using the tessellated icosahedron approach (Chau and Dean, 1987), which is not very precise (0.1 percent), but is able to evaluate a large number of conformations. The function is evaluated for the final 2,000 conformations and the lowest value conformation selected as the best.

Using this simple approach it is possible to integrate over a large phase space with many degrees of freedom, and get a complete sampling of the space.

#### Predicted Structures of an Anti-hapten, Anti-peptide and Two Anti-protein Antibodies

In the following section the predicted structures of four different antibody  $F_V$  regions are presented and analyzed. The antibodies are:

- Gloop-2 (Darsley and Rees, 1985), an anti-lysozyme antibody whose Fab structure was determined by Jeffrey et al., (Jeffrey et al., 1991) and which was used as a learning exercise during the development of CAMAL.
- D1.3 (Amit et al., 1986), an anti-lysozyme antibody whose uncomplexed  $F_V$  coordinates were supplied by R. Poljak et al. after the model coordinates had been deposited.
- 36-71 (Rose et al., 1990), an anti-phenylarsonate antibody whose Fab structure was carried out by D. R. Rose, et al., and whose coordinates were obtained after the model coordinates had been deposited.
- 3D6 (Grunow et al., 1988), an anti-protein (GP41 of HIV) antibody whose Fab structure was carried out by D. Carter et al. (Carter, 1991) and whose coordinates were obtained after the model coordinates had been deposited. For this antibody, the model was generated using the canonical loop method of Chothia & Lesk (Chothia et al., 1989; Chothia et al., 1986) for CDRs L1, L2, H1 and H2, while L3 and H3, which cannot be modelled using canonical structures, were constructed using CAMAL.

All four models were subjected to both restrained and unrestrained energy minimization using the DISCOVER (TM Biosym Technology) potential with 300 cycles of steepest descents, followed by conjugate gradient minimization until convergence to within 0.01 Kcal occurred.

The resolution and R-factors of the x-ray structures are given in Table 3 together with the parent frameworks selected in building the models. The structures and models were compared by global fits of the loops. The  $\beta$ -barrel strands 1 to 6, as described above, were least squares fitted and the RMS deviation was then calculated over the loops. The backbone (N,C $\alpha$ ,C) RMS values for fitting model and crystal structure frameworks were between 0.4 and 0.9 Å, illustrating the conservation of the core  $\beta$ -barrel. Using all eight strands RMS deviations between 0.6 and 1.2 Å were observed.

Global fits (Table 4) give a more realistic measure of the accuracy of the model than a local least-squares fit over the loops since they account for the overall positioning of the loops in the context of the  $F_V$  structure. Local fits, which give lower RMS deviations, are also shown in Table 4. Differences between local and global RMS deviations arise from differences in  $V_H/V_L$  domain packing and differences in loop 'take off' angles and positions.

Table 5 shows the canonical loops selected from modelling 3D6. Backbone structures of the modelled CDRs, superimposed on the x-ray structures after global fitting are shown in Figure 8. General features and points of interest for each of the six CDRs are discussed below.



### Analysis of the CDR Regions

During the comparison of CDR conformations in the V-region models and the x-ray Fab structures it was observed that at certain positions in a CDR, the peptide backbone may adopt either of two conformations by undergoing a "peptide flip" (1,4 shift). This phenomenon is also seen in type 2  $\beta$ -turns (Paul et al., 1990). Dynamics simulations of  $\beta$ -turns show that the transformation energy between  $\phi_1 = -00$ ,  $\psi_1 = -30$ ,  $\phi_2 = -90$ ,  $\psi_2 = 0$  and  $\phi_1 = -00$ ,  $\psi_1 = 120$ ,  $\phi_2 = 90$ ,  $\psi_2 = 0$  has a maximum value of 5 kcal (Paul et al., 1990). This is low enough to allow selection of either conformation. The peptide flip is observed within several canonical classes (as described by Chothia et al. (Chothia et al., 1989)) and the hydrogen bonding pattern used to determine the conformation of a canonical class does not disallow the peptide flip. Any modelling procedure should therefore take these, or any other multiple conformations, into consideration where the transformation energies are sufficiently low to permit population of the different conformational forms. Table 6 shows an example of the "peptide-flip" phenomenon from the crystallographic database of antibody structures. It should be noted that a single crystal structure will not show multiple conformations since the crystallization will 'freeze out' one of the conformations. During the modelling procedure the two populations of conformers are easily extracted from a set of *ab initio* generated loops, by using a torsional clustering algorithm.

#### CDR-L1

In Gloop-2 and D1.3, all five low energy conformations were very similar with RMS deviations differing by less than 0.25 Å (backbone) and 0.35 Å (all atoms). The FILTER algorithm was unable to distinguish between the conformations and the lowest energy structure was selected.

Although CDR-L1 of 3D6 was originally built using the canonical loop from HyHEL-10, the mid-section was rebuilt by conformational search, for the following reason. HyHEL-10 and REI CDR-L1 loops are placed in the same canonical ensemble (Chothia et al., 1989) although they contain a 1-4 shift (peptide flip) relative to one another between the fifth and eighth residues of the loop (residues 28-31) (see Table 6).

36-71 shows the same 1-4 shift between the model and crystal structure CDRs. Both crystal structure and model were compared with other loops of the same canonical class as defined by Chothia et al. (Chothia et al., 1989). It was found that the hydrogen bonding pattern which determines the conformation was conserved.

#### CDR-L2

CDR-L2 of D1.3 has two adjacent threonines (49, 50) which in the x-ray structure are packed against the tyrosine at the fourth position of CDR-H3, thus minimizing the exposed hydrophobic sidechains. In the unminimized model the threonine sidechains are exposed to the solvent, but after energy minimization, this packing is observed.

#### CDR-L3

In Gloop-2, D1.3 and 36-71 the proline at the seventh position in the loop is correctly predicted in the *cis* conformation. It has previously been suggested that the conformation of CDR-L3 is dictated by the presence of a proline in position 8 or 9 (Chothia et al., 1989) within the loop. 3D6 does not have a proline in either position. Only 7 out of 290 CDR-L3 sequences (Kabat et al., 1987) lack a proline at both positions and in all of the published x-ray structures this proline is present. This is an example of a situation where either a new canonical class may need to be defined or where the canonical rule breaks down altogether, and an alternative method must be employed.

The 3D6 L3 loop is 7 residues in length and was built using database loops alone where conformational space is saturated by means of fragments selected from the crystallographic database (Global RMS: 2.01 Å, N,C $\alpha$ ,C), and by using CAMAL (Construction: Q[Q(YNS)Y]S, Global RMS: 1.97 Å, N,C $\alpha$ ,C). The similarity of the structures generated by the two procedures illustrates the utility of the database search and suggests that, for shorter loops it is capable of saturating the available conformational space.

#### CDR-H1

Using the Kabat and Wu definition of CDR-H1 places this loop as an extension of the  $\beta$ -sheet. The extended nature of this stretch of peptide limits its conformational flexibility and CDR-H1 is generally modelled accurately (Martin et al., 1989; Chothia et al., 1989).

In Gloop-2 and D1.3, the Phe or Tyr sidechain at the second position in the loop is poorly placed and packs against Leu at the penultimate position in HFR1 (see Table 2). 36-71 has a well-placed Asn at this position, rather than the more common bulky hydrophobic sidechain.

## 5 CDR-H2

CDR-H2 of 36-71 is similar in sequence to F19.9 (Strong et al., 1991), (36-71: YNNPGNGYIA (SEQ ID NO:492); F19.9: YINPGKGYLS (SEQ ID NO:493)). While the structurally determining residues specified by Chothia and Lesk (Chothia et al., 1989) are conserved, the backbone conformations are different: F19.9 has a bulge at the -PGN- Gly, compared with 36-71, giving the loop a 'kink' in the middle. The model of 36-71 shows a 1-4 shift, though the sidechains are still well placed.

In Gloop-2, the all atom RMS deviation is poor (3.00 Å) (Jeffrey et al., 1991) when compared with the P2<sub>1</sub> crystal structure, owing to rotations of the Phe at position 3 in the loop and Tyr at position 10 by approximately 120° about the  $\chi_2$  torsion angle. Gloop-2 has been solved in two different crystal forms, P2<sub>1</sub> and P1 (Jeffrey et al., 1991; Jeffrey, 1989). When compared with the P1 structure, the sidechains are placed almost perfectly and the all atom RMS (global fit) drops to 2.23 Å.

This concerted sidechain motion between crystal forms illustrates the effects of crystallization conditions on surface sidechain placement. Even though surface sidechains may show low temperature factors indicating low mobility in the crystal, their mobility in solution may be high. In the Gloop-2 P1 structure, the mean side-chain temperature factor for the F<sub>V</sub> domain is 13.46 ( $\sigma$  = 8.20) while the sidechains of these two residues of H2 show mean temperature factors of 5.56 ( $\sigma$  = 0.68) for the Phe at position 3 and 7.10 ( $\sigma$  = 1.73) for the Tyr at position 10.

## CDR-H3

CDR-H3 is the most variable of the six CDR's with all lengths up to 21 residues being represented in Kabat et al., (Kabat et al., 1987). This extreme variability results from V-D-J splicing (Schilling et al., 1980) and has always been a problem when attempting to model antibodies. Such loops may be divided into short (up to 7 residues), medium (up to 14 residues) and long (15 or more residues). Using the CAMAL procedure, short and medium CDR-H3's can be modelled as accurately as other CDR's of similar lengths. Although long CDR-H3's are more difficult and cannot, at present, be built to the same accuracy, the chain trace is still correct.

It is unlikely that the longer loops consist of 'pure' loops (i.e., all random coil or turn). In crystal structures of antibodies with medium to long CDR-H3 loops (McPC603 (Rudikoff et al., 1981): 11 amino acids (aa); KOL (Marquart et al., 1980): 17 aa; F19.9 (Lascombe et al., 1989): 15 aa) the loops consist of a disordered  $\beta$ -sheet extension from the  $\beta$ -barrel core and a 5-8 residue random coil/turn connecting these two strands.

To determine the nature of medium to long loops (>8 residues) which satisfy the CDR-H3 constraints, a complete search of the Protein Databank for loops of length 8-20 residues, was performed using the inter-C $\alpha$  distance constraints determined from known antibody crystal structures for CDR-H3. The resulting loops were then analyzed using the DSSP (Kabsch and Sander, 1983) program, which is able to assign secondary structure to polypeptide structures. The amount of secondary structure for each length of loop was calculated, and it was observed that for loops longer than 12 residues the amount of secondary structure within each of the classes described in DSSP was constant. The number of loops selected is also constant (approximately 150 loops) for loops longer than 12 residues. A closer inspection of each of the length ensembles shows indeed that the loops are the same between the groups.

This analysis shows that, like the long CDR-H3 crystal structures, the selected fragments consist of  $\beta$ -strands connected by 5-8 residue loops. For loops above 12-13 residues in length, the same loops are selected, but with extensions to the  $\beta$ -strands. This is called the "sliding-ladder" effect. In addition, the maximum size of a random coil or turn fragment in any of the structures contained in the Protein Databank tends not to exceed 8 residues, as determined by DSSP. This implies that the conformational space of longer loops is not saturated by the database and, although it is unlikely that long loops in antibodies will differ significantly from long loops in other structures, confidence in the prediction must be correspondingly reduced.

By how much is the usefulness of the CAMAL algorithm reduced by this observation ?

The frequency of occurrence of different CDR-H3 lengths in antibody sequences described by Kabat et al. (Kabat et al., 1987) was analyzed. Figure 10 shows that more than 85% of H3 loops have lengths between 4 and 14 residues which can be modelled accurately by the CAMAL algorithm.

CDR-H3 of D1.3 is of average length (8 residues), though no loops of this length are seen in the available antibody structures. The crystal structure coordinate set showed an RMS of 1.9 Å compared with the model.

The 36-71 loop is 12 residues long. The conformation is correctly predicted as a short loop connecting an

extension of the  $\beta$ -sheet.

The 3D6 H3 loop is 17 residues long. While KOL (Marquart et al., 1980) has the same length it has only one residue in common with 3D6 and only one conservative mutation. There is thus no reason to believe that the conformations would be similar. The final predicted conformation of 3D6 is an extended  $\beta$ -sheet, as in the crystal structure. The difference between the predicted and the crystal structure of 3D6-H3 is due to a twist of 5-7° in the extended  $\beta$ -sheet loop (see Figures 9A-9D). Such a twist has also been observed for complexed and uncomplexed antibodies by Wilson et al. (Wilson and others). This suggests that long CDR-H3 loops may be flexible and actively involved in antigen binding.

#### 10 The Complete Variable Region

Prediction of the strand positions and  $V_L$ - $V_H$  orientation in the framework  $\beta$ -barrel was exact for all of the four antibodies. The backbone (N,C $\alpha$ ,C) RMS deviations from the crystal structures were between 0.56 and 0.86 Å, despite the fact that, in all cases the  $V_L$  and  $V_H$  regions of a particular model were derived from different antibody structures. This suggests that this method will do well in procedures such as humanization (Gorman et al., 1991), where correct framework positioning is important. The backbones of all six CDRs in all four antibodies are essentially correctly predicted, as shown in Figure 8. There are two important points to make about these predictions. First, the position of each CDR on its framework barrel is correct. Thus, CDR-framework interactions can be confidently monitored. The only deviation from the x-ray structure is CDR-H3 of antibody 3D6 which has been previously discussed. Second, the all atom RMS deviation between models and x-ray structures is dominated by sidechain positions. In most instances this deviation is due to a small number of incorrectly positioned, exposed sidechains (for example, in D1.3 the only sidechains which are incorrectly predicted are Tyr 9 of L1, Trp 4 of L3, Tyr 2 of H1 and Tyr 4 of H3). Since each CDR is constructed in the absence of other CDRs, the force field may choose a rotamer which is 120° away from that found in the crystal structure. This effect has also been observed by Lee et al. (Lee and Levitt, 1991).

#### Conclusion

For antibodies having CDR H3 regions of 14 residues or less the complete variable domain can be modelled to an accuracy approaching that of medium resolution x-ray structures. For antibodies with longer H3 loops the CAMAL algorithm is likely to need an additional procedure in which molecular dynamics simulations are also incorporated.

The canonical approach of Chothia et al. appears to work well (at least in modelling backbones) where it may be applied and may be used successfully in combination with the CAMAL procedure.

One important observation that has emerged from these studies is that a given loop can exist in several conformations. In particular, this seems likely for CDR-L1 and, to a lesser extent, CDR-L3 and longer CDR-H3's. A simple combinatorial calculation shows that, if each of these three loops can exist in three separate conformations, a given combining site can have  $3^3 = 27$  different topographies. Clearly, this would explain the origins of cross reactivity and would allow for induced fit of antigens.

Table 2: Alignment of antibody sequences used in the modelling. '\*' indicates CDR<sub>1</sub> regions; '+' indicates  $\beta$ -strand regions used in the fitting for modelling frameworks. Nomenclature for  $\beta$ -barrel strands is (H or L - Chain) - FR(Framework region)-(Strand number), thus for example strand one of the heavy chain becomes HFRL.

[illegible]

Antibody	Resolution	R-factor	Framework Model	
			Light	Heavy
Gloop-2	2.80	21.2	REI	HyHEL-5
D1.3	-	-	REI	NEW
36-71	1.90	20.9	Gloop2	NEW
3D6	2.70	17.7	REI	KOL

Table 3: Details of the antibody crystal structures against which the models were compared and the parent frameworks used to build the models. Resolution data for D1.3 has not yet been published.

Antibody	CDR	sequence	SEQ ID NO	RMS local (Å)				RMS total (Å)			
				Co	N,Cα,C	Alt Co	Alt MC	Co	N,Cα,C	Alt Co	Alt MC
Glloop-2 D1.3 36-71 3D6	L1	RASIQ(EIS)GILYS RASIG(NIH)NITLA RASIQ(DIN)NIFLN RASIQ(SIG)NINLH	406 408 406 407	0.73 2.29 2.71 0.81	0.71 1.93 2.43 0.84	2.08 4.36 4.00 2.48	1.00 3.96 4.89 1.02	0.00 2.72 3.81 0.01	0.07 2.43 3.31 0.70	2.00 4.80 5.10 2.00	2.12 0.82 5.67 1.00
Glloop-2 D1.3 36-71 3D6	L2	AASITLDS VIT(TTL)AID FIT(SRS)QIS KASSLES	400 400 500 801	0.28 0.67 0.64 0.41	0.23 0.73 0.06 0.42	0.00 1.00 2.36 1.37	1.00 1.40 2.23 1.30	0.00 0.90 0.70 0.03	0.00 1.02 0.72 0.06	1.10 2.01 2.40 1.75	1.10 1.00 2.40 1.00
Glloop-2 D1.3 36-71 3D6	L3	LQ(YUSY)PILT QH(FWST)PIRT QQQ(NAL)PIRT QQQ(VNS)YIS	302 303 304 305	0.30 1.41 1.09 1.40	0.82 1.36 1.00 1.06	1.73 2.60 2.30 2.64	1.00 2.08 2.10 2.90	0.76 1.76 1.40 2.31	0.74 1.70 1.30 1.07	2.00 3.48 3.87 3.90	1.90 3.20 2.30 3.00
Glloop-2 D1.3 36-71 3D6	H1	IT(FGI)TI IG(YGV)NI IS(NGI)NI DYAMH	306 307 308 309	0.60 0.44 0.90 0.07	0.70 0.62 0.83 0.77	2.00 2.38 2.22 1.53	1.00 2.00 1.06 1.11	1.03 0.85 1.04 0.01	1.01 0.90 0.97 0.72	2.04 3.24 2.51 1.80	2.00 2.00 2.23 1.20
Glloop-2 D1.3 36-71 3D6	H2	ELIF(PON)SIKTY MI(W(GDG)N)TD VNNIP(GNG)YIIA ISWDSSIG	310 311 312 313	0.60 0.42 0.84 0.45	0.64 0.42 0.78 0.52	1.02 1.66 2.01 2.35	1.70 1.40 2.30 2.03	1.20 0.87 1.47 0.05	0.94 0.05 1.01 0.00	2.23 1.00 1.70 2.05	2.10 1.00 1.00 2.10
Glloop-2 D1.3 36-71 3D6	H3	IR(EIR)YI ERID(YRL)DIY SEVYIQ(GSY)KIPDY GRDVIID(SGQ)YFTVAFDI	314 315 316 317	0.66 0.30 1.95 3.66	0.80 0.53 1.73 3.42	3.44 1.66 4.40 5.53	3.00 1.30 4.00 4.01	0.07 1.25 2.65 4.30	1.07 0.01 2.53 3.05	3.00 1.90 4.40 6.30	4.15 1.33 4.00 6.20

Table 4: Sequence and conformational search construction scheme for each of the 24 CDRs, [ ]=construction area, ( ) = Chain closure, all sidechains are constructed. RMS(Root Mean Square) difference between model and crystal structure loop coordinates. The RMS values are a global fit calculated by least-squares fitting the conserved core of the two structures upon each other and calculating the RMS over the loops. The total RMS of the frameworks (N,Cα,C) is 0.81, 0.60, 0.86 and 0.56 respectively

Loop	Canonical	Sequence	SEQ ID NO
L1	HyHEL-10	R A S Q S I S R W L A	518
	(3D6)	R A S Q S I G N N L H	497
L2	REI	E A S N D L A	519
	(3D6)	K A S S L E S	501
H1	McPC603	D F Y M E	520
	(3D6)	D Y A M H	509
H2	KOL	I I W D D G S D Q	521
	(3D6)	I S W D S S S I G	513

Table 5: Canonical loops selected for the model of 3D6(taken from Chothia *et al* (1989) ).

15

Residue Number	24	25	26	27	28*	29*
REI Sequence	Q	A	S	Q	S	I
$\phi/\psi$	-/138	-103/157	-96/7	-158/142	-40/108	-112/9
HyHEL-10 Sequence	R	A	S	Q	S	I
$\phi/\psi$	-/108	-85/135	-88/64	172/160	-64/-38	9/63
Residue Number	30*	31*	32	33	32	
REI Sequence	I	K	Y	L	N	SEQ ID NO: 522
$\phi/\psi$	79/-77	-146/21	-104/89	-143/133	-144/-	
HyHEL-10 Sequence	G	N	N	L	H	SEQ ID NO: 518
$\phi/\psi$	-63/107	85/-15	-105/72	-129/118	-126/-	

Table 6: Backbone  $\phi$  and  $\psi$  angles of residues in CDR-L1 from HyHEL-10 and REI classified in the same canonical group by Chothia *et al* (1989). The residues exhibiting a peptide flip are indicated by a \*.

M.J. Darsley, P de al Paz, D.C. Phillips and A.R. Rees in Methodological Surveys in Biochemistry and Analysis, pages 63-68, Volume 15, 1985, Plenum Press (Eds. E. Reid, G.M.W. Cook and D.J. Morre), Presented at the Ninth International Subcellular Methodology Forum, September 3-6, 1984, Guildford, UK.

Amit, A.G., Mariuzza, R.A., Phillips, S.E.V. and Poljak, R.J. (1986). The Three-dimensional Structures of an Antigen-antibody Complex at 2.8 Å Resolution. *Science* **233**, pp. 747-753.

Åqvist, J., van Gonsleren, W., Leifonmark, M. and Tapia, O. (1985), *J. Mol. Biol.* **183**, pp. 461-477.

Bernstein, F., Koetzle, T., Williams, G., Meyer, E., Brice, M., Rodgers, J., Kennard, O., Shimanouchi, T. and Tasumi, M. (1977), *J. Mol. Biol.* **112**, pp. 535-542.

Brooks, B., Bruccoleri, R., Olaison, B., Statcs, D., Swaminathan, S. and Karplus, M. (1983), *J. Comp. Chem.* **4**, pp. 187-217.

Bruccoleri, R.E. and Karplus, M. (1987), Prediction of the Folding of Short Polypeptide Segments by Uniform Conformational Sampling. *Biopolymers* **26**, pp. 137-168.

Carter, D. et al. (1991). *Protein Engineering*, p. 9999.

Chau, P. and Dean P. (1987). Molecular Recognition: 3d Surface Structure Comparison by Gnomonic Projection. *J. Mol. Graph.* **5**, pp. 97-100.

Chothia, C., Lesk, A., Levitt, M., Amit, A., Mariuzza, R., Phillips, S. and Poljak, R. (1986). The Predicted Structure of Immunoglobulin D1.3 and its Comparison with the Crystal Structure. *Science* **233**, pp. 755-758.

Chothia, C., Lesk, A.M., Tramontano, A., Levitt, M., Smith-Gill, S.J., Air, G., Sheriff, S., Padlan, E.A., Davies, D.R., Tulip, W.R., Colman, P.M., Alzri, P.M. and Poljak, R.J. (1989). Conformations of Immunoglobulin Hypervariable Regions. *Nature (London)* **342**, pp. 877-883.

Cornette, J.L., Cease, K.B., Margalit, H., Spouge, J.L., Berzofsky, J.A. and Delisi, C. (1987). Hydrophobicity Scales and Computational Techniques for Detecting Amphipatic Structures in Proteins. *Journal of Molecular Biology* **195.3**, pp. 659-685.

Darsley, M. and Rees, A. (1985), *EMBO J.* **4**, pp. 383-392.

Davies, D., Sheriff, S. and Padlan, E. (1988). Antibody Antigen Complexes. *J. Biol. Chem.* **263**, pp. 10541-10544.



- de la Paz, P., Sutton, B., Darsly, M. and Rees, A. (1986). Modelling of the Combining Sites of Three Anti-lysozyme Monoclonal Antibodies and of the Complex Between One of the Antibodies and Its Epitope. *EMBO J.* **5**, pp. 415-425.
- Fine, R., Wang, H., Shenkin, P., Yarmush, D. and Levinthal, C. (1986). Predicting Antibody Hypervariable Loop Conformations ii: Minimization and Molecular Dynamics Studies of McPC603 from Many Randomly Generated Loop Conformations. *Proteins: Struct., Funct., Genet.* **1**, pp. 342-362.
- Go, N. and Sheraga, H. (1970). Ring Closure and Local Conformational Deformations of Chain Molecules. *Macromolecules* **3**, pp. 178-187.
- Gorman, S., Clark, M., Rutledge, E., Cobbold, S. and Waldman, H. (1991). Reshaping a Therapeutic CD4 Antibody. *Proc. Natl. Acad. Sci. U.S.A.* **88**, pp. 4181-4185.
- Grunow, R., Jahn, S., Porstman, T., Kiessig, T., Steinkeller, H., Steindl, F., Mattanovich, D., Gurtler, L., Deinhardt, F., Katinger, H. and von R., B. (1988). The High Efficiency, Human B Cell Immortalizing Heteromyeloma cb-f7. *J. Immunol. Meth.* **106**, pp. 257-265.
- Jeffrey, P. (1989). The Structure and Specificity of Immunoglobulins. D. Phil. Thesis, University of Oxford.
- Jeffrey, P.D., Grist, R.E., Taylor, G.L. and Rees, A.R. (1991). Crystal Structure of the Fab Fragment of the Anti-peptide Antibody Gloop-2 and 2.8 Å. Manuscript in Preparation.
- Kabat, E.A., Wu, T.T., Reid-Miller, M., Perry, B.M. and Gottesman, K.S. (1987). Sequences of Proteins of Immunological Interest. U.S. Department of Health and Human Services, Fourth Edition.
- Kabsch, W. and Sander, C. (1983). Dictionary of Protein Secondary Structure. *Biopolymers* **22**, pp. 2577-2637.
- Lascombe, M., Alzari, P., Boulot, G., Salujian, P., Tougard, P., Berek, C., Haba, S., Rosen, E., Nisonof, A. and Poljak, R. (1989). Three-dimensional Structure of Fab r19.9, A Monoclonal Murine Antibody Specific for the p-azobenzene arsonate Group. *Proc. Natl. Acad. Sci. U.S.A.* **86**, p. 607.
- Lee, C. and Levitt, M. (1991). Accurate Prediction of the Stability and Activity Effects of Site-directed Mutagenesis on a Protein Core. *Nature* **352.6334**, pp. 448-451.
- Lee, C. and Subbiah, S. (1991). Prediction of Protein Side-chain Conformation by Packing Optimization. *Journal of Molecular Biology* **217.2**, pp. 373-388.
- Marquart, M., Deisenhofer, J. and Huber, R. (1980). Crystallographic Refinement and Atomic Models of the Intact Immunoglobulin Molecule KOL and Its Antigen-binding Fragment at 3.0 Å and and Resolution. *J. Mol. Biol.* **141**, pp. 369-391.
- Martin, A.C.R. (1990). Molecular Modelling of Antibody Combining Sites. D. Phil. Thesis, University of Oxford.
- Martin, A.C.R., Cheetham, J.C. and Rees, A.R. (1989). Modelling Antibody Hypervariable Loops: A Combined Algorithm. *Proc. Natl. Acad. Sci. U.S.A.* **86**, pp. 9268-9272.
- Martin, A.C.R., Cheetham, J.C. and Rees, A.R. (1991). Modelling Antibody Hypervariable Loops using a 'Combined Algorithm'. *Meth. Enz.* In press.
- Moult, J. and James, N. (1986). *Proteins: Struct., Funct., Genet.* **1**, p. 146.
- Padlan, E., Davies, D., Pecht, I., Givol, D. and Wright, C. (1976). Model Building Studies of Antigen-binding Sites: The Hapten-Binding Site of MOPC-315. *Cold Spring Harbor Quant. Symp. Biochem.* **41**, pp. 627-637.
- Palmer, K. and Sheraga, J. (1991). Standard-geometry Chains Fitted to X-ray Deviated Structures: Validation of the Rigid-geometry Approximation. I. Chain Closure through a Limited Search of Loop Conformations. *J. Comp. Chem.* **12**, pp. 505-526.
- Paul, P., Burney, P., Campbell, M. and Odguthorpe, D. (1990). The Conformational Preferences of  $\gamma$ -lactam and Its Role in Constraining Peptide Structure. *J. Comp.-aided. Mol. Des.* **4**, pp. 239-253.
- Rose, D.R., Strong, R.K., Margolis, M.N., Geftter, M.L. and Petsko, G.A. (1990). Crystal Structure of the Antigen-binding Fragment of the Murine Anti-arsonate Monoclonal Antibody 36-71 at 2.9 Å Resolution. *Proc. Natl. Acad. Sci. U.S.A.* **87**, pp. 338-342.
- Rudikoff, S., Satow, Y., Padlan, E.A., Davies, D.R. and Potter, M. (1981). Kappa Chain Structure from a Crystallized Murine Fab': The Role of the Joining Segment in Hapten Binding. *Mol. Immunol.* **18**, pp. 705-711.
- Schilling, J., Clevinger, B., Davie, J.M. and Hood, L. (1980). Amino Acid Sequence of Homogeneous Antibodies to Dextran and DNA Rearrangements in Heavy Chain V-region Gene Segments. *Nature (London)* **283**, pp. 35-40.
- Strong, R., Campbell, R., Rose, D., Petsko, G., Sharon, J. and Margolies, M. (1991). Three-dimensional Structure of Murine Anti-p-azophenylarsonate Fab 36-71.1, X-ray Crystallography, Site-directed Mutagenesis, and Modeling of the Complex with Hapten. *Biochemistry* **30**, pp. 3739-3748.
- Thornton, J., Sibanda, B., Edwards, M. and Barlow, D. (1988). Analysis, Design and Modification of Loop Regions in Proteins. *BioEssays* **8**, pp. 63-69.
- Tramontano, A., Chothia, C. and Lesk, A. (1989). Structural Determinants of the Conformations of Medium-

sized Loops in Proteins. Proteins: Struct., Funct., Genet. 6, pp. 382-394.

Wilson, I. et al., Presented at Structure and Function Meeting in Honour of Sir David Phillips, 1-3 July, 1991, Oxford, UK.

5

# SEQUENCE LISTING

## GENERAL INFORMATION

10

(i) APPLICANT: PEDERSEN, Jan T.  
SEARLE, Stephen M.J.  
REES, Anthony R.  
ROGUSKA, Michael A.  
GUILD, Braydon C.

15

(ii) TITLE OF INVENTION: SURFACE RESIDUE VENEERING OF RODENT ANTIBODIES

(iii) NUMBER OF SEQUENCES: 522

20

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Sughrue, Mion, Zinn, Macpeak & Seas  
(B) STREET: 2100 Pennsylvania Avenue, N.W.  
(C) CITY: Washington  
(D) STATE: D.C.  
(E) COUNTRY: United States  
(F) ZIP: 20037-3202

25

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk  
(B) COMPUTER: HP 9000/700 Workstation  
(C) OPERATING SYSTEM: UNIX  
(D) SOFTWARE: In house

30

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: 07/942,245  
(B) FILING DATE: 09-SEP-1992  
(C) CLASSIFICATION:

35

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: (202) 293-7060  
(B) TELEFAX: (202) 293-7860  
(C) TELEX: 6491103

40

(1) INFORMATION FOR SEQ ID NO:1

45

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 109 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

50

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Leu Gly  
1 5 10 15

55

5           Glu Arg Val Ser Leu Thr Cys Arg Ala Ser Gln Glu Ile Ser Gly Tyr  
                   20                               25                               30  
           Leu Ser Trp Leu Gln Gln Lys Pro Asp Gly Thr Ile Lys Arg Leu Ile  
                   35                               40                               45  
 10           Tyr Ala Ala Ser Thr Leu Asp Ser Gly Val Pro Lys Arg Phe Ser Gly  
                   50                               55                               60  
 15           Arg Arg Ser Gly Ser Asp Tyr Ser Leu Thr Ile Ser Ser Leu Glu Ser  
                   65                               70                               75                               80  
           Glu Asp Phe Ala Asp Tyr Tyr Cys Leu Gln Tyr Leu Ser Tyr Pro Leu  
                              85                               90                               95  
 20           Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Ala  
                              100                               105

## (2) INFORMATION FOR SEQ ID NO:2

25           (i) SEQUENCE CHARACTERISTICS:  
                   (A) LENGTH: 109 amino acids  
                   (B) TYPE: amino acid  
                   (C) TOPOLOGY: linear

30           (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

35           Asp Ile Gln Met Thr Gln Ser Pro Ala Ser Leu Ser Ala Ser Val Gly  
                   1                               5                               10                               15  
           Glu Thr Val Thr Ile Thr Cys Arg Ala Ser Gly Asn Ile His Asn Tyr  
                              20                               25                               30  
 40           Leu Ala Trp Tyr Gln Gln Lys Gln Gly Lys Ser Pro Gln Leu Leu Val  
                   35                               40                               45  
 45           Tyr Tyr Thr Thr Thr Leu Ala Asp Gly Val Pro Ser Arg Phe Ser Gly  
                   50                               55                               60  
           Ser Gly Ser Gly Thr Gln Tyr Ser Leu Lys Ile Asn Ser Leu Gln Pro  
                   65                               70                               75                               80  
 50           Glu Asp Phe Gly Ser Tyr Tyr Cys Gln His Phe Trp Ser Thr Pro Arg  
                              85                               90                               95

55

Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Arg  
100 105

(3) INFORMATION FOR SEQ ID NO:3

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 107 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

Asp Ile Val Leu Thr Gln Ser Pro Ala Ile Met Ser Ala Ser Pro Gly  
1 5 10 15

Glu Lys Val Thr Met Thr Cys Ser Ala Ser Ser Ser Val Asn Tyr Met  
20 25 30

Tyr Trp Tyr Gln Gln Lys Ser Gly Thr Ser Pro Lys Arg Trp Ile Tyr  
35 40 45

Asp Thr Ser Lys Leu Ala Ser Gly Val Pro Val Arg Phe Ser Gly Ser  
50 55 60

Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Ser Met Glu Thr Glu  
65 70 75 80

Asp Ala Ala Glu Tyr Tyr Cys Gln Gln Trp Gly Arg Asn Pro Thr Phe  
85 90 95

Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala  
100 105

(4) INFORMATION FOR SEQ ID NO:4

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 109 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Asp Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Thr Pro Gly  
1 5 10 15

5                   Asn Ser Val Ser Leu Ser Cys Arg Ala Ser Gln Ser Ile Gly Asn Asn  
                           20                                   25                                   30  
  
                  Leu His Trp Tyr Gln Gln Lys Ser His Glu Ser Pro Arg Leu Leu Ile  
                           35                                   40                                   45  
  
 10               Lys Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ser Arg Phe Ser Gly  
                           50                                   55                                   60  
  
                  Ser Gly Ser Gly Thr Asp Phe Thr Leu Ser Ile Asn Ser Val Glu Thr  
 15                   65                                   70                                   75                                   80  
  
                  Glu Asp Phe Gly Met Tyr Phe Cys Gln Gln Ser Asn Ser Trp Pro Tyr  
                           85                                   90                                   95  
  
 20               Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala  
                           100                                   105

## (5) INFORMATION FOR SEQ ID NO:5

25               (i) SEQUENCE CHARACTERISTICS:  
                           (A) LENGTH: 108 amino acids  
                           (B) TYPE: amino acid  
                           (C) TOPOLOGY: linear

30               (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

35               Glu Ile Val Leu Thr Gln Ser Pro Ala Ile Thr Ala Ala Ser Leu Gly  
                  1                                   5                                   10                                   15  
  
                  Gln Lys Val Thr Ile Thr Cys Ser Ala Ser Ser Ser Val Ser Ser Leu  
                           20                                   25                                   30  
  
 40               His Trp Tyr Gln Gln Lys Ser Gly Thr Ser Pro Lys Pro Trp Ile Tyr  
                           35                                   40                                   45  
  
 45               Glu Ile Ser Lys Leu Ala Ser Gly Val Pro Ala Arg Phe Ser Gly Ser  
                  50                                   55                                   60  
  
                  Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Asn Thr Met Glu Ala Glu  
                  65                                   70                                   75                                   80  
  
 50               Asp Ala Ala Ile Tyr Tyr Cys Gln Gln Trp Thr Tyr Pro Leu Ile Thr  
                           85                                   90                                   95  
  
 55

5 Phe Gly Ala Gly Thr Lys Leu Glu Leu Lys Arg Ala  
100 105

(6) INFORMATION FOR SEQ ID NO:6

(i) SEQUENCE CHARACTERISTICS:  
10 (A) LENGTH: 112 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

15 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Glu Ser Val Leu Thr Gln Pro Pro Ser Ala Ser Gly Thr Pro Gly Gln  
1 5 10 15  
20 Arg Val Thr Ile Ser Cys Thr Gly Thr Ser Ser Asn Ile Gly Ser Ile  
20 25 30  
25 Thr Val Asn Trp Tyr Gln Gln Leu Pro Gly Met Ala Pro Lys Leu Leu  
25 35 40 45  
Ile Tyr Arg Asp Ala Met Arg Pro Ser Gly Val Pro Thr Arg Phe Ser  
50 55 60  
30 Gly Ser Lys Ser Gly Thr Ser Ala Ser Leu Ala Ile Ser Gly Leu Glu  
65 70 75 80  
Ala Glu Asp Glu Ser Asp Tyr Tyr Cys Ala Ser Trp Asn Ser Ser Asp  
35 85 90 95  
Asn Ser Tyr Val Phe Gly Thr Gly Thr Lys Val Thr Val Leu Gly Gln  
100 105 110  
40

(7) INFORMATION FOR SEQ ID NO:7

(i) SEQUENCE CHARACTERISTICS:  
45 (A) LENGTH: 115 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Asp Ile Val Met Thr Gln Ser Pro Ser Ser Leu Ser Val Ser Ala Gly  
1 5 10 15  
55

5      Glu Arg Val Thr Met Ser Cys Lys Ser Ser Gln Ser Leu Leu Asn Ser  
                20                                25                                30

Gly Asn Gln Lys Asn Phe Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln  
                35                                40                                45

10      Pro Pro Lys Leu Leu Ile Tyr Gly Ala Ser Thr Arg Glu Ser Gly Val  
                50                                55                                60

15      Pro Asp Arg Phe Thr Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr  
                65                                70                                75                                80

Ile Ser Ser Val Gln Ala Glu Asp Leu Ala Val Tyr Tyr Cys Gln Asn  
                85                                90                                95

20      Asp His Ser Tyr Pro Leu Thr Phe Gly Ala Gly Thr Lys Leu Glu Ile  
                100                                105                                110

25      Lys Arg Ala  
                115

(8) INFORMATION FOR SEQ ID NO:8

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 103 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Ala Pro Gly Gln Arg  
 1 5 10 15  
 40 Val Thr Ile Ser Cys Thr Gly Ser Ser Ser Asn Ile Gly Ala Gly Asn  
 20 25 30  
 45 His Val Lys Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu Leu  
 35 40 45  
 50 Ile Phe His Asn Asn Ala Arg Phe Ser Val Ser Lys Ser Gly Ser Ser  
 50 55 60  
 Ala Thr Leu Ala Ile Thr Gly Leu Gln Ala Glu Asp Glu Ala Asp Tyr  
 65 70 75 80

5 Tyr Cys Gln Ser Tyr Asp Arg Ser Leu Arg Val Phe Gly Gly Gly Thr  
85 90 95

Lys Leu Thr Val Leu Arg Gln  
100

10 (9) INFORMATION FOR SEQ ID NO:9

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 114 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

20 Asp Val Val Met Thr Gln Thr Pro Leu Ser Leu Pro Val Ser Leu Gly  
1 5 10 15

25 Asp Gln Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val His Ser  
20 25 30

Gln Gly Asn Thr Tyr Leu Arg Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
35 40 45

30

Pro Lys Val Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro  
50 55 60

35 Asn Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Leu Gly Val Tyr Phe Cys Ser Gln Ser  
85 90 95

40

Thr His Val Pro Trp Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys  
100 105 110

45 Arg Ala

(10) INFORMATION FOR SEQ ID NO:10

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 109 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

50

(ii) MOLECULE TYPE: peptide

55



## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

5 Asp Ile Gln Met Thr Gln Thr Thr Ser Ser Leu Ser Ala Ser Leu Gly  
    1                  5                  10                  15  
 10 Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr  
           20                  25                  30  
 15 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Val Lys Leu Leu Val  
           35                  40                  45  
 20 Tyr Tyr Thr Ser Arg Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly  
       50                  55                  60  
 25 Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Glu His  
       65                  70                  75                  80  
 30 Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Ser Thr Thr Pro Arg  
           85                  90                  95  
 35 Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Arg  
           100                  105

## (11) INFORMATION FOR SEQ ID NO:11

30 (i) SEQUENCE CHARACTERISTICS:  
       (A) LENGTH: 109 amino acids  
       (B) TYPE: amino acid  
       (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

40 Asp Ile Gln Met Thr Gln Ile Pro Ser Ser Leu Ser Ala Ser Leu Gly  
    1                  5                  10                  15  
 45 Asp Arg Val Ser Ile Ser Cys Arg Ala Ser Gln Asp Ile Asn Asn Phe  
           20                  25                  30  
 50 Leu Asn Trp Tyr Gln Gln Lys Pro Asp Gly Thr Ile Lys Leu Leu Ile  
           35                  40                  45  
 55 Tyr Phe Thr Ser Arg Ser Gln Ser Gly Val Pro Ser Arg Phe Ser Gly  
       50                  55                  60

5 Ser Gly Ser Gly Thr Asp Tyr Ser Leu Thr Ile Ser Asn Leu Glu Gln  
65 70 75 80

Glu Asp Ile Ala Thr Tyr Phe Cys Gln Gln Gly Asn Ala Leu Pro Arg  
85 90 95

10 Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala  
100 105

(12) INFORMATION FOR SEQ ID NO:12

15 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 107 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
1 5 10 15

25 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Arg Trp  
20 25 30

30 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Val Pro Lys Leu Leu Ile  
35 40 45

35 Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
65 70 75 80

40 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Ser Phe  
85 90 95

Gly Pro Gly Thr Lys Val Asp Ile Lys Arg Thr  
100 105

45 (13) INFORMATION FOR SEQ ID NO:13

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 104 amino acids  
(B) TYPE: amino acid  
50 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

55

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

5 Gln Val Gln Leu Gln Gln Ser Gly Thr Glu Leu Ala Arg Pro Gly Ala  
 1 5 10 15  
 10 Ser Val Arg Leu Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Phe  
 20 25 30  
 Gly Ile Thr Trp Val Lys Gln Arg Thr Gly Gln Gly Leu Glu Trp Ile  
 35 40 45  
 15 Gly Glu Ile Phe Pro Gly Asn Ser Lys Thr Tyr Tyr Ala Glu Arg Phe  
 50 55 60  
 20 Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Thr Thr Ala Tyr  
 65 70 75 80  
 Met Gln Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Phe Cys  
 85 90 95  
 25 Ala Arg Glu Ile Arg Tyr Trp Gly  
 100

## (14) INFORMATION FOR SEQ ID NO:14

30 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 107 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

40 Gln Val Gln Leu Lys Glu Ser Gly Pro Gly Leu Val Ala Pro Ser Gln  
 1 5 10 15  
 Ser Leu Ser Ile Thr Cys Thr Val Ser Gly Phe Ser Leu Thr Gly Tyr  
 20 25 30  
 45 Gly Val Asn Trp Val Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Leu  
 35 40 45  
 Gly Met Ile Trp Gly Asp Gly Asn Thr Asp Tyr Asn Ser Ala Leu Lys  
 50 55 60

55

5 Ser Arg Leu Ser Ile Ser Lys Asp Asn Ser Lys Ser Gln Val Phe Leu  
65 70 75 80  
Lys Met Asn Ser Leu His Thr Asp Asp Thr Ala Arg Tyr Tyr Cys Ala  
85 90 95

10 Arg Glu Arg Asp Tyr Arg Leu Asp Tyr Trp Gly  
100 105

(15) INFORMATION FOR SEQ ID NO:15

15 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 106 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Val Gln Leu Gln Gln Ser Gly Ala Glu Leu Met Lys Pro Gly Ala Ser  
1 5 10 15

25 Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe Ser Asp Tyr Trp  
20 25 30

30 Ile Glu Trp Val Lys Gln Arg Pro Gly His Gly Leu Glu Trp Ile Gly  
35 40 45

Glu Ile Leu Pro Gly Ser Gly Ser Thr Asn Tyr His Glu Arg Phe Lys  
50 55 60

Gly Lys Ala Thr Phe Thr Ala Asp Thr Ser Ser Ser Thr Ala Tyr Met  
65 70 75 80

40 Gln Leu Asn Ser Leu Thr Ser Glu Asp Ser Gly Val Tyr Tyr Cys Leu  
85 90 95

His Gly Asn Tyr Asp Phe Asp Gly Trp Gly  
100 105

45

(16) INFORMATION FOR SEQ ID NO:16

50 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 104 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

55

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

5 Asp Val Gln Leu Gln Glu Ser Gly Pro Ser Leu Val Lys Pro Ser Gln  
    1                      5                      10                      15  
 10 Thr Leu Ser Leu Thr Cys Ser Val Thr Gly Asp Ser Ile Thr Ser Asp  
                       20                      25                      30  
 15 Tyr Trp Ser Trp Ile Arg Lys Phe Pro Gly Asn Arg Leu Glu Tyr Met  
                       35                      40                      45  
 20 Gly Tyr Val Ser Tyr Ser Gly Ser Thr Tyr Tyr Asn Pro Ser Leu Lys  
                       50                      55                      60  
 25 Ser Arg Ile Ser Ile Thr Arg Asp Thr Ser Lys Asn Gln Tyr Tyr Leu  
                       65                      70                      75                      80  
 30 Asp Leu Asn Ser Val Thr Thr Glu Asp Thr Ala Thr Tyr Tyr Cys Ala  
                       85                      90                      95  
 35 Asn Trp Asp Gly Asp Tyr Trp Gly  
                       100

## (17) INFORMATION FOR SEQ ID NO:17

30 (i) SEQUENCE CHARACTERISTICS:  
       (A) LENGTH: 109 amino acids  
       (B) TYPE: amino acid  
       (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

40 Glu Val Lys Leu Leu Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
    1                      5                      10                      15  
 45 Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Phe Asp Phe Ser Lys Tyr  
                       20                      25                      30  
 50 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile  
                       35                      40                      45  
 55 Gly Glu Ile His Pro Asp Ser Gly Thr Ile Asn Tyr Thr Pro Ser Leu  
                       50                      55                      60

5 Lys Asp Lys Phe Ile Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
65 70 75 80

Leu Gln Met Ser Lys Val Arg Ser Glu Asp Thr Ala Leu Tyr Tyr Cys  
85 90 95

10 Ala Arg Leu His Tyr Tyr Gly Tyr Asn Ala Tyr Trp Gly  
100 105

(18) INFORMATION FOR SEQ ID NO:18

15 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 117 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

Glu Val Gln Leu Val Gln Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
1 5 10 15

25 Ser Leu Arg Leu Ser Cys Ser Ser Ser Gly Phe Ile Phe Ser Ser Tyr  
20 25 30

30 Ala Met Tyr Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

35 Ala Ile Ile Trp Asp Asp Gly Ser Asp Gln His Tyr Ala Asp Ser Val  
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asn Asp Ser Lys Asn Thr Leu Phe  
65 70 75 80

40 Leu Gln Met Asp Ser Leu Arg Pro Glu Asp Thr Gly Val Tyr Phe Cys  
85 90 95

45 Ala Arg Asp Gly Gly His Gly Phe Cys Ser Ser Ala Ser Cys Phe Gly  
100 105 110

Pro Asp Tyr Trp Gly  
115

50 (19) INFORMATION FOR SEQ ID NO:19

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 113 amino acids  
(B) TYPE: amino acid

55

(C) TOPOLOGY: linear

5 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

10 Glu Val Lys Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
     1                    5                    10                    15  
  
 Ser Leu Arg Leu Ser Cys Ala Thr Ser Gly Phe Thr Phe Ser Asp Phe  
                     20                    25                    30  
 15 Tyr Met Glu Trp Val Arg Gln Pro Pro Gly Lys Arg Leu Glu Trp Ile  
                     35                    40                    45  
  
 20 Ala Ala Ser Arg Asn Lys Gly Asn Lys Tyr Thr Thr Glu Tyr Ser Ala  
                     50                    55                    60  
  
 Ser Val Lys Gly Arg Phe Ile Val Ser Arg Asp Thr Ser Gln Ser Ile  
 25     65                    70                    75                    80  
  
 Leu Tyr Leu Gln Met Asn Ala Leu Arg Ala Glu Asp Thr Ala Ile Tyr  
                     85                    90                    95  
  
 30 Tyr Cys Ala Arg Asn Tyr Tyr Gly Ser Thr Trp Tyr Phe Asp Val Trp  
                     100                    105                    110  
  
 Gly

35

(20) INFORMATION FOR SEQ ID NO:20

(i) SEQUENCE CHARACTERISTICS:

40 (A) LENGTH: 107 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

45 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

Val Gln Leu Glu Gln Ser Gly Pro Gly Leu Val Arg Pro Ser Gln Thr  
     1                    5                    10                    15  
 50 Leu Ser Leu Thr Cys Thr Val Ser Gly Thr Ser Phe Asp Asp Tyr Tyr  
                     20                    25                    30

55

5 Ser Thr Trp Val Arg Gln Pro Pro Gly Arg Gly Leu Glu Trp Ile Gly  
                   35                                  40                                  45  
 Tyr Val Phe Tyr His Gly Thr Ser Asp Thr Asp Thr Pro Leu Arg Ser  
           50                                          55                                  60  
 10 Arg Val Thr Met Leu Val Asn Thr Ser Lys Asn Gln Phe Ser Leu Arg  
       65                                  70                                  75                                  80  
 Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala Arg  
 15                                  85                                  90                                  95  
 Asn Leu Ile Ala Gly Cys Ile Asp Val Trp Gly  
                   100                                  105

20 (21) INFORMATION FOR SEQ ID NO:21

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 109 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

30 Glu Val Lys Leu Asp Glu Thr Gly Gly Gly Leu Val Gln Pro Gly Arg  
       1                                  5                                  10                                  15  
 Pro Met Lys Leu Ser Cys Val Ala Ser Gly Phe Thr Phe Ser Asp Tyr  
 35                                  20                                  25                                  30  
 Trp Met Asn Trp Val Arg Gln Ser Pro Glu Lys Gly Leu Glu Trp Val  
           35                                  40                                  45  
 40 Ala Gln Ile Arg Asn Lys Pro Tyr Asn Tyr Glu Thr Tyr Tyr Ser Asp  
       50                                  55                                  60  
 Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asp Ser Lys Ser Ser  
 45      65                                  70                                  75                                  80  
 Val Tyr Leu Gln Met Asn Asn Leu Arg Val Glu Asp Met Gly Ile Tyr  
                   85                                  90                                  95  
 50 Tyr Cys Thr Gly Ser Tyr Tyr Gly Met Asp Tyr Trp Gly  
                   100                                  105

(22) INFORMATION FOR SEQ ID NO:22

55



## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 115 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Gln Val Gln Leu Lys Glu Ser Gly Ala Glu Leu Val Ala Ala Ser Ser  
 1 5 10 15

Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr  
 20 25 30

Gly Val Asn Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile  
 35 40 45

Gly Tyr Ile Asn Pro Gly Lys Gly Tyr Leu Ser Tyr Asn Glu Lys Phe  
 50 55 60

Lys Gly Lys Thr Thr Leu Thr Val Asp Arg Ser Ser Ser Thr Ala Tyr  
 65 70 75 80

Met Gln Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Phe Cys  
 85 90 95

Ala Arg Ser Phe Tyr Gly Gly Ser Asp Leu Ala Val Tyr Tyr Phe Asp  
 100 105 110

Ser Trp Gly  
 115

## (23) INFORMATION FOR SEQ ID NO:23

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 112 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

Glu Val Gln Leu Gln Gln Ser Gly Val Glu Leu Val Arg Ala Gly Ser  
 1 5 10 15

5 Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Asn  
20 25 30

Gly Ile Asn Trp Val Lys Gln Arg Pro Gly Gln Gly Leu Glu Trp Ile  
35 40 45

10

Gly Tyr Asn Asn Pro Gly Asn Gly Tyr Ile Ala Tyr Asn Glu Lys Phe  
50 55 60

15

Lys Gly Lys Thr Thr Leu Thr Val Asp Lys Ser Ser Ser Thr Ala Tyr  
65 70 75 80

Met Gln Leu Arg Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Phe Cys  
85 90 95

20

Ala Arg Ser Glu Tyr Tyr Gly Gly Ser Tyr Lys Phe Asp Tyr Trp Gly  
100 105 110

25

(24) INFORMATION FOR SEQ ID NO:24

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 117 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

35

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
1 5 10 15

40

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Asp Tyr  
20 25 30

45

Ala Met<sup>-</sup>His<sup>-</sup> Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Ser Gly Ile Ser Trp Asp Ser Ser Ser Ile Gly Tyr Ala Asp Ser Val  
50 55 60

50

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Met Ala Leu Tyr Tyr Cys  
85 90 95

55

5      Gln Ser Val Leu Thr Gln Pro Pro Ser Ala Ser Gly Thr Pro Gly Gln  
         1                                  5                                  10                                  15  
     Arg Val Thr Ile Ser Cys Ser Gly Thr Ser Ser Asn Ile Gly Ser Ser  
                                 20                                  25                                  30  
 10      Thr Val Asn Trp Tyr Gln Gln Leu Pro Gly Met Ala Pro Lys Leu Leu  
                                 35                                  40                                  45  
 15      Ile Tyr Arg Asp Ala Met Arg Pro Ser Gly Val Pro Asp Arg Phe Ser  
                                 50                                  55                                  60  
 20      Gly Ser Lys Ser Gly Ala Ser Ala Ser Leu Ala Ile Gly Gly Leu Gln  
                                 65                                  70                                  75                                  80  
     Ser Glu Asp Glu Thr Asp Tyr Tyr Cys Ala Ala Trp Asp Val Ser Leu  
                                 85                                  90                                  95  
 25      Asn Ala Tyr Val Phe Gly Thr Gly Thr Lys Val Thr Val Leu  
                                 100                                  105                                  110

## (27) INFORMATION FOR SEQ ID NO:27

30      (i) SEQUENCE CHARACTERISTICS:  
                 (A) LENGTH: 111 amino acids  
                 (B) TYPE: amino acid  
                 (C) TOPOLOGY: linear

35      (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

40      Gln Val Leu Met Thr Gln Thr Pro Ser Ser Leu Pro Val Thr Leu Gly  
                                 1                                  5                                  10                                  15  
     Gln Gln Ala Ser Ile Ser Cys Arg Ser Ser Gln Ile Ile Ile His Ser  
                                 20                                  25                                  30  
 45      Asp Gly Asn Thr Tyr Leu Glu Trp Phe Leu Gln Lys Pro Gly Gln Ser  
                                 35                                  40                                  45  
     Pro Lys Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro  
                                 50                                  55                                  60  
     Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Ser Phe Thr Leu Ala Ile  
                                 65                                  70                                  75                                  80  
 55

5 Val Lys Gly Arg Asp Tyr Tyr Asp Ser Gly Gly Tyr Phe Thr Val Ala  
 100 105 110

Phe Asp Ile Trp Gly  
 115

10 (25) INFORMATION FOR SEQ ID NO:25

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 111 amino acids

(B) TYPE: amino acid

15 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

20 Asp Val Leu Met Thr Gln Thr Pro Leu Ser Leu Pro Val Ser Leu Gly  
 1 5 10 15

25 Asp Gln Ala Ser Ile Ser Cys Arg Ser Ser Gln Ile Ile Ile His Ser  
 20 25 30

30 Asp Gly Asn Thr Tyr Leu Glu Trp Phe Leu Gln Lys Pro Gly Gln Ser  
 35 40 45

Pro Lys Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro  
 50 55 60

35 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Met Ile  
 65 70 75 80

40 Ser Arg Val Glu Ala Glu Asp Leu Gly Val Tyr Tyr Cys Phe Gln Gly  
 85 90 95

Ser His Val Pro His Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile  
 100 105 110

45 (26) INFORMATION FOR SEQ ID NO:26

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 110 amino acids

(B) TYPE: amino acid

50 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

55

Ser Arg Val Glu Ala Glu Asp Glu Gly Val Tyr Tyr Cys Phe Gln Gly  
                                     85                                    90                                    95

Ser His Val Pro His Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile  
                                     100                                    105                                    110

10 (28) INFORMATION FOR SEQ ID NO:28

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 112 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

20 Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly  
           1                                    5                                    10                                    15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser  
                                     20                                    25                                    30

25 Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser  
                                     35                                    40                                    45

30 Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro  
                                     50                                    55                                    60

35 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
                                     65                                    70                                    75                                    80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly  
                                     85                                    90                                    95

40 Thr His Trp Ser Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
                                     100                                    105                                    110

45 (29) INFORMATION FOR SEQ ID NO:29

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 111 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

55

30 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 112 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

55

5 Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln  
85 90 95

10 Tyr Asp Thr Ile Pro Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
100 105 110

(31) INFORMATION FOR SEQ ID NO:31

(i) SEQUENCE CHARACTERISTICS:

- 15 (A) LENGTH: 111 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

Asp Val Leu Met Thr Gln Thr Pro Asp Ser Leu Pro Val Ser Leu Gly  
1 5 10 15

25 Asp Arg Ala Ser Ile Ser Cys Arg Ser Ser Gln Ile Ile Ile His Ser  
20 25 30

30 Asp Gly Asn Thr Tyr Leu Glu Trp Phe Leu Gln Lys Pro Gly Gln Ser  
35 40 45

Pro Lys Leu Leu Ile Tyr Lys Val Ser Asn Arg Phe Ser Gly Val Pro  
50 55 60

35 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Met Ile  
65 70 75 80

40 Ser Arg Val Glu Ala Glu Asp Leu Gly Val Tyr Tyr Cys Phe Gln Gly  
85 90 95

Ser His Val Pro His Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile  
100 105 110

45 (32) INFORMATION FOR SEQ ID NO:32

(i) SEQUENCE CHARACTERISTICS:

- 50 (A) LENGTH: 117 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

(1) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 125 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

40 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

55



5 Lys Gly Arg Phe Thr Ile Ser Arg Asn Asp Ser Lys Asn Thr Leu Phe  
65 70 75 80

Leu Gln Met Asp Ser Leu Arg Pro Glu Asp Thr Gly Val Tyr Phe Cys  
85 90 95

10 Ala Arg Asp Gly Gly His Gly Phe Cys Ser Ser Ala Ser Cys Phe Gly  
100 105 110

15 Pro Asp Tyr Trp Gly Gln Gly Thr Pro Val Thr Val Ser  
115 120 125

(34) INFORMATION FOR SEQ ID NO:34

(i) SEQUENCE CHARACTERISTICS:

- 20 (A) LENGTH: 117 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
1 5 10 15

30 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ile Phe Ser Ser Phe  
20 25 30

35 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Ala Tyr Ile Ser Ser Asp Gly Phe Thr Ile Tyr His Ala Asp Ser Val  
50 55 60

40 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asp Pro Lys Asn Thr Leu Phe  
65 70 75 80

45 Leu Gln Met Thr Ser Leu Arg Ser Glu Asp Thr Ala Met Tyr Tyr Cys  
85 90 95

Ala Arg Met Arg Lys Gly Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr  
100 105 110

50 Thr Val Thr Val Ser  
115

(35) INFORMATION FOR SEQ ID NO:35

55

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 120 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
 20 25 30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45

Ala Val Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr  
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95

Ala Arg Asp Arg Lys Asp Trp Gly Trp Ala Leu Phe Asp Tyr Trp Gly  
 100 105 110

Gln Gly Thr Leu Val Thr Val Ser  
 115 120

## (36) INFORMATION FOR SEQ ID NO:36

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 117 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15

5 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Phe  
                             20                            25                            30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
                             35                            40                            45  
 10 Ala Tyr Ile Ser Ser Gly Ser Phe Thr Ile Tyr Tyr Ala Asp Ser Val  
                             50                            55                            60  
 15 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr  
                             65                            70                            75                            80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
                             85                            90                            95  
 20 Ala Arg Met Arg Lys Gly Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr  
                             100                            105                            110  
 25 Leu Val Thr Val Ser  
                             115

## (37) INFORMATION FOR SEQ ID NO:37

30 (i) SEQUENCE CHARACTERISTICS:  
             (A) LENGTH: 98 amino acids  
             (B) TYPE: amino acid  
             (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
   1                            5                            10                            15  
 40 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
                             20                            25                            30  
 45 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
                             35                            40                            45  
 Ala Asn Ile Lys Gln Asp Gly Ser Glu Lys Tyr Tyr Val Asp Ser Val  
   50                            55                            60  
 55 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
   65                            70                            75                            80

10 (38) INFORMATION FOR SEQ ID NO:38

(ii) MOLECULE TYPE: peptide

**20**

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
1                          5                          10                          15

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

30 Ala Tyr Ile Ser Ser Gly Ser Phe Thr Ile Tyr His Ala Asp Ser Val  
50 55 60

35 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Thr Leu Phe  
65 70 75 80

Leu Gln Met Thr Ser Leu Arg Ala Glu Asp Thr Ala Met Tyr Tyr Cys  
85 90 95

40 Ala Arg\_Met Arg Lys Gly Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr  
100 105 110

Thr Val Thr Val Ser  
45 115

50 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 15 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

55

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

5 Met Gly Trp Ser Cys Ile Ile Leu Phe Leu Val Ala Thr Ala Thr  
 1 5 10 15

## (40) INFORMATION FOR SEQ ID NO:40

## 10 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## 15 (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Lys Thr Ser Leu Arg Pro Gly Lys Gly Ser Ser Asp Tyr Glu Lys Lys  
 1 5 10 15

## 20 (41) INFORMATION FOR SEQ ID NO:41

## 25 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## 30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

Lys Thr Ser Leu Arg Pro Gly Lys Gly Ser Ser Glu Tyr Glu Lys Lys  
 1 5 10 15

## 35 (42) INFORMATION FOR SEQ ID NO:42

## 40 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

45 Gln Thr Ser Leu Arg Pro Asp Lys Gly Ser Ser Asp His Glu Lys Lys  
 1 5 10 15

## 50 (43) INFORMATION FOR SEQ ID NO:43

## 55 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

5 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

10 Gln Thr Ser Leu Arg Pro Asp Lys Gly Ser Ser Asp Gln Glu Lys Lys  
1 5 10 15

(44) INFORMATION FOR SEQ ID NO:44

(i) SEQUENCE CHARACTERISTICS:

15 (A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

Gln Ser Ser Leu Arg Pro Asp Lys Gly Ser Ser Asp Gln Glu Lys Lys  
1 5 10 15

25 (45) INFORMATION FOR SEQ ID NO:45

(i) SEQUENCE CHARACTERISTICS:

30 (A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

35 Gln Thr Ser Leu Arg Pro Asp Lys Gly Ser Ser Asp Pro Glu Lys Lys  
1 5 10 15

(46) INFORMATION FOR SEQ ID NO:46

40 (i) SEQUENCE CHARACTERISTICS:

- - (A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

50 Gln Thr Ser Leu Arg Pro Asp Lys Gly Ser Ser Asp Pro Glx Lys Lys  
1 5 10 15

(47) INFORMATION FOR SEQ ID NO:47

55 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

Gln Thr Ser Leu Arg Pro Asp Lys Gly Ser Ser Asp Pro Glu Lys Thr  
 1 5 10 15

(48) INFORMATION FOR SEQ ID NO:48

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

Gln Thr Ser Leu Arg Ala Asp Lys Gly Ser Ser Asp Gln Glu Lys Lys  
 1 5 10 15

(49) INFORMATION FOR SEQ ID NO:49

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

Gln Thr Ser Leu Arg Pro Asp Lys Gly Lys Ser Asp Ser Glu Lys Lys  
 1 5 10 15

(50) INFORMATION FOR SEQ ID NO:50

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

Gln Thr Ser Leu Arg Pro Ala Arg Gly Ser Ser Asp Gln Glu Lys Lys  
 1 5 10 15

5 (51) INFORMATION FOR SEQ ID NO:51

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

15 Gln Thr Ser Leu Lys Pro Gly Arg Gly Ser Ser Asp Pro Glu Lys Lys  
    1                    5                    10                    15

(52) INFORMATION FOR SEQ ID NO:52

- 20 (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

Gln Thr Ser Leu Arg Pro Gly Arg Gly Ser Ser Asp Thr Glu Lys Lys  
    1                    5                    10                    15

30 (53) INFORMATION FOR SEQ ID NO:53

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

40 Gln Ile\_Ser\_ Leu Arg Pro Gly Lys Gly Ser Ser Asp Ser Glu Lys Lys  
    1                    5                    10                    15

45 (54) INFORMATION FOR SEQ ID NO:54

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:



Gln Thr Ser Leu Arg Pro Gly Lys Gly Asp Ser Asp Glu Asp Lys Lys  
 1 5 10 15

(55) INFORMATION FOR SEQ ID NO:55

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

Glu Thr Ala Leu Arg Pro Gly Lys Gly Ala Ser Asp Ala Asp Lys Lys  
 1 5 10 15

(56) INFORMATION FOR SEQ ID NO:56

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

Val Thr Ala Leu Arg Pro Gly Lys Gly Ala Ser Asp Glu Asp Lys Lys  
 1 5 10 15

(57) INFORMATION FOR SEQ ID NO:57

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

Val Thr Ala Leu Arg Pro Gly Lys Gly Ala Ser Asp Glu Glu Lys Lys  
 1 5 10 15

(58) INFORMATION FOR SEQ ID NO:58

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

Val Thr Ala Leu Arg Pro Gly Lys Gly Ala Ser Asx Ala Asx Lys Lys  
 1 5 10 15

(59) INFORMATION FOR SEQ ID NO:59

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

Val Thr Ala Leu Arg Pro Gly Lys Gly Ala Ser Asp Glu Asp Asp Glu  
 1 5 10 15

(60) INFORMATION FOR SEQ ID NO:60

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

Gln Thr Ser Leu Arg Pro Asp Lys Gly Ser Ser Asp Gln Glu Thr Thr  
 1 5 10 15

(61) INFORMATION FOR SEQ ID NO:61

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

Gln Asn Ser Leu Thr Pro Gly Lys Gly Ser Ser Ser Pro Glu Lys Lys  
 1 5 10 15

(62) INFORMATION FOR SEQ ID NO:62

(i) SEQUENCE CHARACTERISTICS:

5 (A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

10 Val Thr Lys Val Arg Pro Gly Lys Gly Asp Ser Asp Ser Asp Lys Lys  
1 5 10 15

15 (63) INFORMATION FOR SEQ ID NO:63

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

25 Val Thr Lys Val Arg Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
1 5 10 15

(64) INFORMATION FOR SEQ ID NO:64

30 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

40 Val Thr Arg Val Arg Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
1 5 10 15

(65) INFORMATION FOR SEQ ID NO:65

45 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

55 Leu Thr Lys Val Arg Pro Gly Lys Gly Asp Ser Asp Ser Glu Lys Lys  
1 5 10 15

## (66) INFORMATION FOR SEQ ID NO:66

5

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

10

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

15

Val Thr Lys Val Arg Pro Gly Lys Gly Asp Ser Asp Ser Glu Gln Lys  
 1 5 10 15

## (67) INFORMATION FOR SEQ ID NO:67

20

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

25

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

Val Thr Lys Val Arg Pro Glu Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

30

## (68) INFORMATION FOR SEQ ID NO:68

35

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

40

Val Thr Lys Val Arg Pro Glu Lys Gly Asp Ser Asp Ser Glu Lys Lys  
 1 5 10 15

45

## (69) INFORMATION FOR SEQ ID NO:69

50

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

55

5 Val Thr Lys Val Ser Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(70) INFORMATION FOR SEQ ID NO:70

10 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

20 Val Thr Lys Val Arg Ser Gly Lys Gly Glu Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(71) INFORMATION FOR SEQ ID NO:71

25 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

35 Val Thr Ser Val Lys Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(72) INFORMATION FOR SEQ ID NO:72

40 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

45 Val Ser Ser Val Lys Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

50 (73) INFORMATION FOR SEQ ID NO:73

55 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

Val Thr Ser Ala Lys Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(74) INFORMATION FOR SEQ ID NO:74

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

Val Ser Ser Ala Lys Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(75) INFORMATION FOR SEQ ID NO:75

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

Val Thr Ser Ala Arg Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(76) INFORMATION FOR SEQ ID NO:76

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:

Val Ser Pro Ala Lys Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(77) INFORMATION FOR SEQ ID NO:77

(i) SEQUENCE CHARACTERISTICS:

5 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

Val Thr Lys Ala Arg Pro Gly Lys Gly Asp Ser Asp Val Glu Lys Asn  
 1 5 10 15

15 (78) INFORMATION FOR SEQ ID NO:78

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:

25 Val Thr Leu Ile Pro Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(79) INFORMATION FOR SEQ ID NO:79

30 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:

40 Val Thr Leu Leu Gln Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(80) INFORMATION FOR SEQ ID NO:80

45 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:

Val Thr Leu Leu Gln Pro Gly Lys Gly Asp Ser Asp Ala Asp Lys Lys  
 1 5 10 15

55

## (81) INFORMATION FOR SEQ ID NO:81

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:

Val Thr Leu Leu Gln Pro Gly Lys Gly Asp Ser Asp Ala Glu Arg Lys  
1                    5                    10                    15

## (82) INFORMATION FOR SEQ ID NO:82

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:

Val Thr Leu Leu Gln Ala Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
1                    5                    10                    15

## (83) INFORMATION FOR SEQ ID NO:83

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:

Val Thr Leu Leu Gln Pro Gly Glu Gly Asp Ser Asp Ala Glu Lys Lys  
1                    5                    10                    15

## (84) INFORMATION FOR SEQ ID NO:84

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:



5      Leu Thr Leu Leu Gln Pro Gly Asn Gly Asp Ser Asp Ala Glu Lys Lys  
       1                                5                                10                                15

(85) INFORMATION FOR SEQ ID NO:85

10      (i) SEQUENCE CHARACTERISTICS:  
               (A) LENGTH: 16 amino acids  
               (B) TYPE: amino acid  
               (C) TOPOLOGY: linear

15      (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:

20      Val Thr Leu Leu Gln Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Ile  
           1                                5                                10                                15

(86) INFORMATION FOR SEQ ID NO:86

25      (i) SEQUENCE CHARACTERISTICS:  
               (A) LENGTH: 16 amino acids  
               (B) TYPE: amino acid  
               (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

30      (xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:

Val Thr Leu Phe Gln Pro Gly Gln Gly Asp Ser Asp Pro Glu Lys Lys  
   1                                5                                10                                15

35      (87) INFORMATION FOR SEQ ID NO:87

40      (i) SEQUENCE CHARACTERISTICS:  
               (A) LENGTH: 16 amino acids  
               (B) TYPE: amino acid  
               (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:87:

45      Val Thr Leu Pro Gln Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
           1                                5                                10                                15

(88) INFORMATION FOR SEQ ID NO:88

50      (i) SEQUENCE CHARACTERISTICS:  
               (A) LENGTH: 16 amino acids  
               (B) TYPE: amino acid  
               (C) TOPOLOGY: linear

55

5 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

Val Thr Leu Pro Gln Pro Gly Lys Gly Asp Trp Asp Ala Glu Lys Lys  
 1 5 10 15

(89) INFORMATION FOR SEQ ID NO:89

(i) SEQUENCE CHARACTERISTICS:

15 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:

Val Thr Phe Leu Ser Pro Gly Gln Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

25 (90) INFORMATION FOR SEQ ID NO:90

(i) SEQUENCE CHARACTERISTICS:

30 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:

35 Glu Ser Ser Ala Arg Pro Gly Lys Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(91) INFORMATION FOR SEQ ID NO:91

40 (i) SEQUENCE CHARACTERISTICS:

- - (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:

50 Val Thr Leu Ser Ser Pro Gly Gln Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(92) INFORMATION FOR SEQ ID NO:92

55 (i) SEQUENCE CHARACTERISTICS:

5 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:92:

Val Thr Thr Ala Lys Pro Glu Lys Gly Asp Ser Asp Val Glu Lys Lys  
 1 5 10 15

15 (93) INFORMATION FOR SEQ ID NO:93

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:93:

25 Val Thr Thr Pro Lys Pro Asp Lys Gly Asp Ser Asp Val Glu Lys Lys  
 1 5 10 15

(94) INFORMATION FOR SEQ ID NO:94

30 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:94:

Val Thr Ala Pro Arg Pro Gly Lys Gly Ala Ser Ser Ala Glu Lys Lys  
 1 5 10 15

40

(95) INFORMATION FOR SEQ ID NO:95

45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

Val Thr Ala Pro Lys Pro Gly Lys Gly Thr Ser Ser Ala Glu Lys Lys  
 1 5 10 15

55

## (96) INFORMATION FOR SEQ ID NO:96

5 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

15 Val Thr Thr Pro Lys Pro Gly Lys Gly Ala Ser Ser Ala Glu Lys Lys  
1 5 10 15

## (97) INFORMATION FOR SEQ ID NO:97

20 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:

Val Ser Ala Pro Lys Pro Gly Lys Gly Ala Ser Ser Ala Glu Lys Lys  
1 5 10 15

30 (98) INFORMATION FOR SEQ ID NO:98

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
35 (B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:

40 Val Thr Ala Pro Arg Ser Gly Lys Gly Ala Ser Ser Ala Glu Lys Lys  
1 5 10 15

45 (99) INFORMATION FOR SEQ ID NO:99

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
50 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:

55

Val Thr Ala Pro Lys Ser Gly Lys Gly Ala Ser Ser Ala Glu Lys Lys  
 1 5 10 15

(100) INFORMATION FOR SEQ ID NO:100

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:100:

Val Thr Ala Pro Lys Pro Asp Lys Gly Val Ser Ser Ala Glu Lys Lys  
 1 5 10 15

(101) INFORMATION FOR SEQ ID NO:101

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:101:

Val Thr Ala Pro Lys Ser Glu Lys Gly Val Ser Ser Ala Glu Lys Lys  
 1 5 10 15

(102) INFORMATION FOR SEQ ID NO:102

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:102:

Phe Thr Ala Pro Lys Pro Gly Lys Gly Ala Ser Ser Ala Glu Lys Lys  
 1 5 10 15

(103) INFORMATION FOR SEQ ID NO:103

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:103:

Leu Thr Ala Pro Lys Pro Gly Arg Gly Val Ser Ser Ala Glu Lys Lys  
1 5 10 15

10 (104) INFORMATION FOR SEQ ID NO:104

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

15 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:104:

20 Val Thr Ala Pro Lys Ser Gly Lys Gly Ala Ser Ser Ala Glu Lys Arg  
1 5 10 15

25 (105) INFORMATION FOR SEQ ID NO:105

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

30 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:

35 Val Ser Ala Pro Lys Pro Gly Lys Glu Gly Ser Ser Ala Glu Lys Lys  
1 5 10 15

(106) INFORMATION FOR SEQ ID NO:106

40 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:106:

50 Val Thr Ala Pro Lys Pro Arg Lys Gly Ala Ser Ser Ala Glu Lys Lys  
1 5 10 15

(107) INFORMATION FOR SEQ ID NO:107

55 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:107:

10

Val Thr Phe Leu Ser Pro Gly Gln Gly Asn Ser Asp Ala Glu Leu Pro  
 1 5 10 15

(108) INFORMATION FOR SEQ ID NO:108

15

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

20

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:108:

25

Val Thr Phe Leu Ser Pro Gly Gln Gly Asn Ser Asp Glu Asp Leu Pro  
 1 5 10 15

(109) INFORMATION FOR SEQ ID NO:109

30

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

35

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:109:

40

Val Thr Leu Ser Ser Pro Gln Arg Gly Asp Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(110) INFORMATION FOR SEQ ID NO:110

45

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:110:

Val Thr Ala Pro Lys Ser Ser Lys Gly Gly Ser Ser Ala Glu Lys Lys  
 1 5 10 15

55

## (111) INFORMATION FOR SEQ ID NO:111

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:111:

Gln Thr Ser Pro Thr Pro Gly Lys Gly Ser Ser Asp Pro Glu Lys Lys  
 1 5 10 15

## (112) INFORMATION FOR SEQ ID NO:112

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:112:

Gln Ile Ser Leu Ile Pro Gly Lys Gly Ser Tyr Asp Asp Glu Lys Lys  
 1 5 10 15

## (113) INFORMATION FOR SEQ ID NO:113

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:113:

Val Thr-Ala Leu Lys Ser Gly Lys Gly Ala Ser Ser Ala Glu Lys Lys  
 1 5 10 15

## (114) INFORMATION FOR SEQ ID NO:114

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:114:



Val Thr Ala Leu Lys Ser Asp Lys Gly Ala Ser Ser Gly Glu Lys Lys  
 1 5 10 15

(115) INFORMATION FOR SEQ ID NO:115

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:115:

Val Thr Pro Pro Ser Pro Gly Gln Gly Asp Ser Ala Ala Glu Lys Lys  
 1 5 10 15

(116) INFORMATION FOR SEQ ID NO:116

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:116:

Val Thr Pro Pro Ser Pro Gly Gln Gly Asp Ser Ala Arg Glu Lys Lys  
 1 5 10 15

(117) INFORMATION FOR SEQ ID NO:117

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:117:

Val Thr Val Arg Lys Pro Gly Lys Gly Asp Ser Ser Asp Glu Lys Lys  
 1 5 10 15

(118) INFORMATION FOR SEQ ID NO:118

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:118:

Gln Thr Ser Val Arg Leu Gly Gln Gly Ser Ser Asp Pro Glu Lys Lys  
1 5 10 15

10 (119) INFORMATION FOR SEQ ID NO:119

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
15 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:119:

20 Lys Thr Ser Leu Arg Pro Trp Lys Gly Ser Ser Asp Ser Asp Lys Lys  
1 5 10 15

25 (120) INFORMATION FOR SEQ ID NO:120

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
30 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:120:

35 Gln Thr Asp Val Thr Gln Gly Gln Gly Ser Ser Gln Pro Glu Lys Lys  
1 5 10 15

(121) INFORMATION FOR SEQ ID NO:121

40 (i) SEQUENCE CHARACTERISTICS:  
- - (A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:121:

50 Gln Thr Ala Val Ser Gln Gly Gln Gly Ser Ser Gln Ser Glu Lys Lys  
1 5 10 15

(122) INFORMATION FOR SEQ ID NO:122

55 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:122:

Leu Thr Ala Pro Arg Thr Asn Arg Gly Ser Ser Asp Ser Glu Lys Lys  
 1 5 10 15

(123) INFORMATION FOR SEQ ID NO:123

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:123:

Val Thr Ala Pro Ser Ser His Arg Gly Ser Ser Asp Thr Glu Lys Lys  
 1 5 10 15

(124) INFORMATION FOR SEQ ID NO:124

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:124:

Leu Leu Ser Leu Ser Pro Leu Lys Gly Asp Ser Asp Pro Glu Lys Val  
 1 5 10 15

(125) INFORMATION FOR SEQ ID NO:125

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:125:

Val Thr Ala Pro Thr Pro Asp Thr Gly Ala Ile Lys Thr Glu Lys Leu  
 1 5 10 15

## (126) INFORMATION FOR SEQ ID NO:126

5

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

10

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:126:

Val Thr Ile Pro Thr Pro Asp Thr Gly Ala Ile Lys Thr Glu Lys Leu  
 1                      5                      10                      15

## (127) INFORMATION FOR SEQ ID NO:127

20

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

25

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:127:

Ala Val Ser Pro Thr Pro Asp Thr Gly Ala Ile Lys Thr Glu Lys Leu  
 1                      5                      10                      15

30

## (128) INFORMATION FOR SEQ ID NO:128

35

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:128:

40

Ala Val Ser Pro Thr Pro Asp Thr Gly Ala Ile Lys Thr Glu Lys Leu  
 1                      5                      10                      15

45

## (129) INFORMATION FOR SEQ ID NO:129

50

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:129:

55

10 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

15 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:130:

20

(131) INFORMATION FOR SEQ ID NO:131

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:131:

35 (132) INFORMATION FOR SEQ ID NO:132

40 (A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:132:

(133) INFORMATION FOR SEQ ID NO:133

(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:133:

Tyr Leu Pro Pro Thr Pro Gly Leu Ile Arg Ser Thr Ser Met Lys Leu  
 1 5 10 15

(134) INFORMATION FOR SEQ ID NO:134

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:134:

Tyr Leu Pro Pro Thr Pro Gly Leu Ile Arg Ser Thr Ser Val Lys Leu  
 1 5 10 15

(135) INFORMATION FOR SEQ ID NO:135

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:135:

Tyr Leu Pro Pro Thr Pro Gly Val Ile Arg Ser Thr Ala Glu Lys Leu  
 1 5 10 15

(136) INFORMATION FOR SEQ ID NO:136

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:136:

Tyr Leu Pro Pro Thr Pro Gly Val Ile Arg Ser Thr Ala Gly Lys Leu  
 1 5 10 15

(137) INFORMATION FOR SEQ ID NO:137

(i) SEQUENCE CHARACTERISTICS:

5 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:137:

Tyr Leu Pro Ala Thr Pro Gly Val Val Arg Ser Ser Ala Gly Met Leu  
 1 5 10 15

15 (138) INFORMATION FOR SEQ ID NO:138

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:138:

25 Ser Leu Pro Pro Ser Pro Gly Lys Val Arg Ser Thr Ala Glu Lys Leu  
 1 5 10 15

(139) INFORMATION FOR SEQ ID NO:139

30 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:139:

40 Ser Leu Pro Pro Ser Pro Gly Lys Val Arg Ser Thr Ala Asn Lys Leu  
 1 5 10 15

(140) INFORMATION FOR SEQ ID NO:140

45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:140:

Ser Leu Pro Pro Arg Pro Gly Lys Val Arg Ser Ser Ser Glu Lys Leu  
 1 5 10 15

55

## (141) INFORMATION FOR SEQ ID NO:141

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:141:

Ser Leu Pro Pro Arg Pro Gly Lys Val Arg Ser Ser Ser Asp Lys Leu  
 1 5 10 15

## (142) INFORMATION FOR SEQ ID NO:142

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:142:

Ser Leu Pro Pro Arg Pro Gly Arg Val Arg Ser Ser Ser Glu Lys Leu  
 1 5 10 15

## (143) INFORMATION FOR SEQ ID NO:143

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:143:

Ser Leu Pro Pro Arg Pro Gly Lys Val Arg Ser Ser Ser Glu Gln Leu  
 1 5 10 15

## (144) INFORMATION FOR SEQ ID NO:144

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:144:



Ser Leu Pro Pro Arg Pro Gly Lys Val Arg Ser Ser Ser Glu Thr Leu  
 1 5 10 15

(145) INFORMATION FOR SEQ ID NO:145

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:145:

Ser Leu Pro Pro Lys Pro Gly Lys Ile Arg Ser Ser Thr Gly Lys Leu  
 1 5 10 15

(146) INFORMATION FOR SEQ ID NO:146

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:146:

Ser Leu Pro Pro Lys Pro Gly Arg Ile Arg Ser Ser Thr Gly Lys Leu  
 1 5 10 15

(147) INFORMATION FOR SEQ ID NO:147

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:147:

Ser Leu Pro Pro Lys Pro Gly Lys Ile Arg Ser Ser Thr Gly Gln Leu  
 1 5 10 15

(148) INFORMATION FOR SEQ ID NO:148

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:148:

Ser Leu Pro Pro Glu Pro Gly Lys Ile Arg Ser Ser Thr Gly Arg Leu  
1 5 10 15

10 (149) INFORMATION FOR SEQ ID NO:149

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
15 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:149:

20 Ser Leu Ala Pro Ser Pro Gly Lys Ile Arg Ser Thr Ala Glu Lys Leu  
1 5 10 15

25 (150) INFORMATION FOR SEQ ID NO:150

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
30 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:150:

35 Ser Leu Pro Pro Arg Pro Gly Lys Ile Arg Ser Ser Thr Gly Asn Val  
1 5 10 15

(151) INFORMATION FOR SEQ ID NO:151

40 (i) SEQUENCE CHARACTERISTICS:  
- - (A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:151:

50 Ser Leu Arg Pro Ser Pro Gly Lys Val Arg Ser Thr Ala Glu Lys Leu  
1 5 10 15

(152) INFORMATION FOR SEQ ID NO:152

55 (i) SEQUENCE CHARACTERISTICS:

5 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:152:

Ser Leu Arg Pro Ser Pro Gly Lys Val Arg Ser Thr Ala Asp Lys Leu  
 1 5 10 15

15 (153) INFORMATION FOR SEQ ID NO:153

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 20 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:153:

25 Ser Leu Arg Pro Ser Pro Gly Lys Val Arg Ser Thr Ala Glu Asn Leu  
 1 5 10 15

(154) INFORMATION FOR SEQ ID NO:154

30 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:154:

40 Ser Leu Arg Pro Ser Pro Gly Lys Val Arg Ser Ala Val Glu Lys Leu  
 1 5 10 15

(155) INFORMATION FOR SEQ ID NO:155

(i) SEQUENCE CHARACTERISTICS:

45 (A) LENGTH: 15 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:155:

Ser Leu Pro Pro Arg Pro Gly Lys Arg Ser Ser Ala Glu Lys Leu  
 1 5 10 15

55

## (156) INFORMATION FOR SEQ ID NO:156

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:156:

Ser Leu Ala Pro Ser Pro Gly Lys Val Arg Ser Thr Val Glu Arg Leu  
1                    5                    10                    15

## (157) INFORMATION FOR SEQ ID NO:157

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:157:

Ser Leu Ala Pro Ser Pro Asp Lys Ile Arg Ser Thr Pro Asp Lys Leu  
1                    5                    10                    15

## (158) INFORMATION FOR SEQ ID NO:158

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:158:

Ser Leu Ala Leu Ser Pro Gly Lys Val Arg Ser Thr Ala Glu Lys Leu  
1                    5                    10                    15

## (159) INFORMATION FOR SEQ ID NO:159

- (i) SEQUENCE CHARACTERISTICS:  
    (A) LENGTH: 16 amino acids  
    (B) TYPE: amino acid  
    (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:159:

Ser Leu Pro Leu Ser Ala Gly Lys Val Arg Ser Thr Ala Glu Lys Leu  
 1 5 10 15

5

## (160) INFORMATION FOR SEQ ID NO:160

## (i) SEQUENCE CHARACTERISTICS:

10

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

15

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:160:

Ser Leu Ala Pro Ser Pro Gly Lys Val Arg Ser Thr Ala Glu Tyr Leu  
 1 5 10 15

20

## (161) INFORMATION FOR SEQ ID NO:161

## (i) SEQUENCE CHARACTERISTICS:

25

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:161:

30

Ser Leu Pro Leu Thr Pro Gly Leu Ile Arg Ser Thr Ala Glu Lys Leu  
 1 5 10 15

35

## (162) INFORMATION FOR SEQ ID NO:162

## (i) SEQUENCE CHARACTERISTICS:

40

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:162:

45

Ser Leu Pro Leu Thr Pro Arg Val Ile Arg Ser Thr Ala Glu Lys Leu  
 1 5 10 15

## (163) INFORMATION FOR SEQ ID NO:163

50

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

55

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:163:

Phe Leu His Pro Thr Pro Gly Thr Asp Ser Ser Ser Thr Glu Lys Leu  
 1 5 10 15

(164) INFORMATION FOR SEQ ID NO:164

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:164:

Phe Leu Leu Pro Thr Pro Gly Thr Asp Ser Ser Ser Thr Glu Arg Leu  
 1 5 10 15

(165) INFORMATION FOR SEQ ID NO:165

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:165:

Phe Leu His Pro Thr Arg Val Thr Asp Ser Ser Ser Thr Glu Lys Leu  
 1 5 10 15

(166) INFORMATION FOR SEQ ID NO:166

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:166:

Leu Leu Pro Pro Thr Pro Gly Thr Asn Ser Ser Ser Asn Asp Lys Leu  
 1 5 10 15

(167) INFORMATION FOR SEQ ID NO:167

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:167:

Val Leu Pro Leu Ser Pro His Arg Ile Arg Ser Glu Ser Glu Asn Leu  
 1 5 10 15

(168) INFORMATION FOR SEQ ID NO:168

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:168:

Ser Leu Ala Pro Ser Pro Ala Lys Phe Arg Ser Thr Ala Glu Arg Asp  
 1 5 10 15

(169) INFORMATION FOR SEQ ID NO:169

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:169:

Val Thr Ala Pro Arg Pro Gly Arg Ile Arg Ser Asp Pro Glu Lys Lys  
 1 5 10 15

(170) INFORMATION FOR SEQ ID NO:170

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:170:

Val Thr Ala Pro Arg Pro Gly Arg Val Arg Ser Asp Pro Glu Lys Lys  
 1 5 10 15

## (171) INFORMATION FOR SEQ ID NO:171

- 5 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:171:

15 Val Thr Gly Pro Arg Pro Gly Arg Ile Arg Ser Asp Pro Glu Lys Lys  
 1 5 10 15

## (172) INFORMATION FOR SEQ ID NO:172

- 20 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

25 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:172:

30 Val Thr Gly Pro Arg Pro Gly Arg Ile Arg Ser Asp Pro Asp Lys Lys  
 1 5 10 15

## (173) INFORMATION FOR SEQ ID NO:173

- 35 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

40 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:173:

Val Thr Gly Pro Arg Pro Gly Arg Val Arg Ser Asp Pro Glu Lys Lys  
 1 5 10 15

## 45 (174) INFORMATION FOR SEQ ID NO:174

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:174:

55



Val Thr Gly Pro Arg Pro Gly Arg Ile Arg Ser Asp Pro Xaa Lys Lys  
 1 5 10 15

(175) INFORMATION FOR SEQ ID NO:175

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:

Val Thr Ala Pro Arg Pro Gly Arg Ile Arg Ser Glu Ser Glu Arg Lys  
 1 5 10 15

(176) INFORMATION FOR SEQ ID NO:176

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:176:

Val Thr Gly Pro Ser Arg Gly Arg Ile Arg Ser Asp Pro Glu Lys Lys  
 1 5 10 15

(177) INFORMATION FOR SEQ ID NO:177

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:177:

Val Thr Val Pro Arg Pro Ser Arg Ile Arg Ser Glu Ser Glu Arg Lys  
 1 5 10 15

(178) INFORMATION FOR SEQ ID NO:178

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:178:

Val Thr Ala Pro Gly Pro Gly Arg Ile Arg Ser Glu Ser Glu Arg Lys  
1 5 10 15

10 (179) INFORMATION FOR SEQ ID NO:179

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
15 (B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:179:

20 Gln Thr Ser Val Arg Pro Gly Arg Val Arg Ser Asp Pro Glu Arg Lys  
1 5 10 15

25 (180) INFORMATION FOR SEQ ID NO:180

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
30 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:180:

35 Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Asp Pro Glu Arg Lys  
1 5 10 15

(181) INFORMATION FOR SEQ ID NO:181

40 (i) SEQUENCE CHARACTERISTICS:

- - (A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:181:

50 Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Asp Pro Glu Lys Lys  
1 5 10 15

(182) INFORMATION FOR SEQ ID NO:182

55 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:182:

Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Glu Pro Glu Lys Lys  
 1 5 10 15

(183) INFORMATION FOR SEQ ID NO:183

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:183:

Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Glu Pro Asp Lys Lys  
 1 5 10 15

(184) INFORMATION FOR SEQ ID NO:184

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:184:

Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ala Glu Pro Glu Lys Lys  
 1 5 10 15

(185) INFORMATION FOR SEQ ID NO:185

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:185:

Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Asx Pro Glx Lys Lys  
 1 5 10 15

## (186) INFORMATION FOR SEQ ID NO:186

- 5 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:186:

Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Asp Pro Asx Lys Lys  
 1 5 10 15

15

## (187) INFORMATION FOR SEQ ID NO:187

- 20 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:187:

Gln Thr Ser Val Arg Pro Gly Gln Val Arg Ser Asp Pro Glu Arg Lys  
 1 5 10 15

30

## (188) INFORMATION FOR SEQ ID NO:188

- 35 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

40 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:188:

Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser His Pro Glu Lys Lys  
 1 5 10 15

45 (189) INFORMATION FOR SEQ ID NO:189

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

50

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:189:

55

Gln Thr Ser Val Arg Pro Gly Asn Val Arg Ser Asp Pro Asp Lys Lys  
 1 5 10 15

5

(190) INFORMATION FOR SEQ ID NO:190

(i) SEQUENCE CHARACTERISTICS:

10

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

15

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:190:

Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Asp Pro Glu Lys Thr  
 1 5 10 15

20

(191) INFORMATION FOR SEQ ID NO:191

(i) SEQUENCE CHARACTERISTICS:

25

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:191:

Gln Thr Ser Val Arg Pro Gly Thr Val Arg Ser Glu Pro Glu Lys Lys  
 1 5 10 15

35

(192) INFORMATION FOR SEQ ID NO:192

(i) SEQUENCE CHARACTERISTICS:

40

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:192:

45

Gln Thr Ser Val Arg Pro Glu Lys Val Arg Ser Glu Pro Asp Lys Lys  
 1 5 10 15

(193) INFORMATION FOR SEQ ID NO:193

50

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

55



(ii) MOLECULE TYPE: peptide

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:193:

Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Glu Ser Asp Lys Lys  
1 5 10 15

10 (194) INFORMATION FOR SEQ ID NO:194

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
15 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:194:

20 Gln Thr Ser Val Arg Pro Gly Glu Val Arg Ser Glu Pro Asp Lys Lys  
1 5 10 15

25 (195) INFORMATION FOR SEQ ID NO:195

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
30 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:195:

35 Gln Thr Ser Val Arg Pro Gly Asx Val Arg Ser Asx Pro Glx Arg Lys  
1 5 10 15

(196) INFORMATION FOR SEQ ID NO:196

40 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 16 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:196:

50 Gln Thr Ser Val Ser Pro Gly Lys Val Arg Ser Asp Pro Glu Lys Lys  
1 5 10 15

(197) INFORMATION FOR SEQ ID NO:197

55 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:197:

10 Gln Thr Ser Val Arg Pro Gly Lys Val Asn Ser Asp Pro Glu Lys Lys  
       1                  5                  10                  15

15 (198) INFORMATION FOR SEQ ID NO:198

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:198:

25 Gln Thr Ser Val Arg Pro Gly Lys Val Arg Ser Asp Pro Asp Thr Lys  
       1                  5                  10                  15

(199) INFORMATION FOR SEQ ID NO:199

30 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

35 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:199:

40 Gln Thr Ser Val Arg Pro Lys Lys Val Arg Ser Asp Pro Glx Lys Lys  
       1                  5                  10                  15

(200) INFORMATION FOR SEQ ID NO:200

45 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:200:

Gln Thr Ser Val Arg Pro Lys Lys Val Arg Phe Asp Pro Glu Lys Lys  
       1                  5                  10                  15



## (201) INFORMATION FOR SEQ ID NO:201

## 5 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## 10 (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:201:

15 Gln Thr Ser Val Arg Ser Gly Lys Val Arg Ser Glu Pro Glu Thr Lys  
1 5 10 15

## (202) INFORMATION FOR SEQ ID NO:202

## 20 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## 25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:202:

Val Thr Asn Leu Arg Pro Gly Lys Val Arg Ser Asp Ala Glu Lys Lys  
1 5 10 15

## 30 (203) INFORMATION FOR SEQ ID NO:203

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:203:

40 Val Thr Asp Leu Arg Pro Gly Lys Val Arg Ser Asp Ala Glu Lys Lys  
1 5 10 15

## 45 (204) INFORMATION FOR SEQ ID NO:204

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## 50 (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:204:

55

Gln Thr Ser Val Ser Pro Gly Asn Ile Arg Ser Glu Ser Asp Lys Lys  
 1 5 10 15

(205) INFORMATION FOR SEQ ID NO:205

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:205:

Lys Thr Ser Val Thr Pro Gly Lys Phe Arg Ser Glu Pro Glu Lys Lys  
 1 5 10 15

(206) INFORMATION FOR SEQ ID NO:206

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:206:

Val Thr Leu Leu Pro Pro Gly Arg Val Arg Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(207) INFORMATION FOR SEQ ID NO:207

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:207:

Val Thr Leu Leu Pro Pro Gly Glu Val Arg Ser Asp Ala Glu Lys Lys  
 1 5 10 15

(208) INFORMATION FOR SEQ ID NO:208

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:208:

Val Thr Leu Pro Pro Pro Gly Glx Val Arg Ser Asp Ala Glu Arg Lys  
1 5 10 15

10 (209) INFORMATION FOR SEQ ID NO:209

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

15 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:209:

20 Val Thr Leu Pro Pro Pro Gly Glx Val Arg Ser Asx Ala Glx Asn Lys  
1 5 10 15

25 (210) INFORMATION FOR SEQ ID NO:210

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

30 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:210:

35 Val Thr Leu Pro Pro Pro Gln Gln Val Arg Ser Asp Ala Glu Lys Lys  
1 5 10 15

(211) INFORMATION FOR SEQ ID NO:211

40 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:211:

50 Val Thr Leu Pro Pro Pro Gly Gln Val Thr Ser Asp Ala Glu Lys Lys  
1 5 10 15

(212) INFORMATION FOR SEQ ID NO:212

55 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:212:

Val Thr Leu Pro Pro Ala Gly Gln Val Arg Ser Asp Ala Glu Lys Arg  
 1 5 10 15

(213) INFORMATION FOR SEQ ID NO:213

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 16 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:213:

Ala Leu Ser Pro Ser Ser Gly Gln Ser Ser Ser Ala Ser Glu Arg Leu  
 1 5 10 15

(214) INFORMATION FOR SEQ ID NO:214

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:214:

Glu Lys Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Ala  
 1 5 10 15

Ser Arg Gly Asp Ser Gln Arg Pro Glu Ser  
 20 25

(215) INFORMATION FOR SEQ ID NO:215

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:215:

Ser Arg Gly Asp Ser Gln Arg Pro Glu Ser  
20 25

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(x1) SEQUENCE DESCRIPTION: SEQ ID NO:216:

20      Glu Lys Val Gly Gly Leu Gln Pro Gly Thr Gly Ala Pro Gly Lys Ala  
              1                        5                                        10                                                          15

Ser Arg Gly Asp Ser Gln Arg Pro Glu Ser  
20 25

## (217) INFORMATION FOR SEQ ID NO:217

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(x1) SEQUENCE DESCRIPTION: SEQ ID NO:217:

Glu Lys Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Ala  
1 5 10 15

40      Ser Lys Gly Asn Ser Gln Arg Ala Glu Ser  
                        20                        25

(218) INFORMATION FOR SEQ ID NO:218

45 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:218:



Glu Lys Val Gly Gly Leu Lys Pro Gly Arg Gly Thr Pro Gly Lys Ala  
 1 5 10 15

Ser Lys Gly Thr Ser Gln Arg Ala Glu Thr  
 20 25

(222) INFORMATION FOR SEQ ID NO:222

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:222:

Glu Asn Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Ala  
 1 5 10 15

Ser Lys Gly Thr Ser Gln Arg Ala Glu Thr  
 20 25

(223) INFORMATION FOR SEQ ID NO:223

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:223:

Glu Lys Val Gly Gly Leu Gln Ser Gly Arg Gly Thr Pro Gly Lys Ala  
 1 5 10 15

Ser Lys Gly Thr Ser Gln Arg Ala Glu Thr  
 20 25

(224) INFORMATION FOR SEQ ID NO:224

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:224:

Glu Lys Val Gly Gly Leu Gln Ser Gly Arg Gly Thr Pro Gly Lys Ala  
1 5 10 15

Ser Lys Gly Thr Ser Gln Arg Ala Glu Ser  
20 25

## (225) INFORMATION FOR SEQ ID NO:225

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:225:

Glu Lys Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Ala  
1 5 10 15

Ser Lys Gly Ile Ser Gln Arg Ala Glu Arg  
20 25

## (226) INFORMATION FOR SEQ ID NO:226

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:226:

Glu Lys Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Ser  
1 5 10 15

Ala Lys Gly Asx Ser Glx Arg Ala Gln Ser  
20 25

## (227) INFORMATION FOR SEQ ID NO:227

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:227:



5           Glu Lys Val Gly Gly Leu Gln Pro Gly Ser Gly Thr Pro Gly Lys Ala  
              1                               5                               10                               15

          Ser Lys Gly Asn Ser Gln Arg Ala Glu Ser  
                              20                               25

10 (228) INFORMATION FOR SEQ ID NO:228

          (i) SEQUENCE CHARACTERISTICS:

                  (A) LENGTH: 26 amino acids

                  (B) TYPE: amino acid

15               (C) TOPOLOGY: linear

          (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:228:

20           Glu Lys Val Gly Gly Leu Gln Pro Gly Ser Gly Thr Pro Gly Lys Ala  
              1                               5                               10                               15

25           Ser Lys Gly Ser Ser Gln Arg Ala Glu Ser  
                              20                               25

(229) INFORMATION FOR SEQ ID NO:229

          (i) SEQUENCE CHARACTERISTICS:

30               (A) LENGTH: 26 amino acids

                  (B) TYPE: amino acid

                  (C) TOPOLOGY: linear

          (ii) MOLECULE TYPE: peptide

35           (xi) SEQUENCE DESCRIPTION: SEQ ID NO:229:

          Glu Lys Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Arg Lys Ala  
              1                               5                               10                               15

40           Ser Lys Gly Asn Ser Gln Arg Ala Glu Ser  
                              20                               25

(230) INFORMATION FOR SEQ ID NO:230

45           (i) SEQUENCE CHARACTERISTICS:

                  (A) LENGTH: 26 amino acids

                  (B) TYPE: amino acid

                  (C) TOPOLOGY: linear

50           (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:230:

55

Glu Lys Met Gly Asn Leu Gln Pro Gly Ser Gly Thr Pro Gly Lys Ala  
 1 5 10 15

Ser Lys Gly Asn Ser Gln Arg Pro Asp Ser  
 20 25

(231) INFORMATION FOR SEQ ID NO:231

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:231:

Glu Lys Val Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Arg Arg Ser Glu Thr  
 20 25

(232) INFORMATION FOR SEQ ID NO:232

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:232:

Glu Lys Val Gly Gly Leu Lys Pro Gly Lys Gly Ala Pro Glu Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Arg Arg Ser Glu Thr  
 20 25

(233) INFORMATION FOR SEQ ID NO:233

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:233:

10 (234) INFORMATION FOR SEQ ID NO:234

- (ii) MOLECULE TYPE: peptide

- 20 Asp Lys Val Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
1 5 10 15

(235) INFORMATION FOR SEQ ID NO:235

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:235:

40  
Ser Lys Gly Asn Ala Lys Lys Ser Glu Thr  
20 25

(236) INFORMATION FOR SEQ ID NO:236

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:236:

Asp Lys Val Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Asp Lys Asp  
 1 5 10 15

5

Asn Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

(237) INFORMATION FOR SEQ ID NO:237

10

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:237:

Glu Lys Val Gly Gly Leu Thr Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Gly Arg Arg Ser Glu Thr  
 20 25

25

(238) INFORMATION FOR SEQ ID NO:238

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:238:

35

Glu Met Val Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Asp Arg Arg Ser Glu Thr  
 20 25

40

(239) INFORMATION FOR SEQ ID NO:239

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:239:

50

55

Glu Met Val Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

5

Ser Lys Gly Asn Asp Lys Arg Ser Glu Thr  
 20 25

(240) INFORMATION FOR SEQ ID NO:240

10

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

15

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:240:

20

Glu Met Val Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Lys Arg Ser Glu Thr  
 20 25

25

(241) INFORMATION FOR SEQ ID NO:241

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

30

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:241:

35

Glu Gln Val Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

40

Ser Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

(242) INFORMATION FOR SEQ ID NO:242

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

45

- (ii) MOLECULE TYPE: peptide

50

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:242:

55



Glu Lys Val Gly Gly Leu Gln Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

5

Thr Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

(246) INFORMATION FOR SEQ ID NO:246

10

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:246:

Glu Lys Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Glu Lys Asp  
 20 1 5 10 15

Thr Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

25

(247) INFORMATION FOR SEQ ID NO:247

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:247:

35

Glu Lys Val Gly Gly Leu Gln Pro Gly Lys Gly Ser Pro Glu Lys Asp  
 1 5 10 15

40

Ser Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

(248) INFORMATION FOR SEQ ID NO:248

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:248:

50

55

Asp Lys Met Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Lys Gln Ser Glu Thr  
 20 25

10 (249) INFORMATION FOR SEQ ID NO:249

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:249:

20 Glu Gln Val Gly Gly Leu Gln Pro Gly Lys Gly Thr Pro Asp Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

25 (250) INFORMATION FOR SEQ ID NO:250

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:250:

Glu Lys Val Gly Gly Leu Gln Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

40 Ser Lys Gly Asn Ala Glu Lys Ser Glu Thr  
 20 25

(251) INFORMATION FOR SEQ ID NO:251

45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:251:

55



Glu Gln Val Gly Asp Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

Thr Lys Gly Asn Ala Arg Arg Ser Glu Thr  
 20 25

(252) INFORMATION FOR SEQ ID NO:252

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:252:

Glu Asn Val Gly Asp Leu Lys Pro Gly Lys Gly Ala Pro Glu Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Arg Arg Ser Glu Thr  
 20 25

(253) INFORMATION FOR SEQ ID NO:253

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:253:

Glu Gln Val Gly Gly Leu Gln Pro Gly Lys Gly Thr Ser Asp Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

(254) INFORMATION FOR SEQ ID NO:254

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:254:



Glu Lys Val Gly Gly Leu Gln Pro Gly Lys Gly Thr Ser Glu Lys Asp  
 1 5 10 15

Ile Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

(258) INFORMATION FOR SEQ ID NO:258

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:258:

Asp Lys Val Gly Gly Leu Lys Pro Gly Lys Arg Thr Pro Glu Lys Asp  
 1 5 10 15

Asn Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

(259) INFORMATION FOR SEQ ID NO:259

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:259:

Asp Lys Val Gly Gly Leu Lys Leu Gly Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

Thr Lys Gly Asn Ala Lys Lys Ser Glu Thr  
 20 25

(260) INFORMATION FOR SEQ ID NO:260

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:260:



Glu Lys Glu Gly Gly Leu Gln Pro Gly Lys Gly Thr Pro Glu Lys Glu  
 1 5 10 15

Ser Lys Gly Asp Ser Lys Arg Ala Glu Thr  
 20 25

10 (264) INFORMATION FOR SEQ ID NO:264

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:264:

20 Glu Lys Glu Gly Gly Leu Gln Pro Gly Lys Gly Thr Pro Glu Lys Glu  
 1 5 10 15

Ser Lys Gly Asp Ser Lys Arg Pro Glu Thr  
 20 25

25 (265) INFORMATION FOR SEQ ID NO:265

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:265:

Glu Lys Glu Gly Gly Leu Gln Pro Gly Lys Gly Ser Pro Glu Lys Glu  
 1 5 10 15

40 Ser Lys Gly Asp Ser Lys Arg Ala Glu Thr  
 20 25

(266) INFORMATION FOR SEQ ID NO:266

45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:266:

55

10 (267) INFORMATION FOR SEQ ID NO:267

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:267:

Thr Thr Gly Asp Ala Gln Arg Ser Glu Thr  
20 25

(268) INFORMATION FOR SEQ ID NO:268

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:268:

Thr Thr Gly Asn Ala Lys Gly Ser Glu Thr  
20 25

(269) INFORMATION FOR SEQ ID NO:269

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:269:

5      Glu Lys Val Gly Gly Ser Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
          1                          5                          10                          15

Ser Lys Gly Asn Ala Lys Thr Ser Glu Thr  
20 25

10 (270) INFORMATION FOR SEQ ID NO:270

(1) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:270:

20 Ser Asp Gln Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Glu Lys Asp  
1 5 10 15

Thr Lys Gly Asn Ala Arg Arg Ser Glu Ser  
25                      20                      25

(271) INFORMATION FOR SEQ ID NO:271

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

35. (xi) SEQUENCE DESCRIPTION: SEQ ID NO:271:

Glu Lys Ile Gly Gly Leu Gln Pro Gly Lys Gly Asp Pro Gly Lys Pro  
1 5 10 15

40 Ser Lys Asp Asn Ala Lys Arg Ser Glu Thr  
20 25

(272) INFORMATION FOR SEQ ID NO:272

45 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:272:

10 (273) INFORMATION FOR SEQ ID NO:273

- 15

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:273:

Phe Lys Asp Asn Ala Lys Arg Ser Glu Thr  
20 25

- (274) INFORMATION FOR SEQ ID NO:274

- 30

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:274:

40 Met Lys Glu Asn Ala Lys Arg Ser Glu Thr  
20 25

- (275) INFORMATION FOR SEQ ID NO:275

- 45

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:275:



Glu Asn Leu Gly Gly Leu Gln Pro Gly Lys Gly Asp Pro Gly Lys Leu  
 1 5 10 15

Lys Xaa Glu Asn Ala Lys Arg Pro Glu Thr  
 20 25

(276) INFORMATION FOR SEQ ID NO:276

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:276:

Glu Lys Leu Gly Gly Leu Gln Pro Gly Asn Gly Asp Leu Gly Lys Pro  
 1 5 10 15

Ser Lys Asp Asn Ala Lys Arg Ser Glu Thr  
 20 25

(277) INFORMATION FOR SEQ ID NO:277

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:277:

Glu Lys Leu Gly Pro Leu Gln Leu Gly Lys Gly Asp Pro Gly Lys Pro  
 1 5 10 15

Ser Lys Asp Asp Ala Lys Arg Ser Glu Thr  
 20 25

(278) INFORMATION FOR SEQ ID NO:278

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:278:

Glu Gln Leu Gly Gly Leu Gln Pro Gly Gly Gly Thr Pro Gly Lys Pro  
 1 5 10 15

Ser Lys Asp Asn Asp Lys Arg Ser Glu Thr  
 20 25

(279) INFORMATION FOR SEQ ID NO:279

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:279:

Glu Gln Leu Gly Gly Leu Gln Pro Gly Gly Gly Thr Pro Gly Lys Ala  
 1 5 10 15

Ser Lys Asp Asn Asp Lys Arg Ser Glu Thr  
 20 25

(280) INFORMATION FOR SEQ ID NO:280

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:280:

Glu Gln Val Gly Gly Leu Lys Ala Arg Lys Gly Thr Pro Glu Lys Asp  
 1 5 10 15

Thr Thr Gly Asn Ala Lys Arg Ser Glu Thr  
 20 25

(281) INFORMATION FOR SEQ ID NO:281

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:281:

5    Glu Met Val Gly Val Leu Glu Pro Gly Lys Gly Thr Pro Glu Lys Arg  
          1                          5                          10                          15

Gln Glu Gly Asn Ala Lys Arg Ser Glu Thr  
20 25

(282) INFORMATION FOR SEQ ID NO:282

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:282:

20  
Glu Gln Val Gly Gly Leu Gln Pro Lys Lys Gly Ser Pro Gly Lys Asp  
1 5 10 15

25      Ser Lys Asp Asp    Ser Gln Lys Thr Glu Thr  
                        20                         25

(283) INFORMATION FOR SEQ ID NO:283

30 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:283:

Glu Gln Val Gly Gly Leu Gln Pro Lys Lys Gly Ser Pro Gly Lys Asp  
1 5 10 15

40 Ser Lys Asp Asp Ser Gln Lys Thr Glu Arg  
20 25

(284) INFORMATION FOR SEQ ID NO:284

45 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(11) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:284:

5 Gln Gln Val Pro Glu Leu Lys Pro Gly Arg Gly Thr Pro Gly Lys Glu  
 1 5 10 15

Asp Lys Gly Thr Ser Ala Arg Asn Asp Thr  
 20 25

10 (285) INFORMATION FOR SEQ ID NO:285

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:285:

20 Gln Gln Val Pro Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Lys Asp  
 1 5 10 15

Asp Lys Gly Thr Ser Ala Lys Asn Glu Thr  
 20 25

25

(286) INFORMATION FOR SEQ ID NO:286

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:286:

35

Gln Gln Val Pro Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Lys Asp  
 1 5 10 15

40 Asp Lys Gly Thr Ser Ala Lys Asn Glu Met  
 - - 20 25

(287) INFORMATION FOR SEQ ID NO:287

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:287:

55

Gln Gln Lys Pro Glu Leu Lys Pro Gly Lys Gly Ser Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Thr Ser Ser Thr Ser Glu Thr  
 20 25

10 (288) INFORMATION FOR SEQ ID NO:288

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:288:

Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(289) INFORMATION FOR SEQ ID NO:289

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:289:

Glu Gln Gln Pro Glu Leu Arg Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(290) INFORMATION FOR SEQ ID NO:290

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:290:

Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Ala Ser Glu Ser  
 20 25

(291) INFORMATION FOR SEQ ID NO:291

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:291:

Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Lys Gln  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(292) INFORMATION FOR SEQ ID NO:292

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:292:

Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Thr His Gly Lys Gln  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(293) INFORMATION FOR SEQ ID NO:293

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:293:

Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Ser His Gly Lys Gln  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(294) INFORMATION FOR SEQ ID NO:294

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:294:

Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Ser His Gly Lys Gln  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Ala Ser Glu Ser  
 20 25

(295) INFORMATION FOR SEQ ID NO:295

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:295:

Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Thr His Gly Lys Gln  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Phe Glu Ser  
 20 25

(296) INFORMATION FOR SEQ ID NO:296

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:296:

5      Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Thr His Gly Lys Gln  
          1                         5                         10                         15

Lys Gln Gly Lys Ser Ser Thr Phe Glu Ser  
20 25

(297) INFORMATION FOR SEQ ID NO:297

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:297:

20  
Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Thr His Gly Lys Glu  
1 5 10 15

Lys Lys Asp Lys Ser Ser Thr Ser Glu Ser  
25                      20                      25

(298) INFORMATION FOR SEQ ID NO:298

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:298:

Glu Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Ser His Gly Lys Gln  
1 5 10 15

<sup>40</sup> Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
                    20                    25

(299) INFORMATION FOR SEQ ID NO:299

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:299:



Glu Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Thr His Gly Lys Gln  
 1 5 10 15

5

Lys Lys Ser Asn Ser Ser Thr Ser Glu Ser  
 20 25

(300) INFORMATION FOR SEQ ID NO:300

10

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:300:

Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Ala Pro Gly Gln Glu  
 1 5 10 15

20

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

25

(301) INFORMATION FOR SEQ ID NO:301

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:301:

35

Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Ala Pro Gly Gln Glu  
 1 5 10 15

40

Lys Lys Gly Lys Ser Ser Thr Ser Asp Ser  
 20 25

(302) INFORMATION FOR SEQ ID NO:302

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:302:

50

55

Lys Lys Gly Lys Ser Ser Thr Ser Asp Ser  
20 25

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:303:

20 Gln Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Ala Pro Gly Lys Gly  
1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
25                      20                      25

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:304:

Gln Gln Gln Pro Glu Leu Lys Pro Gly Lys Gly Ala Pro Gly Lys Gly  
1 5 10 15

40            Lys Lys Asp Lys Ser Ser Thr Ser Glu Ser  
                       20                                  25

45 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:305:

Glu Gln Gln Pro Glu Ala Lys Pro Gly Lys Gly Thr His Gly Lys Gln  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Asp Ser  
 20 25

10 (306) INFORMATION FOR SEQ ID NO:306

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:306:

20 Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr His Gly Lys Glu  
 1 5 10 15

Lys Lys Asp Lys Ser Ser Thr Ser Asp Ser  
 20 25

25 (307) INFORMATION FOR SEQ ID NO:307

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:307:

Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Ala Pro Gly Gln Gly  
 1 5 10 15

40 Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(308) INFORMATION FOR SEQ ID NO:308

45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:308:

55

5 Gln Gln Gln Ala Glu Leu Lys Pro Gly Arg Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

10 (309) INFORMATION FOR SEQ ID NO:309

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 15 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:309:

20 Glu Gln Gln Ala Glu Leu Arg Ala Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

25 Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(310) INFORMATION FOR SEQ ID NO:310

(i) SEQUENCE CHARACTERISTICS:  
 30 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:310:

Glu Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

40 Lys Lys Gly Thr Ser Ser Thr Ser Glu Ser  
 20 25

(311) INFORMATION FOR SEQ ID NO:311

45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:311:

55

Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Thr Pro Gly His Glu  
 1 5 10 15

Lys Lys Gly Thr Ser Ser Thr Ser Glu Ser  
 20 25

10 (312) INFORMATION FOR SEQ ID NO:312

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:312:

Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly His Glu  
 1 5 10 15

Lys Lys Gly Thr Ser Ser Thr Ser Glu Ser  
 20 25

(313) INFORMATION FOR SEQ ID NO:313

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:313:

Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Thr Pro Gly His Glu  
 1 5 10 15

Asn Lys Gly Thr Ser Ser Thr Ser Glu Ser  
 20 25

(314) INFORMATION FOR SEQ ID NO:314

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:314:

Gln Gln Gln Ala Glu Val Arg Pro Gly Lys Gly Thr Pro Gly His Glu  
 1 5 10 15

Lys Lys Gly Thr Ser Ser Thr Ser Glu Ser  
 20 25

(315) INFORMATION FOR SEQ ID NO:315

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:315:

Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly His Glu  
 1 5 10 15

Asn Lys Gly Thr Ser Ser Thr Ser Glu Ser  
 20 25

(316) INFORMATION FOR SEQ ID NO:316

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:316:

Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Thr Pro Gly Gln Gln  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Ala Ser Glu Ser  
 20 25

(317) INFORMATION FOR SEQ ID NO:317

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:317:

His Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(318) INFORMATION FOR SEQ ID NO:318

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:318:

Glu Gln Gln Val Glu Leu Arg Ala Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(319) INFORMATION FOR SEQ ID NO:319

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:319:

Glu Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Gln Gly Thr Ser Ser Thr Ser Glu Ser  
 20 25

(320) INFORMATION FOR SEQ ID NO:320

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:320:

5      1                      5                      10                      15  
Glu Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Thr Pro Gly His Asp

Asn Lys Gly Thr Ser Ser Thr Ser Glu Ser  
20 25

10 (321) INFORMATION FOR SEQ ID NO:321

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:321:

20 Gln Gln Gln Ala Glu Val Arg Pro Gly Lys Gly Thr Pro Gly His Glu  
1 5 10 15

Lys Lys Gly Arg Ser Ser Thr Ser Glu Ser  
25                      20                      25

## (322) INFORMATION FOR SEQ ID NO:322

30 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:322:

Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Thr Pro Gly Gln Gln  
1 5 10 15

40 Lys Lys Asp Lys Ser Ser Thr Ser Glu Ser  
20 25

(323) INFORMATION FOR SEQ ID NO:323

45 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:323:



Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
 1 5 10 15

Lys Lys Asp Lys Ser Ser Thr Ser Glu Ser  
 20 25

10 (324) INFORMATION FOR SEQ ID NO:324

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:324:

20 Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
 1 5 10 15

Lys Lys Asp Lys Ser Ser Thr Ser Asp Ser  
 20 25

(325) INFORMATION FOR SEQ ID NO:325

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:325:

Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Ser Pro Gly Gln Gln  
 1 5 10 15

40 Lys Lys Asp Lys Ser Ser Thr Ser Glu Ser  
 20 25

(326) INFORMATION FOR SEQ ID NO:326

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:326:

5           Gln His Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
            1                      5                              10                              15

          Lys Lys Asn Lys Ser Ser Thr Ser Glu Ser  
                    20                              25

10   (327) INFORMATION FOR SEQ ID NO:327

          (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

15

          (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:327:

20           Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
            1                      5                              10                              15

          Asn Lys Asp Lys Ser Ser Thr Ser Glu Ser  
                    20                              25

25

(328) INFORMATION FOR SEQ ID NO:328

          (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

30

          (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:328:

35

          Glu Gln Gln Ala Glu Leu Arg Ala Gly Lys Gly Ile Pro Gly Gln Glu  
            1                      5                              10                              15

40           Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
            -   -   20                              25

(329) INFORMATION FOR SEQ ID NO:329

          (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

45

          (ii) MOLECULE TYPE: peptide

50

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:329:

55

5 Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Ser Lys Ser Ser Thr Ser Glu Ser  
 20 25

10 (330) INFORMATION FOR SEQ ID NO:330

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:330:

20 Gln Gln Gln Ser Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Ser Lys Ser Ser Thr Ser Glu Ser  
 25 20 25

(331) INFORMATION FOR SEQ ID NO:331

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:331:

Gln Gln Gln Thr Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

40 Lys Lys Ser Lys Ser Ser Thr Ser Glu Ser  
 20 25

(332) INFORMATION FOR SEQ ID NO:332

45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:332:

55

Glu Gln Gln Ala Glu Leu Arg Thr Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Arg Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

10 (333) INFORMATION FOR SEQ ID NO:333

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:333:

20 Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
 1 5 10 15

Lys Lys Asp Lys Ser Ser Thr Phe Glu Ser  
 20 25

25

(334) INFORMATION FOR SEQ ID NO:334

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:334:

35

Glu Gln Gln Ala Glu Leu Arg Pro Gly Thr Gly Ala Pro Gly Gln Glu  
 1 5 10 15

40 Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(335) INFORMATION FOR SEQ ID NO:335

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:335:

55

5           Gln Gln Gln Pro Glu Val Arg Pro Gly Lys Gly Thr His Ala Lys Gln  
            1                           5                           10                           15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
                  20                           25

10 (336) INFORMATION FOR SEQ ID NO:336

(i) SEQUENCE CHARACTERISTICS:  
      (A) LENGTH: 26 amino acids  
      (B) TYPE: amino acid  
15       (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:336:

20           Gln Gln Gln Pro Glu Val Arg Pro Gly Lys Asp Thr His Ala Lys Gln  
            1                           5                           10                           15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
25                    20                           25

(337) INFORMATION FOR SEQ ID NO:337

(i) SEQUENCE CHARACTERISTICS:  
      (A) LENGTH: 26 amino acids  
30       (B) TYPE: amino acid  
      (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:337:

35           Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Glu Gln Glu  
            1                           5                           10                           15

40           Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
                  20                           25

(338) INFORMATION FOR SEQ ID NO:338

(i) SEQUENCE CHARACTERISTICS:  
45       (A) LENGTH: 26 amino acids  
      (B) TYPE: amino acid  
      (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:338:

55

10 (339) INFORMATION FOR SEQ ID NO:339

15

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:339:

Lys Lys Ser Lys Pro Ser Thr Ser Glu Ser  
25                      20                      25

30

35

Gln Gln Gln Ser Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Arg Glu  
1 5 10 15

40 Lys Lys Ser Lys Pro Ser Thr Ser Glu Ser  
20 25

45

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:341:

Gln Gln Arg Ala Glu Leu Lys Pro Gly Lys Asp Thr Pro Gly Arg Glu  
 1 5 10 15

5

Lys Lys Asn Lys Pro Ser Thr Ser Glu Ser  
 20 25

(342) INFORMATION FOR SEQ ID NO:342

10

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:342:

20

Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Arg Glu  
 1 5 10 15

Lys Lys Ser Thr Ser Ser Thr Ser Glu Ser  
 20 25

25

(343) INFORMATION FOR SEQ ID NO:343

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:343:

35

Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

40

Lys Lys Ser Thr Ser Ser Thr Ser Asp Ser  
 20 25

(344) INFORMATION FOR SEQ ID NO:344

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:344:

50

55

5           Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Thr Pro Ile Gln Gln  
            1                           5                           10                           15

Lys Lys Asp Lys Ser Ser Thr Ser Glu Ser  
                         20                           25

10 (345) INFORMATION FOR SEQ ID NO:345

(i) SEQUENCE CHARACTERISTICS:  
      (A) LENGTH: 26 amino acids  
      (B) TYPE: amino acid  
      (C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:345:

20       Gln Gln Gln Ala Glu Phe Lys Pro Gly Lys Gly Thr Pro Gly Arg Glu  
         1                           5                           10                           15

His Arg Ser Lys Pro Ser Thr Ser Glu Ser  
                         20                           25

25

(346) INFORMATION FOR SEQ ID NO:346

(i) SEQUENCE CHARACTERISTICS:  
      (A) LENGTH: 26 amino acids  
      (B) TYPE: amino acid  
      (C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:346:

35

Gln Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Ala Leu Gly Gln Glu  
  1                           5                           10                           15

40       Lys Lys Gly Lys Ser Ser Thr Ser Asp Ser  
         -           20                           25

(347) INFORMATION FOR SEQ ID NO:347

(i) SEQUENCE CHARACTERISTICS:  
      (A) LENGTH: 26 amino acids  
      (B) TYPE: amino acid  
      (C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:347:

55



Gln Gln Gln Pro Glu Val Lys Pro Gly Lys Gly Ala Pro Gly Lys Gly  
 1 5 10 15

Asn Thr Asp Lys Ser Ser Thr Ser Glu Ser  
 20 25

10 (348) INFORMATION FOR SEQ ID NO:348

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:348:

20 Glu Gln Gln Ala Glu Val Arg Ala Gly Lys Gly Ser Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(349) INFORMATION FOR SEQ ID NO:349

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:349:

Gln Gln Leu Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly His Glu  
 1 5 10 15

Lys Lys Gly Ile Ser Ser Thr Ser Glu Ser  
 20 25

(350) INFORMATION FOR SEQ ID NO:350

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:350:

10 (351) INFORMATION FOR SEQ ID NO:351

- 15

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:351:

Asn Lys Gly Lys Ser Ser Thr Ser Glu Ser  
25                      20                      25

30

- 35

- 40

(353) INFORMATION FOR SEQ ID NO:353

- 45

- 50

- 55

Gln His Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly His Glu  
 1 5 10 15

Asn Lys Val Thr Ser Ser Thr Ser Glu Ser  
 20 25

(354) INFORMATION FOR SEQ ID NO:354

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:354:

Glu Gln Gln Ala Glu Leu Arg Ala Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Gln Lys Ala Lys Ser Ser Thr Ser Glu Ser  
 20 25

(355) INFORMATION FOR SEQ ID NO:355

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:355:

Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
 1 5 10 15

Lys Thr Gly Thr Ser Ser Thr Thr Glu Ser  
 20 25

(356) INFORMATION FOR SEQ ID NO:356

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:356:

5           Gln Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Asn Pro Gly Gln Glu  
            1                           5                           10                           15

Lys Lys Ser Thr Ser Ser Ala Ser Glu Ser  
                          20                           25

10 (357) INFORMATION FOR SEQ ID NO:357

(i) SEQUENCE CHARACTERISTICS:  
      (A) LENGTH: 26 amino acids  
      (B) TYPE: amino acid  
15       (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:357:

20           Glu Gln Gln Thr Val Leu Arg Pro Gly Lys Gly Thr Pro Gly Gln Gln  
            1                           5                           10                           15

25           Lys Lys Gly Thr Ser Ala Thr Asn Glu Ser  
                          20                           25

(358) INFORMATION FOR SEQ ID NO:358

(i) SEQUENCE CHARACTERISTICS:  
      (A) LENGTH: 26 amino acids  
30       (B) TYPE: amino acid  
      (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:358:

Gln Gln Leu Thr Glu Leu Lys Pro Gly Asn Gly Thr Pro Gly Gln Glu  
1                           5                           10                           15

40           Lys Lys Ser Lys Ser Ser Thr Ser Glu Ser  
                          20                           25

(359) INFORMATION FOR SEQ ID NO:359

(i) SEQUENCE CHARACTERISTICS:  
      (A) LENGTH: 26 amino acids  
45       (B) TYPE: amino acid  
      (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:359:

Gln Gln Gln Ser Val Leu Arg Pro Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Thr Ser Ser Thr Ser Lys Ser  
 20 25

(360) INFORMATION FOR SEQ ID NO:360

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:360:

Leu Gln Gln Pro Val Leu Lys Pro Gly Lys Gly Ser His Gly Lys Gln  
 1 5 10 15

Lys Lys Asp Lys Ser Ser Thr Ser Glu Ser  
 20 25

(361) INFORMATION FOR SEQ ID NO:361

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:361:

Glu Gln Gln Pro Glu Thr Lys Pro Gly Lys Gly Thr Leu Gly Lys Gln  
 1 5 10 15

Lys Lys Ser Lys Ser Ser Thr Ser Glu Ser  
 20 25

(362) INFORMATION FOR SEQ ID NO:362

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:362:

5 Gln Gln Gln Ala Glu Leu Lys Pro Gly Gln Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Asn Lys Ser Ser Thr Pro Glu Phe  
 20 25

10 (363) INFORMATION FOR SEQ ID NO:363

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:363:

20 Glu Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Asn Pro Glu Gln Pro  
 1 5 10 15

Lys Gln Gly Thr Ser Ser Thr Ser Glu Thr  
 20 25

25 (364) INFORMATION FOR SEQ ID NO:364

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:364:

Glu Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Asn Pro Glu Gln Pro  
 1 5 10 15

40 Lys Gln Gly Thr Ser Thr Thr Ser Glu Thr  
 20 25

(365) INFORMATION FOR SEQ ID NO:365

- 45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:365:

55

Glu Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Asn Pro Glu Gln Pro  
 1 5 10 15

Lys Gln Gly Thr Ser Ser Thr Ser Glu Thr  
 20 25

10 (366) INFORMATION FOR SEQ ID NO:366

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:366:

20 Glu Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Asn Pro Glu Gln Pro  
 1 5 10 15

Lys Gln Asp Thr Ser Ser Thr Ser Glu Thr  
 20 25

25

(367) INFORMATION FOR SEQ ID NO:367

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:367:

35

Glu Gln Gln Ala Glu Leu Lys Pro Gly Lys Gly Asn Pro Glu Gln Pro  
 1 5 10 15

Lys Gln Gly Thr Ser Ser Thr Ser Gly Thr  
 20 25

40

(368) INFORMATION FOR SEQ ID NO:368

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:368:

55

10 (369) INFORMATION FOR SEQ ID NO:369

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:369:

Lys Gln Val Thr Ser Ser Thr Ser Glu Thr  
20 25

(370) INFORMATION FOR SEQ ID NO:370

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:370:

Lys Gln Ile Thr Ser Ser Thr Ser Glu Thr  
20 25

(371) INFORMATION FOR SEQ ID NO:371

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:371:



Glu Gln Gln Ala Glu Leu Arg Pro Gly Arg Gly Asn Pro Glu Gln Pro  
 1 5 10 15

Lys Gln Val Thr Ser Ser Thr Ser Glu Thr  
 20 25

(372) INFORMATION FOR SEQ ID NO:372

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:372:

Glu Gln Gln Ala Glu Leu Arg Pro Gly Arg Gly Asn Pro Glu Gln Pro  
 1 5 10 15

Lys His Val Thr Ser Ser Thr Ser Glu Thr  
 20 25

(373) INFORMATION FOR SEQ ID NO:373

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:373:

Glu Gln Gln Ala Glu Leu Arg Pro Gly Lys Gly Asn Thr Glu Gln Pro  
 1 5 10 15

Lys Gln Val Thr Ser Ser Thr Ser Glu Thr  
 20 25

(374) INFORMATION FOR SEQ ID NO:374

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:374:

10 (375) INFORMATION FOR SEQ ID NO:375

15 (C). TOPOLOGY: lineal  
(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:375:

Lys Lys Gly Lys Ser Ser Thr Ser Asp Arg  
20 25

(376) INFORMATION FOR SEQ ID NO:376

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:376:

40 Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
20 25

(377) INFORMATION FOR SEQ ID NO:377

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:377:

Gln Gln Gln Ala Val Leu Arg His Gly Lys Gly Thr His Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Thr Ser Glu Ser  
 20 25

(378) INFORMATION FOR SEQ ID NO:378

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:378:

Gln Gln Gln Thr Lys Leu Gly Pro Gly Arg Gly Thr Pro Gly Gln Gly  
 1 5 10 15

Arg Lys Gly Lys Ser Ser Thr Ser Gly Ser  
 20 25

(379) INFORMATION FOR SEQ ID NO:379

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:379:

Glu Gln Gln Ala Glu Leu Arg Ala Gly Lys Gly Thr Pro Gly Gln Glu  
 1 5 10 15

Lys Lys Gly Lys Ser Ser Val Tyr Phe Ala  
 20 25

(380) INFORMATION FOR SEQ ID NO:380

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:380:

10 (381) INFORMATION FOR SEQ ID NO:381

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:381:

Lys Lys Gly Arg Ser Ser Thr Ser Glu Ser  
20 25

- (382) INFORMATION FOR SEQ ID NO:382

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:382:

Lys Arg Gly Lys Ser Ser Asn Leu Arg Leu  
20 25

- (383) INFORMATION FOR SEQ ID NO:383

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:383:

Glu Lys Val Gly Gly Leu Gln Gly Ser Ser Phe Asp Pro Gly Lys Ala  
 1 5 10 15

Ser Lys Gly Thr Ser Gln Arg Ala Glu Thr  
 20 25

(384) INFORMATION FOR SEQ ID NO:384

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:384:

Glu Gln Gln Ala Asp Leu Lys Leu Gly Lys Gly Asn Pro Glu Gln Pro  
 1 5 10 15

Lys Leu Ala Thr Pro Ser Thr Ser Glu Thr  
 20 25

(385) INFORMATION FOR SEQ ID NO:385

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:385:

Glu Gln Val Gly Gly Leu Lys Pro Gly Lys Gly Thr Pro Asp Lys Ser  
 1 5 10 15

Asp Val Lys Asp Asn Ala Lys Ser Glu Thr  
 20 25

(386) INFORMATION FOR SEQ ID NO:386

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:386:



Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

Ser Lys Ser Thr Ser Lys Thr Thr Glu Thr  
 20 25

10 (390) INFORMATION FOR SEQ ID NO:390

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:390:

20 Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

Ser Lys Asn Thr Ser Lys Thr Thr Glu Thr  
 20 25

25 (391) INFORMATION FOR SEQ ID NO:391

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:391:

35 Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asp Pro  
 1 5 10 15

40 Ser Lys Thr Thr Ser Lys Thr Thr Glu Thr  
 20 25

(392) INFORMATION FOR SEQ ID NO:392

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

50 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:392:

55

Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

Ser Lys Thr Thr Ser Lys Thr Thr Glu Thr  
 20 25

5  
 10 (393) INFORMATION FOR SEQ ID NO:393

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:393:

20 Asp His Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

Ser Lys Asn Thr Ser Lys Thr Thr Glu Thr  
 20 25

25 (394) INFORMATION FOR SEQ ID NO:394

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:394:

Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

40 Ser Arg Ser Thr Ser Lys Thr Thr Glu Thr  
 - - 20 25

(395) INFORMATION FOR SEQ ID NO:395

- 45 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

50 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:395:

55



Asp Gln Gln Pro Gly Leu Lys Pro Ser Ala Gly Ser Pro Gly Asn Pro  
 1 5 10 15

5

Ser Lys Ser Thr Ser Lys Thr Ala Glu Thr  
 20 25

(396) INFORMATION FOR SEQ ID NO:396

10

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:396:

20

Glu Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

Ser Lys Ser Thr Ser Lys Thr Ser Glu Thr  
 20 25

25

(397) INFORMATION FOR SEQ ID NO:397

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:397:

35

Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

40

Ser Lys Asn Thr Ser Lys Thr Ile Glu Thr  
 20 25

(398) INFORMATION FOR SEQ ID NO:398

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

50

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:398:

55

Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asp Pro  
 1 5 10 15

Ser Lys Asn Thr Ser Lys Thr Pro Glu Thr  
 20 25

10 (399) INFORMATION FOR SEQ ID NO:399

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:399:

20 Glu Gln Gln Pro Ser Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

Ser Lys Ser Thr Ser Lys Thr Thr Glu Thr  
 20 25

25

(400) INFORMATION FOR SEQ ID NO:400

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:400:

35

Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
 1 5 10 15

40 Ser Lys Asn Thr Ser Glu Thr Thr Glu Thr  
 20 25

(401) INFORMATION FOR SEQ ID NO:401

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

45

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:401:

50

55

5           Asp Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
            1                           5                           10                           15

          Ser Lys Asn Thr Ser Glu Thr Thr Glx Thr  
                          20                           25

10   (402) INFORMATION FOR SEQ ID NO:402

          (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

15

          (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:402:

20           Glu Gln Gln Pro Ser Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
            1                           5                           10                           15

          Ser Lys Ser Thr Ser Lys Thr Ser Glu Thr  
                          20                           25

25

(403) INFORMATION FOR SEQ ID NO:403

          (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

30

          (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:403:

35

          Glu Gln Gln Pro Ser Leu Lys Pro Ser Ser Gly Ser Pro Gly Asn Pro  
            1                           5                           10                           15

40           Ser Lys Ser Thr Ser Arg Thr Thr Glu Thr  
                          20                           25

(404) INFORMATION FOR SEQ ID NO:404

          (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

45

          (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:404:

50

55



5

20

10

15

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:405:

20

20

25

30

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:406:

35

20

(407) INFORMATION FOR SEQ ID NO:407

45

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:407:



(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:411:

Gln Gln Lys Pro Gly Leu Ala Pro Ser Ser Gly Ser Pro Gly Lys Ser  
20           1                 5                                  10                              15

Thr Lys Ser Asn Ser Lys Gln Thr Asp Thr  
                20                                          25

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:412:

35 Gln Gln Lys Pro Gly Leu Ala Pro Ser Ser Gly Ser Pro Gly Lys Ser  
1 5 10 15

40 Ala Lys Ser Asn Ser Lys Gln Thr Asp Thr  
20 25

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:413:

Gln Gln Lys Pro Gly Leu Ala Pro Ser Ser Gly Ser Pro Gly Lys Ser  
1 5 10 15

5       Ala Met Ser Asn Ser Lys Gln Thr Asp Thr  
                  20                               25

(414) INFORMATION FOR SEQ ID NO:414

10       (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

15       (xi) SEQUENCE DESCRIPTION: SEQ ID NO:414:

Gln Gln Lys Pro Gly Leu Ala Pro Ser Ser Gly Ser Pro Gly Lys Ser  
  1                               5                               10                               15

20       Ala Ile Ser Asn Ser Lys Gln Thr Asp Thr  
                  20                               25

(415) INFORMATION FOR SEQ ID NO:415

25       (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

30       (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:415:

Gln Gln Lys Pro Gly Leu Gln Pro Ser Ser Gly Ser Pro Gly Lys Ala  
  1                               5                               10                               15

35       Ala Ile Ser Asn Ser Lys Gln Ser Asn Thr  
                  20                               25

(416) INFORMATION FOR SEQ ID NO:416

40       (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

45       (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:416:

50       Gln Gln Lys Pro Gly Leu Gln Pro Ser Ser Gly Ser Pro Gly Lys Ala  
          1                               5                               10                               15

Ala Ile Ser Asn Ser Lys Gln Ala Asn Thr  
                  20                               25

55



## (417) INFORMATION FOR SEQ ID NO:417

5

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

10

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:417:

15

Gln Gln Lys Pro Val Leu Ala Pro Ser Ser Gly Ser Pro Gly Lys Ser  
 1 5 10 15

Ala Met Ser Asn Ser Lys Gln Ile Asp Thr  
 20 25

20

## (418) INFORMATION FOR SEQ ID NO:418

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

25

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:418:

30

Gln Gln Lys Pro Ser Leu Gln Pro Ser Ser Asp Ser Pro Gly Lys Ala  
 1 5 10 15

35

Ala Met Ser Asn Ser Lys Gln Ala Asp Thr  
 20 25

## (419) INFORMATION FOR SEQ ID NO:419

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

40

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:419:

45

Glu Arg Val Gly Asp Leu Glu Pro Gly Arg Gly Ile Pro Gly Lys Ala  
 1 5 10 15

50

Pro Lys Gly Asp Ser Lys Lys Ile Glu Thr  
 20 25

## (420) INFORMATION FOR SEQ ID NO:420

55

5 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:420:

Glu Arg Val Gly Asp Leu Glu Pro Glu Arg Gly Ile Pro Gly Lys Ala  
1 5 10 15

15 Pro Lys Gly Asp Ser Lys Lys Ile Glu Thr  
20 25

(421) INFORMATION FOR SEQ ID NO:421

20 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

25 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:421:

30 Glu Gln Val Gly Gly Leu Lys Pro Gly Arg Gly Thr Pro Gly Lys Ala  
1 5 10 15

Pro Lys Gly Asp Ser Lys Lys Thr Glu Thr  
20 25

35 (422) INFORMATION FOR SEQ ID NO:422

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

40 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:422:

45 Glu Gln Val Gly Gly Leu Gln Pro Gly Lys Gly Thr Ser Gly Lys Ala  
1 5 10 15

Ser Lys Gly Asp Ser Lys Lys Thr Glu Thr  
20 25

50 (423) INFORMATION FOR SEQ ID NO:423

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids

55

(B) TYPE: amino acid  
(C) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:423:

10

Glu Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asx  
1 5 10 15

15

Ser Lys Gly Asp Ser Lys Arg Ala Glu Thr  
20 25

(424) INFORMATION FOR SEQ ID NO:424

20

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

25

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:424:

Glu Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
1 5 10 15

30

Ser Lys Gly Asn Ser Lys Arg Ala Glu Thr  
20 25

(425) INFORMATION FOR SEQ ID NO:425

35

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

40

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:425:

Glu Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
1 5 10 15

45

Ser Arg Gly Asn Ser Lys Arg Ala Glu Thr  
20 25

50

(426) INFORMATION FOR SEQ ID NO:426

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

55

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:426:

Glu Gln Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ser Lys Arg Ala Glu Thr  
 20 25

(427) INFORMATION FOR SEQ ID NO:427

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:427:

Glu Gln Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Lys Arg Ala Glu Thr  
 20 25

(428) INFORMATION FOR SEQ ID NO:428

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:428:

Glu Gln Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
 1 5 10 15

Ser Lys Gly Asp Ser Arg Arg Ala Glu Thr  
 20 25

(429) INFORMATION FOR SEQ ID NO:429

(i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:429:

5    Glu Gln Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
      1                                5                                10                                15

     Ser Lys Gly Asn Ser Arg Arg Ala Glu Thr  
      20                                25

## (430) INFORMATION FOR SEQ ID NO:430

## (i) SEQUENCE CHARACTERISTICS:

- 15                (A) LENGTH: 26 amino acids  
                  (B) TYPE: amino acid  
                  (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## 20                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:430:

     Glu Gln Val Gly Gly Leu Glu Pro Gly Arg Gly Thr Pro Gly Lys Asp  
      1                                5                                10                                15

25    Ser Lys Gly Asx Ser Lys Arg Ala Glu Thr  
      20                                25

## (431) INFORMATION FOR SEQ ID NO:431

## 30                (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids  
                  (B) TYPE: amino acid  
                  (C) TOPOLOGY: linear

## 35                (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:431:

40    Glu Gln Leu Gly Asp Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Ala  
      1                                5                                10                                15

     Ser Lys Gly Asn Ser Lys Arg Ala Glu Thr  
      20                                25

## 45                (432) INFORMATION FOR SEQ ID NO:432

## (i) SEQUENCE CHARACTERISTICS:

- 50                (A) LENGTH: 26 amino acids  
                  (B) TYPE: amino acid  
                  (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:432:

55

Glu Gln Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Thr Gly Lys Asp  
1                5                          10                              15

Ser Lys Gly Asp Ser Lys Arg Ala Glu Thr  
20 25

10 (433) INFORMATION FOR SEQ ID NO:433

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:433:

20      Gln Gln Val Gly Gly Val Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
          1                  5                  10                  15

Ser Lys Gly Asn Ser Lys Arg Ala Glu Thr  
25                      20                      25

(434) INFORMATION FOR SEQ ID NO:434

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:434:

Gln Gln Val Gly Gly Val Gln Pro Gly Arg Gly Ile Pro Gly Lys Asp  
1 5 10 15

40 Ser Lys Gly Asn Ser Lys Arg Pro Glu Thr  
20 25

(435) INFORMATION FOR SEQ ID NO:435

45 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:435:

Ser Lys Gly Asp Ser Lys Arg Pro Glu Thr  
20 25

## (436) INFORMATION FOR SEQ ID NO:436

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:436:

Gln Gln Val Gly Gly Val Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
1 5 10 15

Ser Asn Gly Asp Ser Lys Arg Pro Glu Thr  
20 25

## (437) INFORMATION FOR SEQ ID NO:437

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:437:

Gln Lys Val Gly Gly Val Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
1 5 10 15

Ser Lys Gly Asn Ser Lys Arg Thr Glu Thr  
20 25

## (438) INFORMATION FOR SEQ ID NO:438

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:438:

Gln Glu Val Gly Gly Val Glx Pro Gly Arg Gly Thr Pro Gly Lys Asx  
1 5 10 15

5 Ser Lys Gly Asx Ser Lys Arg Ala Glu Thr  
20 25

(439) INFORMATION FOR SEQ ID NO:439

10 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

15 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:439:

Glu Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
1 5 10 15

20 Ser Asn Gly Asp Ser Lys Gln Ala Glx Thr  
20 25

(440) INFORMATION FOR SEQ ID NO:440

25 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:440:

35 Glu Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Ser Pro Gly Lys Asp  
1 5 10 15

Thr Asn Gly Asp Ser Lys Glu Ala Glx Thr  
20 25

40 (441) INFORMATION FOR SEQ ID NO:441

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:441:

50 Ala Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
1 5 10 15

55 Ser Asn Gly Asp Ser Lys Gln Ala Glx Ser  
20 25



## (442) INFORMATION FOR SEQ ID NO:442

5

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

10

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:442:

15

Glu Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Val  
 1 5 10 15

Ser Gln Gly Asp Ser Lys Gln Ala Glx Thr  
 20 25

20

## (443) INFORMATION FOR SEQ ID NO:443

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

25

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:443:

30

Glu Gln Val Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Val  
 1 5 10 15

35

Ser Gln Gly Asp Ser Lys Glu Pro Glx Thr  
 20 25

## (444) INFORMATION FOR SEQ ID NO:444

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

40

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:444:

45

Glu Gln Leu Gly Gly Leu Gln Pro Glu Arg Gly Thr Pro Gly Lys Glu  
 1 5 10 15

50

Ser Lys Gly Asn Ser Met Arg Ala Glu Thr  
 20 25

## (445) INFORMATION FOR SEQ ID NO:445

55

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:445:

Glu Gln Val Gly Asp Leu Gln Pro Gly Arg Gly Asx Pro Gly Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Lys Arg Val Glu Thr  
 20 25

## (446) INFORMATION FOR SEQ ID NO:446

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:446:

Glu Gln Val Gly Asp Leu Gln Pro Gly Arg Gly Asn Pro Gly Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ala Gln Arg Pro Glu Thr  
 20 25

## (447) INFORMATION FOR SEQ ID NO:447

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:447:

Gln Gln Val Gly Gly Val Gln Pro Gly Arg Gly Thr Leu Gly Lys Asp  
 1 5 10 15

Ser Lys Gly Asn Ser Lys Arg Ala Glu Thr  
 20 25

## (448) INFORMATION FOR SEQ ID NO:448

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids

(B) TYPE: amino acid  
(C) TOPOLOGY: linear

5

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:448:

10 Gln Glx Val Gly Gly Ala Glx Pro Gly Arg Gly Ser Pro Gly Lys Ala  
1 5 10 15

15 Ser Lys Gly Asx Ser Lys Arg Ala Glu Thr  
20 25

(449) INFORMATION FOR SEQ ID NO:449

(i) SEQUENCE CHARACTERISTICS:

20 (A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:449:

Gln Gln Val Gly Gly Leu Lys Pro Gly Arg Gly Ser Pro Gly Lys Asp  
1 5 10 15

30 Ser Lys Gly Asn Ala Gln Arg Thr Glx Thr  
20 25

(450) INFORMATION FOR SEQ ID NO:450

35 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

40 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:450:

45 Asp Gln Val Gly Gly Leu Lys Pro Gly Arg Gly Thr Pro Gly Lys Asn  
1 5 10 15

Ser Asn Gly Asp Ser Lys Thr Pro Glx Thr  
20 25

50 (451) INFORMATION FOR SEQ ID NO:451

(i) SEQUENCE CHARACTERISTICS:

55 (A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:451:

Glu Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Thr Ser Arg Glu Asp  
1 5 10 15

10 Ser Lys Gly Asn Ser Lys Arg Ala Glu Thr  
20 25

(452) INFORMATION FOR SEQ ID NO:452

15 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:452:

Glu Gln Val Gly Ala Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Asp  
1 5 10 15

25 Ser Gln Ala Asp Ser Lys Glu Ala Glx Thr  
20 25

30 (453) INFORMATION FOR SEQ ID NO:453

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 22 amino acids  
(B) TYPE: amino acid  
35 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:453:

40 Glu Gln Leu Gly Gly Leu Gln Pro Gly Arg Gly Thr Pro Gly Lys Val  
1 - - 5 10 15

45 Glu Gly Ser Val Glu Thr  
20

(454) INFORMATION FOR SEQ ID NO:454

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
50 (B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

55

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:454:

5    Glu Gln Val Gly Ala Phe Gln Pro Gly Arg Gly Asn Ser Gly Lys Ala  
      1                                5                                10                                15

     Ser Lys Gly Asp Ser Lys Arg Pro Asp Thr  
      20                                25

## (455) INFORMATION FOR SEQ ID NO:455

## (i) SEQUENCE CHARACTERISTICS:

- 15                (A) LENGTH: 26 amino acids  
                  (B) TYPE: amino acid  
                  (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## 20                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:455:

     Glu Gln Val Gly Ala Phe Gln Pro Gly Lys Gly Asn Ser Gly Lys Ala  
      1                                5                                10                                15

25    Ser Lys Gly Asp Ser Lys Arg Pro Asp Thr  
      20                                25

## (456) INFORMATION FOR SEQ ID NO:456

## 30                (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids  
                  (B) TYPE: amino acid  
                  (C) TOPOLOGY: linear

## 35                (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:456:

40    Glu Gln Val Gly Ala Phe Gln Pro Gly Lys Gly Asn Ser Gly Lys Ala  
      1                                5                                10                                15

     Ser Lys Gly Asp Ser Asn Arg Pro Asp Thr  
      20                                25

## 45                (457) INFORMATION FOR SEQ ID NO:457

## (i) SEQUENCE CHARACTERISTICS:

- 50                (A) LENGTH: 26 amino acids  
                  (B) TYPE: amino acid  
                  (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:457:

55

Gln Gln Val Gly Gly Val Gln Ala Gly Arg Ala Asn Pro Gly Lys Asp  
 1 5 10 15

Ser Arg Gly Ile Ser Lys Arg Thr Glu Thr  
 20 25

(458) INFORMATION FOR SEQ ID NO:458

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:458:

Gln Gln Val Ala Glu Val Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
 1 5 10 15

Lys Gln Gly Glu Ser Thr Arg Ser Glu Thr  
 20 25

(459) INFORMATION FOR SEQ ID NO:459

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:459:

Gln Gln Val Ala Glu Val Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
 1 5 10 15

Lys Gln Gly Thr Ser Thr Arg Ser Glu Thr  
 20 25

(460) INFORMATION FOR SEQ ID NO:460

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:460:

5           Gln Gln Val Ala Glu Val Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
            1                      5                      10                      15

          Lys Gln Gly Thr Ser Ala Arg Ser Glu Thr  
                    20                      25

(461) INFORMATION FOR SEQ ID NO:461

10

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

15

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:461:

20           Gln Gln Val Ala Glu Val Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
            1                      5                      10                      15

          Lys Gln Gly Thr Ser Ile Arg Ser Asp Thr  
                    20                      25

25

(462) INFORMATION FOR SEQ ID NO:462

30

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:462:

35

          Gln Gln Val Ala Glu Val Lys Pro Gly Lys Gly Thr Pro Gly Gln Glu  
            1                      5                      10                      15

40

          Lys Gln Gly Thr Ser Ile Arg Ser Asp Thr  
                    20                      25

(463) INFORMATION FOR SEQ ID NO:463

45

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide

50

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:463:

          Gln Gln Val Ala Glu Val Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
            1                      5                      10                      15

55

Asn Gln Gly Thr Ser Thr Arg Ser Asp Thr  
                   20                  25

5 (464) INFORMATION FOR SEQ ID NO:464

(i) SEQUENCE CHARACTERISTICS:  
       (A) LENGTH: 26 amino acids  
       (B) TYPE: amino acid  
       (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:464:

15 Gln Gln Val Gly Glu Val Lys Pro Gly Arg Gly Thr Pro Gly Gln Gln  
       1                  5                  10                  15

20 Lys Gln Asp Thr Ser Thr Arg Ser Asp Thr  
                   20                  25

(465) INFORMATION FOR SEQ ID NO:465

(i) SEQUENCE CHARACTERISTICS:  
       (A) LENGTH: 26 amino acids  
       (B) TYPE: amino acid  
       (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:465:

30 Gln Gln Val Ala Glu Val Lys Pro Gly Arg Gly Thr Pro Gly His Pro  
       1                  5                  10                  15

35 Arg Gln Gly Ala Ser Phe Arg Ser Asp Ser  
                   20                  25

(466) INFORMATION FOR SEQ ID NO:466

40 (i) SEQUENCE CHARACTERISTICS:  
       (A) LENGTH: 26 amino acids  
       (B) TYPE: amino acid  
       (C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:466:

50 Gln Gln Val Ser Glu Leu Lys Pro Gly Lys Gly Thr Pro Gly Gln Gln  
       1                  5                  10                  15

Gly Thr Gly Thr Ser Val Lys Ala Glu Thr  
                   20                  25

55



## (467) INFORMATION FOR SEQ ID NO:467

## 5 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## 10 (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:467:

15 Glu Gln Val Ala Glu Val Lys Pro Gly Lys Gly Ser Pro Gly Lys Pro  
 1 5 10 15

Ser Gln Gly Lys Ser Ile Lys Ala Ser Thr  
 20 25

## 20 (468) INFORMATION FOR SEQ ID NO:468

## 25 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:468:

30 Glu Gln Val Ala Glu Val Lys Pro Gly Arg Gly Ser Pro Gly Lys Pro  
 1 5 10 15

Ser Gln Gly Lys Ser Ile Lys Ala Ser Thr  
 35 20 25

## (469) INFORMATION FOR SEQ ID NO:469

## 40 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## 45 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:469:

Gln Gln Val Ala Glu Val Lys Pro Gly Arg Gly Asp Pro Gly Arg Pro  
 1 5 10 15

Arg Gln Ala Ser Ser Thr Ile Ser Ala Thr  
 50 20 25

## (470) INFORMATION FOR SEQ ID NO:470

55

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:470:

Glu Gln Val Ala Glu Val Pro Gln Gly Lys Gly Arg Pro Gly Lys Ser  
 1 5 10 15

Leu Gln Gly Lys Ser Leu Lys Ala Ser Thr  
 20 25

## (471) INFORMATION FOR SEQ ID NO:471

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:471:

Gln Gln Met Ala Glu Val Lys Pro Gly Arg Gly Thr Pro Gly Lys Pro  
 1 5 10 15

Gly Val Val Pro Ser Phe Phe Ser Glu Thr  
 20 25

## (472) INFORMATION FOR SEQ ID NO:472

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:472:

Gln Gln Val Ala Glu Val Lys Pro Gly Arg Gly Thr Pro Gly Arg Tyr  
 1 5 10 15

Ile Trp Glu Pro Ser Phe Phe Asn Glu Gly  
 20 25

## (473) INFORMATION FOR SEQ ID NO:473

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:473:

10 Gln Gln Gln Ala Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Lys Pro  
1 5 10 15

15 Ser Lys Ser Thr Ser Lys Thr Ala Ala Thr  
20 25

(474) INFORMATION FOR SEQ ID NO:474

(i) SEQUENCE CHARACTERISTICS:

20 (A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:474:

25 Gln Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Lys Pro  
1 5 10 15

30 Ser Lys Ser Thr Ser Lys Thr Ala Ala Thr  
20 25

(475) INFORMATION FOR SEQ ID NO:475

(i) SEQUENCE CHARACTERISTICS:

35 (A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:475:

40 Gln Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Lys Pro  
1 5 10 15

45 Ser Lys Ser Thr Ser Asn Thr Ala Ala Thr  
20 25

(476) INFORMATION FOR SEQ ID NO:476

(i) SEQUENCE CHARACTERISTICS:

50 (A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

55

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:476:

Gln Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Ala Gly Lys Pro  
 1 5 10 15

Ser Lys Ser Thr Ser Lys Thr Ala Ala Thr  
 20 25

(477) INFORMATION FOR SEQ ID NO:477

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:477:

Arg Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Pro Pro Gly Lys Pro  
 1 5 10 15

Ser Arg Gly Thr Ser Arg Ser Ala Ala Thr  
 20 25

(478) INFORMATION FOR SEQ ID NO:478

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:478:

Gln Gln Gln Ala Gly Leu Lys Pro Ser Ser Gly Ser Pro Gly Arg Thr  
 1 - - 5 10 15

Ser Lys Ser Thr Ser Lys Thr Ala Ala Thr  
 20 25

(479) INFORMATION FOR SEQ ID NO:479

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:479:

5 Gln Gln Glu Pro Gly Leu Arg Pro Ser Ser Gly Thr Pro Gly Arg Thr  
 1 5 10 15

Pro Arg Ser Thr Ser Lys Thr Ala Ala Thr  
 10 20 25

## (480) INFORMATION FOR SEQ ID NO:480

## (i) SEQUENCE CHARACTERISTICS:

15 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:480:

Xaa Gln Glu Pro Gly Leu Arg Pro Ser Ser Gly Ser Pro Gly Arg Thr  
 1 5 10 15

25 Pro Arg Ser Thr Ser Lys Thr Ala Ala Thr  
 20 25

## (481) INFORMATION FOR SEQ ID NO:481

## 30 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## 35 (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:481:

40 Gln Gln Gln Pro Gly Leu Lys Pro Ser Ser Gly Ser Pro Ser Arg Val  
 1 5 10 15

Ser Lys Ser Thr Ser Lys Thr Pro Glu Thr  
 20 25

## 45 (482) INFORMATION FOR SEQ ID NO:482

## (i) SEQUENCE CHARACTERISTICS:

50 (A) LENGTH: 26 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:482:

55

5           Gln His Gln Ala Gly Leu Lys Arg Ser Ser Gly Pro Pro Gly Lys Pro  
            1                           5                           10                           15

          Ser Thr Ser Thr Ser Lys Thr Ala Ala Thr  
                          20                           25

10       (483) INFORMATION FOR SEQ ID NO:483

          (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
15           (C) TOPOLOGY: linear

          (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:483:

20       Glx Gln Glu Ser Gly Leu Lys Pro Thr Ser Gly Ser Pro Gly Lys Pro  
          1                           5                           10                           15

          Ser Lys Ser Arg Ser Lys Ala Ala Asp Ala  
25                           20                           25

(484) INFORMATION FOR SEQ ID NO:484

          (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
30           (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

          (ii) MOLECULE TYPE: peptide

35       (xi) SEQUENCE DESCRIPTION: SEQ ID NO:484:

          Gln Thr Lys Pro Thr Leu Lys Pro Thr Thr Gly Ser Pro Gly Arg Pro  
          1                           5                           10                           15

40       Ser Lys Ser Thr Ser Lys Asp Pro Val Thr  
          -   -   20                           25

(485) INFORMATION FOR SEQ ID NO:485

45       (i) SEQUENCE CHARACTERISTICS:  
              (A) LENGTH: 26 amino acids  
              (B) TYPE: amino acid  
              (C) TOPOLOGY: linear

50       (ii) MOLECULE TYPE: peptide

          (xi) SEQUENCE DESCRIPTION: SEQ ID NO:485:

55

5 Gln Thr Lys Pro Thr Leu Lys Pro Thr Thr Gly Ser Pro Gly Lys Pro  
1 5 10 15

Ser Arg Ser Thr Ser Arg Asp Pro Val Ser  
20 25

10 (486) INFORMATION FOR SEQ ID NO:486

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

15 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:486:

20 Glu Thr Arg Pro Ala Leu Lys Pro Thr Thr Gly Ser Pro Gly Lys Thr  
1 5 10 15

Ser Lys Thr Thr Ser Lys Asp Pro Val Thr  
20 25

25 (487) INFORMATION FOR SEQ ID NO:487

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:487:

35 Gln Asn Arg Pro Ala Leu Lys Ala Thr Thr Gly Ser Pro Gly Lys Thr  
1 5 10 15

40 Ser Glu Thr Thr Ser Lys Asp Pro Ala Thr  
20 25

(488) INFORMATION FOR SEQ ID NO:488

(i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:488:

50 Gln Thr Thr Pro Ala Leu Lys Pro Lys Thr Gly Ser Pro Gly Lys Thr  
1 5 10 15

55

5 Ser Arg Thr Asp Ser Lys Asn Pro Val Thr  
20 25

(489) INFORMATION FOR SEQ ID NO:489

10 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

15 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:489:

Gln Thr Arg Pro Ala Leu Arg Pro Thr Thr Gly Ser Pro Gly Glu Ala  
1 5 10 15

20 Ser Glu Thr Thr Ser Lys Gly Pro Gly Thr  
20 25

(490) INFORMATION FOR SEQ ID NO:490

25 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:490:

Gln Thr Arg Pro Ala Leu Lys Pro Thr Thr Gly Ser Pro Gly Lys Thr  
1 5 10 15

35 Ser Glu Thr Thr Ser Arg Asp Thr Ala Tyr  
20 25

(491) INFORMATION FOR SEQ ID NO:491

40 (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

45 (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:491:

50 Leu Glu Gly Val Gln Leu Trp Gly Gly Arg Gly Ile Ser Arg Lys Tyr  
1 5 10 15

Ala Lys Gly Asn Gly Lys Arg Glu Asp Ser  
20 25

55



## (492) INFORMATION FOR SEQ ID NO:492

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 10 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:492:

Tyr Asn Asn Pro Gly Asn Gly Tyr Ile Ala  
1 5 10

## (493) INFORMATION FOR SEQ ID NO:493

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 10 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:493:

Tyr Ile Asn Pro Gly Lys Gly Tyr Leu Ser  
1 5 10

## (494) INFORMATION FOR SEQ ID NO:494

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 11 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:494:

Arg Ala Ser Gln Glu Ile Ser Gly Tyr Leu Ser  
1 5 10

## (495) INFORMATION FOR SEQ ID NO:495

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 11 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:495:

Arg Ala Ser Gly Asn Ile His Asn Tyr Leu Ala  
1 5 10

## (496) INFORMATION FOR SEQ ID NO:496

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 11 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:496:

Arg Ala Ser Gln Asp Ile Asn Asn Phe Leu Asn  
 1 5 10

## (497) INFORMATION FOR SEQ ID NO:497

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 11 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:497:

Arg Ala Ser Gln Ser Ile Gly Asn Asn Leu His  
 1 5 10

## (498) INFORMATION FOR SEQ ID NO:498

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 7 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:498:

Ala Ala Ser Thr Leu Asp Ser  
 1 5

## (499) INFORMATION FOR SEQ ID NO:499

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 7 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:499:

Tyr Thr Thr Thr Leu Ala Asp  
 1 5

## (500) INFORMATION FOR SEQ ID NO:500

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 7 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:500:

Phe Thr Ser Arg Ser Gln Ser  
1 5

## (501) INFORMATION FOR SEQ ID NO:501

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 7 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:501:

Lys Ala Ser Ser Leu Glu Ser  
1 5

## (502) INFORMATION FOR SEQ ID NO:502

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 9 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:502:

Leu Gln Tyr Leu Ser Tyr Pro Leu Thr  
1 5

## (503) INFORMATION FOR SEQ ID NO:503

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 9 amino acids  
(B) TYPE: amino acid  
(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:503:

Gln His Phe Trp Ser Thr Pro Arg Thr  
1 5

## (504) INFORMATION FOR SEQ ID NO:504

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 9 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:504:

Gln Gln Gly Asn Ala Leu Pro Arg Thr  
1 5

## (505) INFORMATION FOR SEQ ID NO:505

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 7 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:505:

Gln Gln Tyr Asn Ser Tyr Ser  
1 5

## (506) INFORMATION FOR SEQ ID NO:506

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 5 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:506:

Thr Phe Gly Ile Thr  
1 5

## (507) INFORMATION FOR SEQ ID NO:507

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 5 amino acids

(B) TYPE: amino acid

(C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:507:

Gly Tyr Gly Val Asn  
1 5

## (508) INFORMATION FOR SEQ ID NO:508

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:508:

Ser Asn Gly Ile Asn  
 1 5

## (509) INFORMATION FOR SEQ ID NO:509

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:509:

Asp Tyr Ala Met His  
 1 5

## (510) INFORMATION FOR SEQ ID NO:510

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 10 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:510:

Glu Ile Phe Pro Gly Asn Ser Lys Thr Tyr  
 1 5 10

## (511) INFORMATION FOR SEQ ID NO:511

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 9 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:511:

Met Ile Trp Gly Asp Gly Asn Thr Asp  
 1 5

## (512) INFORMATION FOR SEQ ID NO:512

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 10 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:512:

Tyr Asn Asn Pro Gly Asn Gly Tyr Ile Ala  
 1 5 10

## (513) INFORMATION FOR SEQ ID NO:513

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 9 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:513:

Ile Ser Trp Asp Ser Ser Ser Ile Gly  
 1 5

## (514) INFORMATION FOR SEQ ID NO:514

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:514:

Arg Glu Ile Arg Tyr  
 1 5

## (515) INFORMATION FOR SEQ ID NO:515

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 8 amino acids
- (B) TYPE: amino acid
- (C) TOPOLOGY: linear

## (ii) MOLECULE TYPE: peptide

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:515:

Glu Arg Asp Tyr Arg Leu Asp Tyr  
 1 5

## (516) INFORMATION FOR SEQ ID NO:516

- 5 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 12 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear
- 10 (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:516:

Ser Glu Tyr Tyr Gly Gly Ser Tyr Lys Phe Asp Tyr  
 1 5 10

## (517) INFORMATION FOR SEQ ID NO:517

- 20 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 17 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- 25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:517:

Gly Arg Asp Tyr Tyr Asp Ser Gly Gly Tyr Phe Thr Val Ala Phe Asp  
 1 5 10 15

30 Ile

## (518) INFORMATION FOR SEQ ID NO:518

- 35 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 11 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear
- 40 (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:518:

Arg Ala Ser Gln Ser Ile Ser Arg Trp Leu Ala  
 1 5 10

## (519) INFORMATION FOR SEQ ID NO:519

- 50 (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 7 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- 55 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:519:

Glu Ala Ser Asn Asp Leu Ala  
 1 5

(520) INFORMATION FOR SEQ ID NO:520

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 5 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:520:

Asp Phe Tyr Met Glu  
 1 5

(521) INFORMATION FOR SEQ ID NO:521

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 9 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:521:

Ile Ile Trp Asp Asp Gly Ser Asp Gln  
 1 5

(522) INFORMATION FOR SEQ ID NO:522

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 11 amino acids  
 (B) TYPE: amino acid  
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:522:

Gln Ala Ser Gln Ser Ile Ile Lys Tyr Leu Asn  
 1 5 10

Claims

1. A method for determining how to humanize a rodent antibody or fragment thereof by resurfacing, said method comprising:  
 (a) determining the conformational structure of the variable region of said rodent antibody or fragment thereof by constructing a three-dimensional model of said rodent antibody variable region;  
 (b) generating sequence alignments from relative accessibility distributions from x-ray crystallographic structures of a sufficient number of rodent antibody variable region heavy and light chains to give a set of heavy and light chain framework positions wherein said set is identical in 98% of said sufficient number of rodent antibody heavy and light chains;



- (c) defining for said rodent antibody or fragment thereof to be humanized a set of heavy and light chain surface exposed amino acid residues using said set of framework positions generated in said step (b);  
 (d) identifying from human antibody amino acid sequences a set of heavy and light chain surface exposed amino acid residues that is most closely identical to said set of surface exposed amino acid residues defined in said step (c), wherein said heavy and light chain from said human antibody are or are not naturally paired;  
 (e) substituting, in the amino acid sequence of said rodent antibody or fragment thereof to be humanized said set of heavy and light chain surface exposed amino acid residues defined in said step (c) with said set of heavy and light chain surface exposed amino acid residues identified in said step (d);  
 (f) constructing a three-dimensional model of said variable region of said rodent antibody or fragment thereof resulting from the substituting specified in said step (e);  
 (g) identifying, by comparing said three-dimensional models constructed in said steps (a) and (f), any amino acid residues from said set identified in said step (d), that are within 5 Angstroms of any atom of any residue of the complementarity determining regions of said rodent antibody or fragment thereof to be humanized; and  
 (h) changing any residues identified in said step (g) from the human to the original rodent amino acid residue to thereby define a rodent antibody humanizing set of surface exposed amino acid residues; with the proviso that said step (a) need not be conducted first, but must be conducted prior to said step (g).
2. The method of claim 1, wherein said rodent antibody is an antibody fragment.
  3. The method of claim 2, wherein said rodent antibody fragment is a single chain antibody, a  $F_v$  fragment, a Fab fragment, a  $Fab_2$  fragment or a  $Fab'$  fragment.
  4. The method of claim 1 or 2, wherein said step (d) identifies a set of naturally paired heavy and light chain surface exposed amino acid residues that is most closely identical to said set of surface exposed amino acid residues defined in said step (c).
  5. The method of claim 1 or 2, wherein said surface exposed amino acid residues are those residues whose solvent accessibility is above 30%.
  6. The method of claim 1 or 2, wherein the rodent antibody or fragment thereof to be humanized is a murine antibody.
  7. The method of claim 6, wherein said set of framework positions of surface exposed amino acid residues is defined by the set shown in Table 1 and the alignments set forth in Figures 3A and 3B.

Light Chain		
Position	Human	Mouse
1	D 51 E 34 A 5 S 5	D 76 Q 9 E 6
3	V 38 Q 24 S 24 Y 6	V 63 Q 22 L 5
5	T 61 L 37	T 87
9	P 26 S 26 G 17 A 14 L 7	S 36 A 29 L 17 P 5
15	P 62 V 25 L 12	L 47 P 30 V 8 A 7
18	R 57 S 18 T 13 P 6	R 38 K 22 S 13 Q 12 T 9
46	P 94	P 82 S 9
47	G 89	G 71 D 18
51	K 43 R 31	K 70 Q 13 R 8 T 5
63	G 91	G 98

5	66	D 43 S 25 A 9	D 38 A 26 S 26
	73	S 96	S 90 I 5
	76	D 43 T 18 S 16 E 15	D 67 S 15 A 5 K 5
	86	P 44 A 27 S 17 T 8	A 50 P 11 T 8 E 7 Q 6
	87	E 71 D 11 G 7	E 91 D 6
10	111	K 74 R 12 N 6	K 93
	115	K 54 L 40	K 87 L 5
	116	R 60 G 33 S 5	R 89 G 9
15	117	Q 50 T 37 E 6 P 6	A 74 Q 14 P 5 R 5
Heavy Chain			
20	Position	Human	Mouse
	118	E 47 Q 46	E 59 Q 29 D 10
25	120	Q 83 T 7	Q 68 K 26
	122	V 59 L 15 Q 13	Q 57 V 27 L 5 K 5
	126	G 54 A 23 P 18	G 36 P 30 A 29
	127	G 53 E 22 A 14 D 7	E 45 G 43 S 6
	128	L 61 V 31 F 7	L 96
30	130	K 46 Q 41 E 5	K 52 Q 27 R 17
	131	P 95	P 91 A 5
	132	G 74 S 16 T 7	G 82 S 17
35	136	R 53 K 23 S 17 T 7	K 66 S 17 R 13
	143	G 96	G 98
	145	T 46 S 32 N 9 I 7	T 63 S 19 N 7 A 5 D 5
40	160	P 84 S 10	P 89 H 7
	161	G 93	G 71 E 24
	162	K 76 Q 10 R 8	K 50 Q 30 N 10 H 5
	183	D 26 P 25 A 17 Q 10 T 7	E 31 P 22 D 17 A 12 Q 11
50	184	S 70 K 9 P 8	K 42 S 37 T 6
	186	K 53 Q 22 R 7 N 5	K 83 Q 7
	187	G 66 S 21 T 5	G 62 S 18 D 10
	195	T 30 D 26 N 19 K 7	T 36 K 30 N 26 D 6
55	196	S 91	S 76 A 16
	197	K 65 I 8 T 8 R 5	S 46 K 34 Q 11

208	R 46 T 18 K 17 D 6	S 67 A 14 T 11
209	A 50 P 21 S 13 T 8	E 88 D 7
210	E 46 A 18 D 13 S 9 Z 8 V 5	T 53 S 43
212	T 91	
Table 1		

8. The method of claim 1 or 2, wherein the rodent antibody or fragment thereof to be humanized is murine antibody anti-N901.

9. The method of claim 8, wherein said set of framework positions of surface exposed amino acid residues is defined by the set shown in Table 1 and the alignments set forth in Figures 3A and 3B.

Light Chain		
Position	Human	Mouse
1	D 51 E 34 A 5 S 5	D 76 Q 9 E 6
3	V 38 Q 24 S 24 Y 6	V 63 Q 22 L 5
5	T 61 L 37	T 87
9	P 26 S 26 G 17 A 14 L 7	S 36 A 29 L 17 P 5
15	P 62 V 25 L 12	L 47 P 30 V 8 A 7
18	R 57 S 18 T 13 P 6	R 38 K 22 S 13 Q 12 T 9
46	P 94	P 82 S 9
47	G 89	G 71 D 18
51	K 43 R 31	K 70 Q 13 R 8 T 5
63	G 91	G 98
66	D 43 S 25 A 9	D 38 A 26 S 26
73	S 96	S 90 I 5
76	D 43 T 18 S 16 E 15	D 67 S 15 A 5 K 5
86	P 44 A 27 S 17 T 8	A 50 P 11 T 8 E 7 Q 6
87	E 71 D 11 G 7	E 91 D 6
111	K 74 R 12 N 6	K 93
115	K 54 L 40	K 87 L 5
116	R 60 G 33 S 5	R 89 G 9
117	Q 50 T 37 E 6 P 6	A 74 Q 14 P 5 R 5
Heavy Chain		
Position	Human	Mouse
118	E 47 Q 46	E 59 Q 29 D 10

120	Q 83 T 7	Q 68 K 26
122	V 59 L 15 Q 13	Q 57 V 27 L 5 K 5
5 126	G 54 A 23 P 18	G 36 P 30 A 29
127	G 53 E 22 A 14 D 7	E 45 G 43 S 6
128	L 61 V 31 F 7	L 96
10 130	K 46 Q 41 E 5	K 52 Q 27 R 17
131	P 95	P 91 A 5
132	G 74 S 16 T 7	G 82 S 17
15 136	R 53 K 23 S 17 T 7	K 66 S 17 R 13
143	G 96	G 98
145	T 46 S 32 N 9 I 7	T 63 S 19 N 7 A 5 D 5
20 160	P 84 S 10	P 89 H 7
161	G 93	G 71 E 24
25 162	K 76 Q 10 R 8	K 50 Q 30 N 10 H 5
183	D 26 P 25 A 17 Q 10 T 7	E 31 P 22 D 17 A 12 Q 11
184	S 70 K 9 P 8	K 42 S 37 T 6
30 186	K 53 Q 22 R 7 N 5	K 83 Q 7
187	G 66 S 21 T 5	G 62 S 18 D 10
195	T 30 D 26 N 19 K 7	T 36 K 30 N 26 D 6
35 196	S 91	S 76 A 16
197	K 65 I 8 T 8 R 5	S 46 K 34 Q 11
208	R 46 T 18 K 17 D 6	S 67 A 14 T 11
40 209	A 50 P 21 S 13 T 8	E 88 D 7
210	E 46 A 18 D 13 S 9 Z 8 V 5	T 53 S 43
45 212	T 91	
Table 1		

10. A method for producing a humanized rodent antibody or fragment thereof from a rodent antibody or fragment thereof by resurfacing, said method comprising.
- (I) carrying out the method of claim 1; and
- (II) modifying the rodent antibody or fragment thereof by replacing the set of rodent antibody surface exposed amino acid residues with the rodent antibody humanizing set of surface exposed amino acid residues defined in said step (h).
11. The method of claim 10, wherein said rodent antibody is an antibody fragment.
12. The method of claim 11, wherein said rodent antibody fragment is a single chain antibody, a  $F_v$  fragment,

a Fab fragment, a Fab<sub>2</sub> fragment or a Fab' fragment.

13. The method of claim 10 or 11, wherein said step (d) identifies a set of naturally paired heavy and light chain surface exposed amino acid residues that is most closely identical to said set of surface exposed amino acid residues defined in said step (c).
14. The method of claim 10 or 11, wherein said surface exposed amino acid residues are those residues whose solvent accessibility is above 30%.
15. The method of claim 10 or 11, wherein the rodent antibody or fragment thereof to be humanized is a murine antibody.
16. The method of claim 15, wherein said set of framework positions of surface exposed amino acid residues is defined by the set shown in Table 1 and the alignments set forth in Figures 3A and 3B.

Light Chain		
Position	Human	Mouse
1	D 51 E 34 A 5 S 5	D 76 Q 9 E 6
3	V 38 Q 24 S 24 Y 6	V 63 Q 22 L 5
5	T 61 L 37	T 87
9	P 26 S 26 G 17 A 14 L 7	S 36 A 29 L 17 P 5
15	P 62 V 25 L 12	L 47 P 30 V 8 A 7
18	R 57 S 18 T 13 P 6	R 38 K 22 S 13 Q 12 T 9
46	P 94	P 82 S 9
47	G 89	G 71 D 18
51	K 43 R 31	K 70 Q 13 R 8 T 5
63	G 91	G 98
66	D 43 S 25 A 9	D 38 A 26 S 26
73	S 96	S 90 I 5
76	D 43 T 18 S 16 E 15	D 67 S 15 A 5 K 5
86	P 44 A 27 S 17 T 8	A 50 P 11 T 8 E 7 Q 6
87	E 71 D 11 G 7	E 91 D 6
111	K 74 R 12 N 6	K 93
115	K 54 L 40	K 87 L 5
116	R 60 G 33 S 5	R 89 G 9
117	Q 50 T 37 E 6 P 6	A 74 Q 14 P 5 R 5
Heavy Chain		
Position	Human	Mouse
118	E 47 Q 46	E 59 Q 29 D 10
120	Q 83 T 7	Q 68 K 26
122	V 59 L 15 Q 13	Q 57 V 27 L 5 K 5

5	126	G 54 A 23 P 18	G 36 P 30 A 29
	127	G 53 E 22 A 14 D 7	E 45 G 43 S 6
	128	L 61 V 31 F 7	L 96
	130	K 46 Q 41 E 5	K 52 Q 27 R 17
	131	P 95	P 91 A 5
10	132	G 74 S 16 T 7	G 82 S 17
	136	R 53 K 23 S 17 T 7	K 66 S 17 R 13
	143	G 96	G 98
15	145	T 46 S 32 N 9 I 7	T 63 S 19 N 7 A 5 D 5
	160	P 84 S 10	P 89 H 7
	161	G 93	G 71 E 24
20	162	K 76 Q 10 R 8	K 50 Q 30 N 10 H 5
	183	D 26 P 25 A 17 Q 10 T 7	E 31 P 22 D 17 A 12 Q 11
	184	S 70 K 9 P 8	K 42 S 37 T 6
25	186	K 53 Q 22 R 7 N 5	K 83 Q 7
	187	G 66 S 21 T 5	G 62 S 18 D 10
30	195	T 30 D 26 N 19 K 7	T 36 K 30 N 26 D 6
	196	S 91	S 76 A 16
	197	K 65 I 8 T 8 R 5	S 46 K 34 Q 11
35	208	R 46 T 18 K 17 D 6	S 67 A 14 T 11
	209	A 50 P 21 S 13 T 8	E 88 D 7
	210	E 46 A 18 D 13 S 9 Z 8 V 5	T 53 S 43
40	212	T 91	
Table 1			

- 45 17. The method of claim 10 or 11, wherein the rodent antibody or fragment thereof to be humanized is murine antibody anti-N901.
- 50 18. The method of claim 17, wherein said set of framework positions of surface exposed amino acid residues is defined by the set shown in Table 1 and the alignments set forth in Figures 3A and 3B.

Light Chain		
Position	Human	Mouse
1	D 51 E 34 A 5 S 5	D 76 Q 9 E 6
3	V 38 Q 24 S 24 Y 6	V 63 Q 22 L 5

5	5	T 61 L 37	T 87
	9	P 26 S 26 G 17 A 14 L 7	S 36 A 29 L 17 P 5
5	15	P 62 V 25 L 12	L 47 P 30 V 8 A 7
	18	R 57 S 18 T 13 P 6	R 38 K 22 S 13 Q 12 T 9
	46	P 94	P 82 S 9
10	47	G 89	G 71 D 18
	51	K 43 R 31	K 70 Q 13 R 8 T 5
	63	G 91	G 98
15	66	D 43 S 25 A 9	D 38 A 26 S 26
	73	S 96	S 90 I 5
	76	D 43 T 18 S 16 E 15	D 67 S 15 A 5 K 5
20	86	P 44 A 27 S 17 T 8	A 50 P 11 T 8 E 7 Q 6
	87	E 71 D 11 G 7	E 91 D 6
	111	K 74 R 12 N 6	K 93
25	115	K 54 L 40	K 87 L 5
	116	R 60 G 33 S 5	R 89 G 9
	117	Q 50 T 37 E 6 P 6	A 74 Q 14 P 5 R 5
30	Heavy Chain		
	Position	Human	Mouse
	118	E 47 Q 46	E 59 Q 29 D 10
35	120	Q 83 T 7	Q 68 K 26
	122	V 59 L 15 Q 13	Q 57 V 27 L 5 K 5
	126	G 54 A 23 P 18	G 36 P 30 A 29
40	127	G 53 E 22 A 14 D 7	E 45 G 43 S 6
	128	L 61 V 31 F 7	L 96
	130	K 46 Q 41 E 5	K 52 Q 27 R 17
45	131	P 95	P 91 A 5
	132	G 74 S 16 T 7	G 82 S 17
50	136	R 53 K 23 S 17 T 7	K 66 S 17 R 13
	143	G 96	G 98
	145	T 46 S 32 N 9 I 7	T 63 S 19 N 7 A 5 D 5
55	160	P 84 S 10	P 89 H 7
	161	G 93	G 71 E 24

162	K 76 Q 10 R 8	K 50 Q 30 N 10 H 5
183	D 26 P 25 A 17 Q 10 T 7	E 31 P 22 D 17 A 12 Q 11
184	S 70 K 9 P 8	K 42 S 37 T 6
186	K 53 Q 22 R 7 N 5	K 83 Q 7
187	G 66 S 21 T 5	G 62 S 18 D 10
195	T 30 D 26 N 19 K 7	T 36 K 30 N 26 D 6
196	S 91	S 76 A 16
197	K 65 I 8 T 8 R 5	S 46 K 34 Q 11
208	R 46 T 18 K 17 D 6	S 67 A 14 T 11
209	A 50 P 21 S 13 T 8	E 88 D 7
210	E 46 A 18 D 13 S 9 Z 8 V 5	T 53 S 43
212	T 91	
Table 1		






FIG. 1






FIG. 2



## ACCESSIBILITY



g1b2	QVQLQSGGELARPGASVFLSCASGTTFTTFTGIT--WVQRQCGGLEWIGELIPGNS--KTYVAERFKGKATLADKSSSTAYMQLSLSLSDSDSAVYFCARELR-----YWG	(SEQ ID NO: 13)
1f6l	QVQLKESGPGIWAPEQSLSITCTVSGFSLGSGVN--WVRQPEKGLWIGLHWIGDG--NIDVNSALKSLISIKONSSSQVFLKMSLSLHTDTPARYCAREDTYL-----DYWG	(SEQ ID NO: 14)
2hf1	-VQLQSGGAELWPKGASVKISCKASGTTFSDYWIE--WVRQPEKGLWIGLWIGLIPGSG--STNHERFKGKATFTADTSSTAYMQLSLFLSDSDSGVYVCLHGTDF-----DGWG	(SEQ ID NO: 15)
3hf6	DVQLQESGPIVAPQSITLSITCTVSGDINSIDVMS--MIRKFPARLEWVGVSYSYG--STTNPSLSKSLISITDTSRKNQYTLDLASVTTETPTATYVCANMDG-----DYWG	(SEQ ID NO: 16)
2fbj	EVKLQESGGELVQPGSLKLSCAASGTFDFSKYMS--WVRQAPEKGLWIGLWIPGSG--TINTYPSLKQKFIISRDNAKNSLTQKSVKRSNTALYVCARLYHGTN-----AYWG	(SEQ ID NO: 17)
2fb4	EVQLVQSGGGVQVPPKPSLRLSCSSSGTIFSSVANY--WVRQAPEKGLWALHTWDGGS--DQHTADSVKGRFTISRDNSKNTLTQDQLSLRPEDVGVFCARDGCHGFCSSASCTGPDYWG	(SEQ ID NO: 18)
2mcq	EVKLVESGGELVQPGSLKLSLCACTSGTTFSDTFNE--WVRQPEKGLWELTAASGNKKNKYTTEYSVKGRTIVSRDTSQSILYQLQNALRAEDTALYVCARNYGVSTWTF-----DYWG	(SEQ ID NO: 19)
7fab	-VQLQESGPGIWRPSTYTLSTCTVSGTTFSDYTYST--WVRQPEKGLWIGVTFYHIG--TSDIDTPJASRVTLWNTSKQPSLRSLSSYTAADVAVYVCARNLACGI-----DYWG	(SEQ ID NO: 20)
4fab	EVKLDETGGELVQVGRPKLSVAGSTTFSDYMNH--WVRQPEKGLEWAGIIRKRPVNYETYSDSVKGRTIISDDSKSSVYTLQANLRAVEDMGLYCTGTYGCH-----DYWG	(SEQ ID NO: 21)
1f19	QVQLKESGAELVAASSVKNKSCKASGTTFTTSGVN--WVRQPEQGLEWIGTINPKG--VLSINKEFKGKTLTVDRSSSTAYMQLSLTSDEDSAVYFCARFYGGSDILAYTTF-----DSWG	(SEQ ID NO: 22)
6fab	EVQLQSGGVELFRAGSSVQVLSCTGTCGTTTSGNIN--WVRQRPQGLEWIGLVNPKG--VIAVNEKFKGKTLTVDKSSSTAYMQLSLTSDEDSAVYFCARFYGGSTYF-----DYWG	(SEQ ID NO: 23)
1af6	EVQLVESGGELVQPKSLKLSCAASGTTFTNDYARI--WVRQAPEGLGELWISGLSMDS--SIGVADSVKGRFTISRDNAKNSLYQWGISAAEDMALTYCVKGGDTQDGGYTFAPDTMG	(SEQ ID NO: 24)

FIG. 4A

## Light Chain Sequences

	1	N901L	:DVLMTQTPSLPVSGLGDAQASISC	RSSQIIIHSDGNTY-LE	WFLQKPGQSPKLLIY	KVSNRFS	GVPDRFSG
	2	KOL	:QSULTQPSPSAG-TPGQRVTISCI	SGTSSNIGS----	STVN WYQLFGMAPKLLIY	RDAMRPS	GVPDRFSG
	3	N901L/KOL	:QVLMTQTPTSSLPVTLGGQQASISC	RSSQIIIHSDGNTY-LE	WFLQKPGQSPKLLIY	KVSNRFS	GVPDRFSG
	4	KV2F\$HUMAN [most identical seq]	:DVVMTSQSPSLPVTLGQPASISC	RSSQSVLYSDGNTY-LN	WFQORPGQSPRRLIY	KVSNRDS	GVPDRFSG
	5	N901L/KV2F [CDR grafted]	:DVLMTQSPSLPVTLGQPASISC	RSSQIIIHSDGNTY-LE	WFQORPGQSPRLIY	KVSNRFS	GVPDRFSG
	6	KV4B\$HUMAN [most identical surf]	:DIVMTQSPDSLAVSLGERATINC	KSSQSVLYSSNNKNYLA	WYQQKPGQPPLLIY	WASTRES	GVPDRFSG
	7	N901L/KV4B [Resurfaced]	:DVLMTQTPTDSPLVSLGDRASISC	RSSQIIIHSDGNTY-LE	WFLQKPGQSPKLLIY	KVSNRFS	GVPDRFSG

	80	90	100	110			
1 N901L	-----+-----+-----+-----+-----	:SGSGTDFTL	MISRVEAED	LGVYYC	FQSH--VPHT	FGGGTKLEI-	(SEQ ID NO: 25)
2 KOL		:SKSGASAS	LAIGGLQSE	DETDYYC	AAMDVSL	NAYV FGTGT	KVTVL
							*
3 N901L/KOL	-----+-----+-----+-----+-----	:SGSGTSFT	LAI	SRVEAED	EGVYYC	FQSH--VPHT	FGGGTKLEI-
4 KV2F\$HUMAN	-----+-----+-----+-----+-----	:SGSGTDFTL	KISRVEAED	VGYYC	MQGTH--WSWT	FQGGTKV	VEIK
[most identical seq]							*
5 N901L/KV2F	-----+-----+-----+-----+-----	:SGSGTDFTL	KISRVEAED	VGYYC	FQSH--VPHT	FGGGTKV	VEI-
[CDR grafted]							
6 KV4B\$HUMAN	-----+-----+-----+-----+-----	:SGSGTDFTL	TISSLQ	AEDVAVYYC	QQYDT---IPT	FGGGTKV	VEIK
[most identical surf]							
7 N901L/KV4B	-----+-----+-----+-----+-----	:SGSGTDFTL	MISRVEAED	LGVYYC	FQSH--VPHT	FGGGTKLEI-	
[Resurfaced]					{	L3	}

## Heavy Chain Sequences

	120	130	140	150	160	170	180
1 N901H	-----+-----+-----+-----+-----+-----+-----+-----						
2 KOL	:DVQLVESGGGLVQPGGSRKLSCAASGFTFS	SFGMH--	WVRQAPCKGLEWVA	YISSGSF--TIY	HADTVKG		
3 N901H/KOL	:EVQLVQSGGGVQVQGRSLRLSCSSSGFIFS	SYAMY--	WVRQAPCKGLEWVA	IIWDDGS--DQH	YADSVKG		
4 G36005	:EVQLVQSGGGVQVQGRSLRLSCAASGFTFS	SFGMH--	WVRQAPCKGLEWVA	YISSDGF--TIY	HADSVKG		
[most identical seq]							
5 N901H/G36005	:QVQLVESGGGVQVQGRSLRLSCAASGFTFS	SFGMH--	WVRQAPCKGLEWVA	YISSDGS--NKY	YADSVKG		
[CDR grafted]							
6 PL0123	:EVQLVQSGGGVQVQPGGSLRLSCAASGFTFS	SYWMS--	WVRQAPCKGLEWVA	NIKQDGS--EKY	YVDSVKG		
[most identical surf]							
7 N901H/PL0123	:EVQLVQSGGGVQVQPGGSLRLSCAASGFTFS	SFGMH--	WVRQAPCKGLEWVA	YISSGSF--TIY	HADSVKG		
[Resurfaced]							
1 N901H	190	200	210	220	230	240	
2 KOL	-----+-----+-----+-----+-----+-----+-----+-----						
3 N901H/KOL	:RFTISRNDPKNTLFLQMTSLRSEDVAMYCAR	MRKGYAM--	-----DY	WGQGTIVTVS			(SEQ ID NO: 32)
4 G36005	:RFTISRNDKNTLFLQMDSLRPEDTGVIYFCAR	DGGHGFCSSASC	FGPDY	WGQGTIVTVS			( 77) (SEQ ID NO: 33)
[most identical seq]							
5 N901H/G36005	:RFTISRDDPKNTLFLQMTSLRSEDVAMYCAR	MRKGYAM--	-----DY	WGQGTIVTVS			(106) (SEQ ID NO: 34)
[CDR grafted]							
6 PL0123	:RFTISRDNKNTLYLQMNSLRAEDTAVVYCAR	DRKDWGALF--	-----DY	WGQGTIVTVS			( 89) (SEQ ID NO: 35)
[most identical surf]							
7 N901H/PL0123	:RFTISRDNKNTLYLQMNSLRAEDTAVVYCAR	MRKGYAM--	-----DY	WGQGTIVTVS			(103) (SEQ ID NO: 36)
[Resurfaced]							
1 N901H	190	200	210	220	230	240	
2 KOL	-----+-----+-----+-----+-----+-----+-----+-----						
3 N901H/KOL	:RFTISRNDKNTLYLQMNSLRAEDTAVVYCAR	MRKGYAM--	-----DY	WGQGTIVTVS			(SEQ ID NO: 37)
4 G36005	:RFTISRDDPKNTLFLQMTSLRSEDVAMYCAR	MRKGYAM--	-----DY	WGQGTIVTVS			(110) (SEQ ID NO: 38)
[most identical surf]							
5 N901H/G36005	:RFTISRDNKNTLYLQMNSLRAEDTAVVYCAR	MRKGYAM--	-----DY	WGQGTIVTVS			( 74) (SEQ ID NO: 39)
[CDR grafted]							
6 PL0123	:RFTISRDNKNTLYLQMNSLRAEDTAVVYCAR	MRKGYAM--	-----DY	WGQGTIVTVS			(106) (SEQ ID NO: 40)
[most identical surf]							
7 N901H/PL0123	:RFTISRDNKNTLYLQMNSLRAEDTAVVYCAR	MRKGYAM--	-----DY	WGQGTIVTVS			( 89) (SEQ ID NO: 41)
[Resurfaced]							





FIG. 5

FIG. 6








FIG. 7




FIG. 8

FIG. 9A




FIG. 9B




FIG. 9C





FIG. 9D






FIG. 10



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number

EP 93 30 7051

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
D,A	MOLECULAR IMMUNOLOGY vol. 28, no. 4/5, 1991, GB pages 489 - 498 PADLAN A E 'POSSIBLE PROCEDURE FOR REDUCING THE IMMUNOGENICITY OF ANTIBODY VARIABLE DOMAINS WHILE PRESERVING THEIR LIGAND-BINDING PROPERTIES' * Materials and Methods, p.490, 491, Tables 1-3 *		C12N15/13 C12N15/62 C07K15/00 C12P21/08
D,A	WO-A-9 109 967 (CELLTECH LIMITED) 11 July 1991 * p. 5, second paragraph, p. 6 second paragraph, "Rational" pp. 19-23 *		
P,A	EP-A-0 519 596 (MERCK & CO. INC.) 23 December 1992 * Claims *		
			TECHNICAL FIELDS SEARCHED (Int. Cl.5)
			C07K
The present search report has been drawn up for all claims			
Place of search MUNICH		Date of completion of the search 12 JANUARY 1994	Examiner Germinario C.
<p><b>CATEGORY OF CITED DOCUMENTS</b></p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons * : member of the same patent family, corresponding document</p>			

EP 0 FORM 1503 (04/91) (P.0401)